

Classic Black

The most recognizable of all of the Smiths ranges, the classic black faced gauge was not only the choice for such manufacturers as Aston Martin, Lotus and MG but also for every enthusiast looking to add to or replace instruments in their vehicle. This is the classic font from the 60's and 70's but we also have the manufacturer specific fonts in other ranges.



FUEL TANK LEVEL

CLASSIC BLACK

Part No. BF2242-00C

Type: Bimetal Electric
 Range: 0-1/2-4/4 Scale: Arc
 Fitting: Spade Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Use sender Part No.
 TB9006KitorTB9013Kit
 Alternative:BF2242-10C
 (Chrome 1/2 Round)
[Fitting Instructions](#)



FUEL TANK LEVEL

CLASSIC BLACK

Part No. BF2242-00CA

Type: 12 volt Electric
 Range: 0-1/2-4/4
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Use Sender Kit TB9011KIT
 or TB9013KIT
[Fitting Instructions](#)



FUEL TANK LEVEL

CLASSIC BLACK

Part No. BF2242-00CB

Type: Stepping Motor Electric
 Range: 0-1/2-4/4
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Use Sender Kit TB9011KIT or
 TB9013KIT
[LED LIGHTING](#)
[Fitting Instructions](#)



BOOST PRESSURE

CLASSIC BLACK

Part No. PG1310-40CB

Type: Stepping Motor Electric
 Range: 0-30 PSI
 Scale: Full
 Dia: 52mm
 Bezel: Black 1/2 "V"
 Use Sender Kit
 PTR2300-10-8NKIT
[Fitting Instructions](#)



BOOST PRESSURE

CLASSIC BLACK

Part No. PG1310-60CB

Type: Stepping Motor Electric
 Range: 0-30 PSI
 Scale: Full
 Dia: 52mm
 Bezel: Black 1/2 "V"
[Fitting Instructions](#)



BOOST PRESSURE

CLASSIC BLACK

Part No. EMP1-1B32-00C

Type: Stepping Motor Electric
 Range: -15-30 PSI
 Scale: Full
 Dia: 52mm
 Bezel: Black 1/2 "V"
[Fitting Instructions](#)



OIL PRESSURE

CLASSIC BLACK

Part No. BP2404-00CA

Type: 12 VOLT Electric
 Range: 0-100 PSI
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Use Sender Part No.
 PTR1000-6-10
[Fitting Instructions](#)



OIL PRESSURE

CLASSIC BLACK

Part No. BP2404-00C

Type: Bimetal Electric
 Range: 0-100 PSI Scale: Arc
 Fitting: Spade Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Use Sender Part No.
 PTR1810-1-10
 Alternative:BP2404-03C
 (Chrome 1/2 Round)
[Fitting Instructions](#)



OIL PRESSURE**CLASSIC BLACK****Part No. PG1310-00CB**

Type:SteppingMotorElectric

Range: 0-100 PSI

Scale: Full

Dia: 52mm

Bezel: Chrome 1/2 "V"

Use Sender Kit

PTTR2300-10-8NKITLED LIGHTING

[Fitting Instructions](#)**OIL PRESSURE****CLASSIC BLACK****Part No. PL2328-00C**

Type: Mechanical

Range: 0 -100psi

Scale: Arc

Dia: 52mm

Bezel: Chrome 1/2 "V"

Alternative: PL2328-06C

(Chrome 1/2 Round)

[Fitting Instructions](#)**OIL PRESSURE****CLASSIC BLACK****Part No. PG1310-00C**

Type: Mechanical

Range: 0-100 PSI Scale: Full

Fitting: 1/8in NPT Dia: 52mm

Bezel: Chrome 1/2 "V"

Use Fitting Kit Part No.LK-2

Use Sender Kit PTTR2300-10-8NKIT

Alternative: PG1310-17C

(Chrome 1/2 Round)

[Fitting Instructions](#)**OIL PRESSURE & WATER TEMP****CLASSIC BLACK****Part No. GD1301-64C078**

Type: Mechanical

Range: 0-100 PSI / 90-230° F

Scale: Arc Dia: 52mm

Fitting: 1/8in NPT / 3/8BSP

Bezel: Chrome 1/2 "V"

Capillary length 78inches.

Comes with 3/8BSP to 5/8UNF

adaptor. Use LK-1 on Pressure

Alternative: GD1301-83C078

(Chrome 1/2 Round)

[Fitting Instructions](#)**WATER TEMPERATURE****CLASSIC BLACK****Part No. BT2240-00C**

Type: BimetalElectric

Range: 50-140° C

Scale: Arc

Fitting: Spade Dia: 52mm

Bezel: Chrome 1/2 "V"

Use Sender Part No.TT6811-01

Alternative:BT2240-09C

(Chrome 1/2 Round)

[Fitting Instructions](#)**WATER TEMPERATURE****CLASSIC BLACK****Part No. TG1310-00CB**

Type: 12 voltElectric

Range: 30-110° C

Scale:Full

Dia: 52mm

Bezel: Chrome 1/2 "V"

Use Sender Part No. TT3001-8N

LED LIGHTING

[Fitting Instructions](#)**WATER TEMPERATURE****CLASSIC BLACK****Part No. TG1310-00C078**

Type: Mechanical

Range: 30-110° C Scale: Full

A2 Bulb Dia: 52mm

Bezel: Chrome 1/2 "V"Capillary

length 78inches.Inc3/8BSP to

5/8UNF adaptor

Alternative: TG1310-23C078k2

Bulb Degree FChrome1/2V

[Fitting Instructions:](#)**WATER TEMPERATURE****CLASSIC BLACK****Part No. TG1310-01C078**

Type: Mechanical

Range: 30-110° C Scale: Full

Fitting: 3/8BSP Dia: 52mm

Bezel: Chrome 1/2 "V"

Capillary length 78inches.

Comes with 3/8BSP to

5/8UNF adaptor

Alternative: TG1310-09C078

(Chrome 1/2 Round)

[Fitting Instructions](#)**WATER TEMPERATURE****CLASSIC BLACK****Part No. TG1310-23C078**

Type:Mechanical

Range:90-230F

Scale: Full Scale

Dia: 52mm

Bezel: Chrome 1/2 "V"

[Fitting Instructions:](#)

REPRESENTATIVE

IMAGE

**OIL TEMPERATURE****CLASSIC BLACK****Part No. TG1311-01C078**

Type: Mechanical

Range: 40-140° C Scale: Arc

Fitting: 3/8BSP Dia: 52mm

Bezel: Chrome 1/2 "V"

Capillary length 78inches.

Comes with 3/8BSP to 5/8UNF

adaptor

Alternative: TG1311-06C078

(Chrome 1/2 Round)

[Fitting Instructions:](#)

OIL TEMPERATURE**CLASSIC BLACK****Part No. TG1301-61CB**

Type: 12 volt Electric
 Range: 40-140° C
 Scale: Full
 Fitting: 3/8BSP
 Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Use SenderPartNo.
 T3005-8N
 LED LIGHTING
 Fitting Instructions

**OIL TEMPERATURE****CLASSIC BLACK****Part No. BT2240-01C**

Type: Bimetal Electric
 Range: 50-140° C
 Scale: Arc
 Fitting: Spade Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Use Sender Part No.
 TT6811-01 Alternative:
 BT2240-07C
 (Chrome 1/2 Round)
 Fitting Instructions

**AMBIENT TEMPERATURE****CLASSIC BLACK****Part No. TG1305-04CB**

Type: Stepping Motor Electric
 Range: -10 - 60 °C
 Scale: Full
 Dia: 52mm
 Bezel: Chrome Full "V"
 includes sender
 LED LIGHTING
 Fitting Instructions

**OUTSIDE TEMPERATURE****CLASSIC BLACK****Part No. TG1303-01CB**

Type: Stepping motor Electric
 Range: -20 - 50° C
 Scale: Full
 Dia: 52mm
 Bezel: Chrome 1/2 "V"
 includes sender
 With Black bezel TG1303-01BB
 LED LIGHTING
 Fitting Instructions:

**VACUUM****CLASSIC BLACK****Part No. VG1302-03CB**

Type: Stepping Motor Electric
 Range: 0-30 inHg
 Scale: Full
 Dia: 52mm
 Bezel: Chrome 1/2 "V" Use
 Sender Kit
 PTTR2300-03-8N KIT
 LED LIGHTING
 Fitting Instructions

**VOLTMETER****CLASSIC BLACK****Part No. ABV2220-00C**

Type: Electrical
 Range: 11-15 Volts
 Scale: Arc
 Fitting: Spade
 Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Alternative: ABV2220-16C
 (Chrome 1/2 Round)
 Fitting Instructions:

**VOLTMETER****CLASSIC BLACK****Part No. BV2220-00CB**

Type: Stepping Motor Electric
 Range: 11-17 Volts
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome 1/2 "V"
 LED LIGHTING
 Fitting Instructions:

**CLOCK****CLASSIC BLACK****Part No. CA2-1032-00C**

Type: Electrical
 Range: 12 hours
 Scale: Full
 Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Alternative: CA2-1032-02C
 (Chrome 1/2 Round)
 Fitting Instructions:

**CLOCK****CLASSIC BLACK****Part No. CA1100-01C**

Type: Electrical
 Range: 12hour Scale: Full
 Fitting: Spade Dia: 52mm
 Bezel: Chrome
 Push Button to reset (Do Not
 Turn)
 Alternative: CA1100-14C
 (Chrome 1/2 Round)
 Fitting Instructions:

**CLOCK****CLASSIC BLACK****Part No. CA2-1032-03C**

Type: Electrical
 Range: 12hour
 Scale: Full
 Dia: 60mm
 Bezel: Chrome
 Fitting Instructions



AMMETER**CLASSIC BLACK****Part No. AM1340-03C**

Type:Electrical
 Range:30-0-30
 Scale:Arc
 Dia:52mm
 Bezel: Chrome 1/2 "V"
 Alternative:AM1340-09C
 (Chrome 1/2 Round)
Fitting Instructions

**AMMETER****CLASSIC BLACK****Part No. AM1640-03C**

Type: Electrical
 Range: 60-0-60 Amps
 Scale: Arc
 Fitting: Spade
 Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Alternative:AM1640-20C
 (Chrome 1/2 Round)
Fitting Instructions

**TACHOMETER****CLASSIC BLACK****Part No. RVC1004-00CB**

Type: Electrical
 Range: 0-10000 RPM
 Scale: Full
 Fitting: Harness Dia: 80mm
 Bezel: Chrome Full "V"
 4, 6 or 8 Cyl.
 Adjustable redline pointer.
 Suits 400-25 Tacho Pod
Fitting Instructions:

**TACHOMETER****CLASSIC BLACK****Part No. RVC1006-00CB**

Type: Electrical
 Range: 0-8000 RPM
 Scale: Full
 Fitting: Harness Dia: 80mm
 Bezel: Chrome Full "V"
 4, 6 or 8 Cyl.
 Adjustable redline pointer. Suits
 400-25 Tacho Pod
Fitting Instructions:

**TACHOMETER****CLASSIC BLACK****Part No. RVC1-1B32-00C**

Type:Electric
 Range:0-8000RPM
 Scale:Full
 Dia:52mm
 Bezel: Chrome 1/2 "V"
LED LIGHTING
Fitting Instructions:

**TACHOMETER****CLASSIC BLACK****Part No. RVC1490-00CB**

Type: Electrical
 Range: 0-7000 RPM
 Scale: Full
 Dia: 80mm
 Bezel: Chrome 1/2 "V"
 Alternative: RVC1490-06CB
 (Chrome 1/2 Round)
Fitting Instructions:

**TACHOMETER****CLASSIC BLACK****Part No. RVC1690-00CB**

Type: Electric
 Range:0-7000 RPM
 Scale: Full
 Dia:80mm
 Bezel: Chrome 1/2 "V"
 Alternative:
 RVC1690-03CB(Chrome
 1/2Round)
Fitting Instructions:

**TACHOMETER****CLASSIC BLACK****Part No. RVC1890-00CB**

Type: Electric
 Range: 0-7000 RPM
 Scale: Full
 Dia:80mm
 Bezel: Chrome 1/2 "V"
 Alternative: RVC1890-02CB
 (Chrome 1/2 Round)
Fitting Instructions:

**TACHOMETER****CLASSIC BLACK****Part No. RVC2890-00CB**

Type: Electric
 Range:0-7000 rpm
 Scale:Full
 Dia:80mm
 Bezel: Chrome 1/2 "V"
 Alternative:RVC2890-03CB
 (Chrome 1/2 Round)
Fitting Instructions:

**TACHOMETER****CLASSIC BLACK****Part No. RVC2490-00CB**

Type:Electric
 Range:0-7000 RPM
 Scale:Full
 Dia:100mm
 Bezel: Chrome 1/2 "V"
 Alternative:RVC2490-08CB
 (Chrome 1/2 Round)
Fitting Instructions:



TACHOMETER

CLASSIC BLACK

Part No. **RVC2690-00CB**

Type: Electric
Range: 0 -7000RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Alternative: RVC2690-02CB
(Chrome 1/2 Round)
Fitting instructions:



TACHOMETER

CLASSIC BLACK

Part No. **RVC2490-24CB**

Type: Electric
Range: 0-10000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Representative Image
Fitting Instructions



SMITHS classic electronic speedometers



SPEEDOMETER CLASSIC BLACK

Part No. **SN5234-05CB**

Type: Electric
 Range: 0-240kph
 Scale: Full
 Dia: 80mm
 Bezel: Chromel/2"V"
 Alternative: SN5234-37CB
 (Chrome 1/2 Round)

Fitting Instructions:



SPEEDOMETER CLASSIC BLACK

Part No. **SN5234-07CB**

Type: Electric
 Range: 0 - 270 kph
 Scale: Full
 Fitting: Harness
 Dia: 80mm
 Bezel: Chrome 1/2 "V"
 Alternative: SN5234-39CB
 (Chrome 1/2 Round)

Fitting Instructions:



SPEEDOMETER CLASSIC BLACK

Part No. **SNT5372-10CB**

Type: Electric
 Range: 0 - 220 kph
 Scale: Full
 Fitting: Harness
 Dia: 100mm
 Bezel: Chrome 1/2 "V"
 Alternative: SNT5372-63CB
 (Chrome 1/2 Round)

Fitting Instructions:



SPEEDOMETER CLASSIC BLACK

Part No. **SNT5372-09CB**

Type: Electric
 Range: 0-140 mph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome 1/2"V"
 Alternative: SNT5372-62CB
 (Chrome 1/2 Round)

Fitting Instructions:



SPEEDOMETER CLASSIC BLACK

Part No. **SNT5372-07CB**

Type: Electric
 Range: 0 - 270 kph
 Scale: Full
 Fitting: Harness
 Dia: 100mm
 Bezel: Chrome 1/2 "V"
 Alternative: SNT5372-61CB
 (Chrome 1/2 Round)

Fitting Instructions:



SMITHS classic mechanical speedometers



SPEEDOMETER CLASSIC BLACK

Part No. **SN5234-05C**

Type: Mechanical
Range: 0-240 kph

Dia: 80mm
Bezel: Chrome 1/2 "V"

625 Revs per Kilometer

Alternative: SN5234-37C
(Chrome 1/2 Round)

Fitting Instructions:



SPEEDOMETER CLASSIC BLACK

Part No. **SN5234-06C**

Type: Mechanical
Range: 0-170mph

1000 turns per mile
Dia: 80mm

Bezel: Chrome 1/2 "V"
Alternative: SN5234-38C

(Chrome 1/2 Round)

Fitting Instructions:



SPEEDOMETER CLASSIC BLACK

Part No. **SN5234-07C**

Type: Mechanical
Range: 0-270 kph

625 turns per km

Scale: Full

Dia: 80mm

Bezel: Chrome 1/2 "V"

Alternative: SN5234-39C

(Chrome 1/2 Round)

Fitting Instructions:



SPEEDOMETER CLASSIC BLACK

Part No. **SN5234-04C**

Type: Mechanical
Range: 0-140 mph

1000 turns per mile

Scale: Full

Dia: 80mm

Bezel: Chrome 1/2 "V"

Alternative:
SN5234-36C (Chrome
1/2 Round)

Fitting Instructions:



SPEEDOMETER CLASSIC BLACK

Part No. **SNT5372-10C**

Type: Mechanical

Range: 0-220 kph

625 turns per km

Scale: Full

Dia: 100mm

Bezel: Chrome 1/2 "V"

Alternative: SNT5372-49C

(Chrome 1/2 Round)

Fitting Instructions:



SPEEDOMETER CLASSIC BLACK

Part No. **SNT5372-09C**

Type: Mechanical

Range: 0-140 mph

1000 turns per mile

Scale: Full

Dia: 100mm

Bezel: Chrome 1/2 "V"

Alternative:

SNT5372-48C (Chrome
1/2 Round)

Fitting Instructions:



SPEEDOMETER CLASSIC BLACK

Part No. **SNT5372-07C**

Type: Mechanical

Range: 0-270 kph

625 turns per km

Scale: Full

Dia: 100mm

Bezel: Chrome 1/2 "V"

Alternative: SNT5372-47C

(Chrome 1/2 Round)

Fitting Instructions:



SPEEDOMETER CLASSIC BLACK

Part No. **SNT5372-06C**

Type: Mechanical

Range: 0-170 mph

1000 turns per mile

Scale: Full

Dia: 100mm

Bezel: Chrome 1/2 "V"

Alternative: SNT5372-46C

(Chrome 1/2 Round)

Fitting Instructions:

