

Electronic solutions for all vehicles

angle distance height impact a



www.hmbe.com.au

CONTENTS


ABOUT	3
TILT DUAL-AXIS INCLINOMETER HMDS1000B PREMIUM DIGITAL INCLINOMETER HMDS7000A VIBRATION TOLERANT TILT SWITCH HMTS9CFG0 2 AXIS TILT SWITCH HMTS2CFG10	4 5 6 7
DISTANCE Colour GPS Trip Meter HMGT5000 GPS Trip Meter HMGT1000B	8 9
SPEED GPS SPEEDOMETER HMSS1000B FULLY FEATURED GPS SPEEDOMETER HMST1000B GPS SPEED ALERT HMSA1000 ANALOGUE GPS SPEEDOMETER HMAS1000 GPS SPEED SWITCH HMSW1000B GPS SPEED SENDER HMGS1A10	10 11 12 13 14 15
MONITORING CABIN PRESSURE MONITOR HMPS1000KIT PANEL MOUNT CABIN PRESSURE MONITOR HMPS3000KIT DRIVER BEHAVIOUR MONITOR HMBS3CFG232-NAV DATA-LOGGER WITH INTEGRATED GPS HMDL1000	16 17 18 19
POWER ISOLATED DC-DC CONVERTER HMPS200WXX INTELLIGENT BATTERY CHARGER HMPB200W13.8	20 21
MOUNTS RAM MOUNTS LOOMS	22 23

height impact acceleration temperature position speed force pressure angle distance integrit impactance position speed force pressure angle distance height impact tion temperature position speed force pressure angle distance height impact acceleration temperature pressure speed force angle distance height impact position acceleration temperature pressure speed force angle distance height impact position acceleration temperature pressure angle distance height impact acceleration temperature pressure speed force angle distance height impact position acceleration temperature pressure speed force angle distance height impact acceleration temperature pressure speed force angle distance height impact acceleration temperature pressure angle distance height impact acceleration temperature pressure speed force angle distance height impact



Hummingbird Electronics designs and manufactures electronic solutions for all vehicles.

As well as our standard range of products featured in this catalogue and on our website, we will also manufacture a custom solution according to your requirements.



Winner of 3 Innovation Awards



KNOW YOUR ANGLE

DUAL-AXIS INCLINOMETER HMDS1000B

CALLER HE MAIRE

Hummingbird's Dual-Axis Inclinometer provides a highly visible and configurable pitch and roll display to operators of industrial machinery.

Designed for harsh industrial environments, the module features a tough fascia with integrated buttons and LCD graphics display.

The unit allows customisation of sensor response times to allow maximum flexibility in various applications. Alarms and warnings can be configured from the integrated menu and saved to memory.



111111

ROLL

unter

PITCH

menu

Included Accessories

FEATURES INCLUDE:

- High visibility display
- Simultaneous pitch and roll
- Graphical mode
- Warning and alarm outputs
- Remote sensor
- Password protection

Made in Australia



Wiring Loom



Tilt Sensor



RAM Mount

e distance height impact acceleration temperature position speed interest bound to the



HOW STEEP IS TOO STEEP?

PREMIUM DIGITAL INCLINOMETER HMDS7000A

Hummingbird Electronics' Premium Inclinometer provides a full colour configurable pitch and roll display that is highly visible to operators of industrial machinery.

Many aspects of Hummingbird's Inclinometer are customisable, including positioning and sensitivity of the sensors, separate alarms and warnings for stationary or moving vehicles and four distinct primary display options.

Warning and alarm events are logged to an SD[®] card, to allow for later review and reporting.

FEATURES INCLUDE:

- Large colour screen
- Simultaneous pitch and roll
- Graphical modes
- Warning and alarm outputs
- Stationary and moving alarm thresholds
- Logging of alarm and warning events to SD card
- Time, date, location and speed as well as incline
- Password protection

Made in Australia









RAM Mount



9

Wiring Loom

GPS Antenna

VIBRATION TOLERANT SWITCHING

VIBRATION TOLERANT TILT SWITCH HMTS9CFG0

Hummingbird Electronics' USB configurable, IMU stabilised Tilt Switch allows for more precise pitch and roll measurement in high vibration environments.

FEATURES INCLUDE:

- Vibration tolerant switching
- User configurable (via USB):
 - switching angle
 - damping (sensor response)
 - hysteresis
 - orientation
- 2 voltage free relay outputs
- 3-axis acceleromter, gyroscope and magnetometer
- 12/24V operation

Made in Australia



Hummingblird

NEW

finites 2 COM (SE)

164H 1 N/C (074)

Puple Mday 2 NO (87)

USB Configurable Tilt Switch HMTS9CF60

129/24/

Relay 1 COM (10)

Bally 1.18/0 (87)

Relay 2 NG (87A)

SERIAL NO:

Great

Configuration software



IS MY MACHINE SAFE TO OPERATE?

2 AXIS TILT SWITCH HMTS2CFG10

Hummingbird Electronics' 2 Axis Tilt Switch is a simple to configure, flexible Tilt Switch with a wide range of applications. The switch set-point is user configurable.

FEATURES INCLUDE:

- 0-64 degree user configurable switching angle
- Single or dual-axis operation
- Horizontal or vertical operation
- In system calibration
- User settable damping
- Relay output
- Replacement for mercury switch
- 12/24V operation



amminighted

2 Axis Tilt Switch HMTS2CFG10B

SWITCH SILECTOR TIN 10 +2x 52+4x 53+6x 54+16x +32x 56 57-50 (MF OFF) dud axis (OVF OR) single axis (OV OFF) criticaler (OV ON) estimate (OVF ON) (DV OFF) criticaler (OVF ON) and (OVF ON) (STATE SUBJECT IN CONTRACT ON CONTRACT Proto Subtro in provine you to calibrate single cost > Unipoter >

SERIAL NO:

CONTENE

Optional accessory: Combination LED Alarm (HMAC001)

NEED TO MEASURE DISTANCE AND POSITION?

COLOUR GPS TRIP METER HMGT5000

Hummingbird's GPS Trip Meter provides up to eight customisable counters. An event-logging system allows the operator to save and later view events using Hummingbird's Hawk-I software.

FEATURES INCLUDE:

- Up to 8 independent trips
- No installation required
- External reset switch
- Freeze modes
- Up/Down count direct from menu
- Current speed display
- Position and event logging to SD card
- Ball bank indicator
- Optional remote RF event uploads
- 10Hz updates

Made in Australia

Wiring Loom

10011

2 TRIP2

3 TRIP3 4 TRIP4

menu

32:45.125

TREP 1



GPS Antenna



Radio Antenna

Hummingbird Hawk-I software

RAM Suction Cup Base



Included Accessories

05/12/2011

Lion: 152/04/24E



GPS Trip Mater

0.100

11.080

11.170

11.147

LOKm

enter





GPS Tripmeter

200

enter

60000.0 lah

000.1

HASSLE FREE DISTANCE MEASUREMENT

GPS TRIP METER

HMGT1000B

Hummingbird's GPS Trip Meter provides a highly visible and configurable distance readout without any installation being required. Used by local councils, government, traffic authorities, the construction industry and rally drivers.

FEATURES INCLUDE:

- Two independent trips
- No installation required
- External reset switch
- Freeze modes
- Up/Down count direct from menu
- Current and average speed display
- Highly configurable
- 10Hz updates



menu

RAM Mount







Included Accessories

Q

HMGT0300 Remote (optional accessory)

RAM Suction Cup Base

GPS Antenna

Made in Australia

9

SPEED KILLS!

GPS SPEEDOMETER HMSS1000B

Hummingbird Electronics' GPS Speedometers provide a quick to install, vehicle independent speed readout in vehicles that are not fitted with conventional speedometers.

FEATURES INCLUDE:

- High visibility display
- Settings not adjustable by operator
- Adjustable speed limit
- Internal relay to drive alarm
- External antenna option for harsh environments
- 12/24V operation
- Rugged RAM mount
- Simple electrical installation



inghis II Decidenta

GPS Speedometer



Magnetic mount antenna



Bulkhead mount antenna



EASY SPEEDO REPLACEMENT

FULLY FEATURED GPS SPEEDOMETER

HMST1000B

Hummingbird Electronics' Fully Featured GPS Speedometer provides a highly visible and configurable speed, trip and odometer readout.

FEATURES INCLUDE:

- High visibility display
- Speed only or speed and distance display
- Adjustable speed limit with internal buzzer
- External antenna option for harsh environments
- 12/24V operation
- Rugged RAM mount
- Simple electrical installation



Speedometer mode

Odometer mode

entil-i



monu





Bulkhead mount antenna



Wiring loom



Suction mount

TIRED OF SPEEDING FINES?

GPS SPEED ALERT HMSA1000

Hummingbird Electronics' GPS Speed Alert provides drivers with an accurate digital speedometer and over-speed alert in a small, easy to mount unit.

FEATURES INCLUDE:

- Colour display
- Adjustable speed limit
- Optional password protection
- Buzzer and colour change on limit
- Internal GPS antenna
- Simple installation



km/

White face mode

GPS Speed Alert

limit:050

80

Black face mode



Windscreen mount



ARE YOU SPEEDING?

ANALOGUE GPS SPEEDOMETER

HMAS1000

Hummingbird Electronics' 85mm GPS Speedometers provide a quick to install, vehicle independent speed readout in automotive and marine applications.

FEATURES INCLUDE:

- Industry standard 85mm size
- 120 or 200 ranges available
- Kilometres or Miles per hour
- Odometer and trip
- LED backlight
- External GPS antenna
- Simple installation

Black face

Rinn



White face





Magnetic mount antenna

Bulkhead mount antenna

HOW FAST IS TOO FAST?

GPS SPEED SWITCH HMSW1000B

Hummingbird Electronics' GPS Speed Switch provides a simple to install, calibration free speed based switch in a small, easy to mount unit.

FEATURES INCLUDE:

- No connection to vehicle electrics
- Voltage free relay output
- Adjustable speed limit
- Kilometres or miles per hour
- External GPS antenna
- 12/24V operation



Bulkhead mount antenna



GPS Speed Switch HMSW10008

\$mm (87)6


HARDING SELECTOR A 11 of 21 of 10 of 20 Ministry (200) of 2000 of 2000

SERIAL NO: 000110

ei (bii

His Namely Gam 201

Magnetic mount antenna



Optional accessory: Combination LED Alarm (HMAC001)

height impact acceleration temperature position speed force pressure angle distance integrite impacture position speed force pressure angle distance height impact tion temperature position speed force pressure angle distance height impact acceleration temperature pressure angle distance height impact position acceleration te man temperature position speed force pressure angle distance height impact acceleration temperature pressure speed force angle distance height impact position acceleration temperature pressure speed force angle distance height impact period temperature pressure speed force angle distance height impact period temperature pressure speed force angle distance height impact



SICK OF COMPLEX SPEEDO INSTALLS?

GPS SPEED SENDER

HMGS1A10

Hummingbird Electronics' GPS Speed Sender provides a reliable calibrationfree replacement for mechanical speed senders thereby reducing installation time and eradicating the need for periodic calibration.

FEATURES INCLUDE:

- Four selectable fixed pulse rates: 2000ppk, 4000ppk, 8000ppk, 50000ppk
- Optional variable pulse rate
- Two pulse out wires for differential drive
- Optional tunnel distance correction
- External antenna option for harsh environments
- 12/24V operation
- Simple electrical installation

External antenna version



Internal antenna version





Magnetic mount antenna

Bulkhead mount antenna

ARE YOUR OPERATORS BREATHING DUST?

CABIN PRESSURE MONITOR HMPS1000KIT

Hummingbird Electronics' Cabin Pressure Monitor warns operators when the cab pressure falls below a critical threshold. Low cab pressure can result in operators being exposed to harmful contaminants in the cabin.

FEATURES INCLUDE:

- Simple install
- Red / Green LED indicates fail / pass
- Optional remote output to drive buzzer
- Optional RS232 for remote monitoring
- Installer settable air-pressure threshold
- 12/24V operation

Included accessories

Cabin Pressure Monitor Green: Cab pressured per Cab not pressure



Spare tube



Bulkhead adapter



90° adapter

Air filter



IS THERE DUST IN YOUR CABS?

PANEL MOUNT CABIN PRESSURE MONITOR

HMPS3000KIT

Hummingbird Electronics' Cabin Pressure Monitor will alert you when cabin pressure drops, placing operators' lungs at risk.

FEATURES INCLUDE:

- Easy to understand colour display
- Under and over-pressure warning
- Installer settable threshold
- Real-time pressure readout
- External output
- 12/24V operation
- Includes all fittings required





ARE YOUR OPERATORS SAFE?

DRIVER BEHAVIOUR MONITOR HMBS3CFG232-NAV

Hummingbird Electronics' Driver Behaviour Monitor detects harsh braking, harsh acceleration, accident, rollover and harsh cornering to an existing vehicle tracking system.

FEATURES INCLUDE:

- No connection to vehicle electrics
- Easy interface with existing vehicle trackers
- Independent outputs for braking, acceleration, accident + rollover and cornering
- Pre-set thresholds can be modified remotely
- Details of events provided via serial connection
- Custom software available for road-condition detection, trailer movement detection etc.

Driver Behaviour Monitor HMBS3CFG232-NAV

Elasi

Green

Yillow

White

Intition

Negative

SERIAL NO:

Parple R5232 TX

Brown RS232 RX

Riv

Black

Acceleration

Accident/Rollow

Braking

Comering

- Analogue or digital outputs
- Optional RS232 or USB interface
- 12/24V operation

Made in Australia

18



HOW CAN WE WORK OUT WHAT WENT WRONG?


DATA-LOGGER WITH INTEGRATED GPS HMDL1000

Hummingbird Electronics' GPS Data-Logger records vehicle parameters that can later be used to analyse performance or re-create incident scenarios.

FEATURES INCLUDE:

- Logs time, date, position, speed, heading, pitch, roll, acceleration, road-condition, system voltage at up to 10Hz
- Optional analogue, digital and frequency inputs
- Optional CAN / J1939 message logging
- 400Hz sampling of incidents
- Data stored on secure SD card and can be viewed on any spreadsheet programs
- Optional RF download of logged data
- Overspeed and rollover warning outputs
- LED and buzzer status indicators
- 12/24V operation
- Simple electrical installation

Made in Australia



4WD side impact on sedan, 60km/h





Magnetic mount antenna

Bulkhead mount antenna

THE REAL PROPERTY.

IS YOUR RADIO ISOLATED?

ISOLATED DC-DC CONVERTER HMPS200Wxx

Hummingbird Electronics' series of ultra wide input, Isolated Converters are designed for high reliability and are ideally suited to mining, industrial and automotive applications.

FEATURES INCLUDE:

- Ultra wide (9-36V) input
- High power 200W capability
- 12V, 13.8V, 24V versions available
- Step-up and step-down to maintain output
- Output supply and ground isolated from input
- Maintains output during cranking
- Optional shutdown input



height impact acceleration temperature position speed force pressure angle distance integrit impacture position speed force pressure angle distance height impact tion temperature position speed force pressure angle distance height impact acceleration temperature pressure speed force angle distance height impact position acceleration temperature pressure speed force angle distance height impact position acceleration temperature pressure angle distance height impact acceleration temperature pressure speed force angle distance height impact acceleration temperature pressure speed force angle distance height impact acceleration temperature pressure speed force angle distance height impact acceleration temperature pressure speed force angle distance height impact acceleration temperature pressure speed force angle distance height impact acceleration temperature pressure speed force angle distance height impact acceleration temperature pressure speed force angle distance height impact acceleration temperature pressure speed force angle distance height impact acceleration temperature pressure speed force angle

POWER

DON'T LET YOUR BATTERY END UP LIKE THIS

INTELLIGENT BATTERY CHARGER

HMPB200W13.8

Hummingbird Electronics' series of secondary battery chargers will keep your fridge, caravan, boat or other battery fully charged and ready for use.

FEATURES INCLUDE:

- Use in 12V or 24V vehicles
- Ignition input to enable charging
- Ultra wide (9-36V) input
- High power 200W capability
- Three stage charge cycle
- LED indication of charge state







Rectangular bases



Diamond bases





Circular bases

Threaded bases



Camera mounts

RAM MOUNTS

Hummingbird Electronics stocks a wide range of RAM mounts from small "A-size" 0.5" balls right up to massive "E-size" 3 ^{3/8} balls.



Phone holders



Tablet holders



Roll-bar mounts



Locking mounts



Handlebar mounts

.....



Various length arms

height impact acceleration temperature position speed force pressure angle distance height impact acceleration temperature position speed force pressure angle distance height impact acceleration temperature position speed force pressure angle distance height impact acceleration temperature pressure angle distance height impact acceleration temperature pressure angle distance height impact acceleration temperature position angle distance height impact acceleration temperature pressure speed force angle distance height impact acceleration temperature pressure acceleration temperature pressure angle distance height impact acceleration temperature pressure acceleration temperature pressure angle distance height impact acceleration temperature pressure acceleration temperature pressure angle distance height impact acceleration temperature pressure acceleration temperature pressure angle distance height impact acceleration temperature pressure acceleration temperature pressure acceleration temperature pressure angle distance height impact acceleration temperature pressure acceleration temperature acceleration

distance height impact accelera



HARNESS MANUFACTURE

Hummingbird Electronics will manufacture and braid harnesses to your specification. Bring us your harness and we will braid it or let us supply the entire service.

FEATURES INCLUDE:

- Prevents vibration, eliminates abrasion
- 24 and 32 spindle braiding machines for all harness diameters
- High performance, high temperature yarn
- Flame retardant Exane wire
- Deutsch connectors
- We will reverse engineer existing looms
- All harnesses electrically tested

20 140 160 180



emperature position speed force pressure angle ssure speed force angle distance height impac

HUMMINGBIRD ELECTRONICS

Tel: **1300 155 541** Tel: 02 4919 0427 Fax: 02 498 22119 Unit 6, 24 Shearwater Drive, Taylors Beach, NSW 2316 Australia www.hmbe.com.au