

SingleViu®

Next generation single instruments

What is SingleViu?

SingleViu ...

- is the new platform of single gauges from Continental
- comprises a wide range of gauge types and variants
- addresses all markets
- offers input channels for analog sensor data and CAN messages in one device

80/85 and 100 mm diameter:

speedometer tachometer

52 mm diameter:

temperature gauge
tank level gauge
ampere meter
voltmeter
pyrometer
tachometer
DEF concentration gauge



Functionality features

- Dual signal input mode:
 - -CAN J1939
 - analog sensor data
- Internal tell-tales, display and push-button
- Adaptable sensor curves for all market-relevant sensors
- Operation voltage range 8 to 32 volts
- User-friendly configuration
- Stand-alone or combined with other gauges



SingleViu features cover all market needs.



Appearance

- Clear and classic design
- RGB background illumination
- Linear dial scale
- 240° indication angle

Customization items:

- Bezel and dial design
- Illumination
- Sensor curve
- Telltales









High Robustness

- Metal bezel
- Sturdy mineral glass
- Dual-lens system for anti-fogging
- Flame-resistant housing material
- High protection class IP 67

Operation temperature -40 to +80 °C (LCD: -20 to +80 °C)

SingleViu is automotive qualified.



Further information

- Web page <u>www.continental-singleviu.com</u>
- Mail contact singleviu@continental-corporation.com



