

Smiths AC Cobra and GT40 Gauges

The right choice for your classic

AC Cobra Gauges

Smiths gauges were originally chosen by AC and Carol Shelby for the iconic Cobra sports car. Now you can equip your own Cobra with the same instruments as used in the original.

For people seeking the ultimate in authenticity the speedo is also available in reverse wind (counter clockwise) operation as fitted to the original Cobra. Electric gauges are also available as an alternative to the original mechanical gauges.

Smiths Cobra range, the only choice for Cobra builders!



AMMETER

AC COBRA

Part No. **AM1640-04C**

Type: Electrical
Range: 50-0-50 Amps
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: ChromeFull "V"
alternative: AM1640-22C
(Chrome 1/2 round)

Fitting Instructions



AMMETER

AC COBRA

Part No. **AM1640-07C**

Type: Electric
Range: 50-0-50
Scale: Arc
Dia: 52mm
Bezel: ChromeFull "V"
Alternative: AM1640-23C
(Chrome 1/2 Round)

Fitting Instructions



FUEL TANK LEVEL

AC COBRA

Part No. **BF2242-03C**

Type: Electrical
Range: E-1/2-F Scale: Arc
Fitting: Spade Dia: 52mm
Bezel: ChromeFull "V"

Use Fitting Kit Part No.
TB9006Kit or TB9013Kit
Alternative: BF2242-12C
(Chrome 1/2 Round)

Fitting Instructions



FUEL LEVEL

AC COBRA

Part No. **ABF2242-03C**

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: ChromeFull "V"
Alternative: BF2242-12C
(Chrome 1/2 Round)

Fitting Instructions



FUEL LEVEL**AC COBRA****Part No. BF2242-32CB**Type: Electric
Range: E - 1/2 - F

Scale: Arc

Dia: 52mm

Bezel: Chrome Full "V"

Use Sender Kit TB9011KIT
or TB9013KIT**Fitting Instructions****OIL PRESSURE****AC COBRA****Part No. APG1310-02C**Type: Electrical
Range: 0 - 100 PSI Scale: Arc

Fitting: Spade Dia: 52mm

Bezel: Chrome Full "V"

Use Sender Part No.

PTR1000-6-10

Alternative: APG1310-04C

(Chrome 1/2 Round)

Fitting Instructions**OIL PRESSURE****AC COBRA****Part No. PG1310-02CB**

Type: Electric

Range: 0-100 psi Scale: Full

Dia: 52mm

Bezel: Chrome Full "V"

Use Sender Kit

PTTR2300-10-8NKIT

Fitting Instructions**OIL PRESSURE****AC COBRA****Part No. PG1310-07CB**

Type: Electric

Range: 0-100 psi

Scale: Full

Dia: 52mm

Bezel: Chrome Full "V"

Use Sender Kit

PTTR2300-10-8NKIT

Fitting Instructions**OIL PRESSURE****AC COBRA****Part No. PG1310-02C**

Type: Mechanical

Range: 0-100 PSI Scale: Full

Fitting: 1/8in NPT Dia: 52mm Bezel:

Chrome Full "V"

Use Fitting Kit Part No. LK-2

Use Sender Kit PTTR2300-10-8NKIT

Alternative: PG1310-19C

(Chrome 1/2 Round)

Fitting Instructions**FUEL PRESSURE****AC COBRA****Part No. PG1310-03CB**

Type: Electric

Range: 0 - 10 PSI

Scale: Full

Fitting: 1/8in NPT

Dia: 52mm

Bezel: Chrome Full "V"

Sender

PTTR2300-03-8NKIT required

Fitting Instructions**FUEL PRESSURE****AC COBRA****Part No. PG1310-27CB**

Type: Electric

Range: 0-100 psi

Scale: Full

Dia: 52mm

Bezel: Chrome Full "V"

Use Sender Kit

PTTR2300-10-8NKIT

Fitting Instructions**WATER TEMPERATURE****AC COBRA****Part No. TG1301-23C078**

Type: Mechanical

Range: 40-140° C Scale: Full

Fitting: 3/8BSP Dia: 52mm

Bezel: Chrome Full "V"

Capillary length 78 inches.

Comes with 3/8BSP to

5/8UNF adaptor

Use Sender Kit TT3005-8N

Alternative: TG1301-45C078

(Chrome 1/2 Round)

Fitting Instructions**WATER TEMPERATURE****AC COBRA****Part No. ATG1301-23C**

Type: Electrical

Range: 50 - 140°C

Scale: Arc

Fitting: Spade Dia: 52mm

Bezel: Chrome Full "V"

Use Sender Part No. TT6811-01

Alternative: ATG1301-27C

(Chrome 1/2 Round)

Fitting Instructions**WATER TEMPERATURE****AC COBRA****Part No. TG1301-23CB**

Type: Electric

Range: 40-140° C Scale: Full

Dia: 52mm

Bezel: Chrome Full "V"

Use with Sender Part No.

TT3005-8N

Alternative: TG1301-63CB

(Chrome 1/2 Round)

Fitting Instructions

OIL TEMPERATURE**AC COBRA****Part No. TG1301-24C078**

Type: Mechanical

Range: 40 - 140° C Scale: Full

Fitting: 3/8BSP Dia: 52mm

Bezel: Chrome Full "V"

Capillary length: 78inches.

Comes with 3/8BSP to

5/8UNF adaptor

Use Sender Kit TT3005-8N

Alternative: TG1301-46C078

(Chrome 1/2 Round)

Fitting Instructions**OIL TEMPERATURE****AC COBRA****Part No. ATG1301-24C**

Type: Electrical

Range: 50 - 140° C

Scale: Arc

Fitting: Spade Dia: 52mm

Bezel: Chrome Full "V"

Use Sender Part No. TT6811-01

Alternative: ATG1301-28C

(Chrome 1/2 Round)

Fitting Instructions**OIL TEMPERATURE****AC COBRA****Part No. TG1301-24CB**

Type: Electric

Range: 40 - 140° C

Scale: Full

Dia: 52mm

Bezel: Chrome Full "V"

Use Sender Kit TT3005-8N

Alternative: TG1301-65CB

(Chrome 1/2 Round)

Fitting Instructions**OIL TEMPERATURE****AC COBRA****Part No. TG1301-27CB**

Type: Electric

Range: 40 - 140° C

Scale: Full

Dia: 52mm

Bezel: Chrome Full "V"

Use Sender Part No.

TT3005-8N

Fitting Instructions**CLOCK****AC COBRA****Part No. CA1100-09C**

Type: Electrical

Range: 12hour

Scale: Full

Fitting: Spade Dia: 52mm

Bezel: Chrome Full "V"

Analogue Clock alternative:

CA1100-13C (Chrome 1/2

Round)

Fitting Instructions**VOLTMETER****AC COBRA****Part No. ABV2220-07C**

Type: Electrical

Range: 11 - 17 Volts

Scale: Arc

Fitting: Spade Dia: 52mm

Bezel: Chrome Full "V"

Alternative: ABV2220-18C

(Chrome 1/2 Round)

Fitting Instructions**TACHOMETER****AC COBRA****Part No. RVC2816-00CB**

Type: Electric

Range: 0-8000 RPM

Scale: Full

Fitting: Harness Dia: 100mm

Bezel: Chrome Full "V"

Distributor/Coil sensing

Alternative: RVC2816-08CB

(Chrome 1/2 Round)

Fitting Instructions**SPEEDOMETER****AC COBRA****Part No. SN5346-04CB**

Type: Electric

Range: 0-160 mph

Scale: Full

Dia: 100mm

Bezel: Chrome Full "V"

Alternative: SN5346-20CB

(Chrome 1/2 Round)

Fitting Instructions**SPEEDOMETER****AC COBRA****Part No. SN5346-02CB**

Type: Electric

Range: 0-180 mph

Scale: Full

Dia: 100mm

Bezel: Chrome Full "V"

Alternative: SN5346-19CB

(Chrome 1/2 Round)

Fitting Instructions**SPEEDOMETER****AC COBRA****Part No. SN5346-03CB**

Type: Electrical

Range: 0 - 300 kph Scale: Full

Fitting: Harness Dia: 100mm


Bezel: Chrome Anticlockwise

Direction. Electronic Programmable

calibration. 6 digit LED odometer.

Alternative: SN5346-21CB

(Chrome 1/2 Round)

Fitting Instructions

SPEEDOMETER

AC COBRA

Part No. **SN5346-05CB**

Type: Electronic
Range: 0 - 300 kph Scale: Full
Fitting: Harness Dia: 100mm
Bezel: Chrome Full "V"
Clockwise Direction.
Electronic Programable calibration.
6 digit LED odometer.
Alternative: SN5346-22CB
(Chrome 1/2 Round)

Fitting Instructions



SPEEDOMETER

AC COBRA

Part No. **SN5346-02**

Type: Mechanical
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: SN5346-19
(Chrome 1/2 Round)

Fitting Instructions



SPEEDOMETER

AC COBRA

Part No. **SN5346-04**

Type: Mechanical
Range: 0-160 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: SN5346-20
(Chrome 1/2 Round)

Fitting Instructions:



SPEEDOMETER

AC COBRA

Part No. **SN5346-12**

Type: Mechanical
Range: 0-300 kph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Fitting Instructions:





GT40 Gauges

The GT40 is a motor racing icon that achieved legendary victories at Le Mans. Every GT40 was equipped with gauges from Smiths.

The classic lines of the black bezels, red sector tacho and 200mph speedo are combined with the GT40 font

Your GT40 project deserves gauges that meet the requirements of low volume compliance.

AMMETER

GT40

Part No. **AM1640-16B**

Type: Electrical

Range: -50 - 0 - 50 Amps

Scale: Arc

Fitting: Spade

Dia: 52mm

Bezel: Chrome 1/2 "V"

[Fitting Instructions](#)



OIL PRESSURE

GT40

Part No. **PG1310-09B**

Type: Mechanical

Range: 0 - 100 PSI

Scale: Full

Fitting: 1/8in NPT Dia: 52mm

Bezel: Black 1/2 "V"

Use Fitting Kit Part No. LK-2

Use Sender Kit

PTTR2300-10-8NKIT

[Fitting Instructions](#)



FUEL TANK LEVEL

GT40

Part No. **ABF2242-15B**

Type: Electrical

Range: E - 1/2 - F

Scale: Full

Fitting: Spade

Dia: 52mm

Bezel: Black 1/2 "V"

Use sender TB9011KIT or TB9013I

[Fitting Instructions](#)



OIL PRESSURE

GT40

Part No. **PG1310-09BB**

Type: Electric

Range: 0 - 100 PSI

Scale: Full

Dia: 52mm

Bezel: Black 1/2 "V"

Use Sender Kit

PTTR2300-10-8NKIT

[Fitting Instructions](#)



SPEEDOMETER

GT40

Part No. **SN3327-00**

Type: Mechanical

Range: 200 mph

Scale: Full

Fitting:

Dia: 100mm

Bezel: Black 1/2

"V" (1184 turns per mile input) mph scale only

[Fitting Instruction](#)



SPEEDOMETER

GT40

Part No. **SN3327-03**

Type: Mechanical

Range: 320kph/ 200 mph

Scale: Full

Dia: 100mm

Bezel: Black 1/2 "V"

1184 turns per mile

[Fitting Instructions](#)



SPEEDOMETER**GT40****Part No. SN3327-04BB**

Type: Electronic
Programable Range: 320
kph / 200 mph Scale: Full
Fitting: Harness
Dia: 100mm
Bezel: Black 1/2 "V"
kph outer/ mph inner scale
Fitting Instructions

**SPEEDOMETER****GT40****Part No. SN3327-02BB**

Type: Electronic
Range: 0-200 mph
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
Fitting Instructions

**TACHOMETER****GT40****Part No. RVC2816-04BB**

Type: Electrical
Range: 8000 RPM
Scale: Full
Fitting: Harness
Dia: 100mm
Bezel: Black 1/2 "V"
Red sector 6500 - 7000rpm
Fitting Instructions

**TACHOMETER****GT40****Part No. RVC2816-06BB**

Type: Electric
Range: 0-8000RPM
Scale: Full
Dia: 100mm Bezel:
Black 1/2 "V"
Fitting Instructions

**WATER TEMPERATURE****GT40****Part No. TG1301-30B078**

Type: Mechanical
Range: 30 - 120° C
Scale: Full
Fitting: 3/8BSP
Dia: 52mm
Bezel: Black 1/2 "V"
Capillary length 78in. Comes
with 3/8BSP to 5/8UNF adaptor
Use Sender Kit TT3005-8N
Fitting Instructions:

**WATER TEMPERATURE****GT40****Part No. TG1301-30B120**

Type: Mechanical
Range: 30 - 120° C
Scale: Full
Fitting: 3/8BSP Dia: 52mm
Bezel: Black 1/2 "V"
Capillary length 120in. Comes
with 3/8BSP to 5/8UNF adaptor
Use Sender Kit TT3005-8N
Fitting Instructions:

**WATER TEMPERATURE****GT40****Part No. TG1301-30BB**

Type: Electric
Range: 30 - 120° C
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Use Sender Part No.
TT3001-8N
Fitting Instructions

**OIL TEMP****GT40****Part No. TG1301-31B078**

Type: Mechanical
Range: 40 - 140° C Scale: Full
Fitting: 3/8BSP Dia: 52mm
Bezel: Black 1/2 "V"
Capillary length 78in.
Comes with 3/8BSP to 5/8UNF
adaptor
Use Sender Kit TT3005-8N
Fitting Instructions

**OIL TEMPERATURE****GT40****Part No. TG1301-31B120**

Type: Mechanical
Range: 40 - 140° C
Scale: Full
Fitting: 3/8BSP Dia: 52mm
Bezel: Black 1/2 "V"
Capillary length 120in. Comes
with 3/8BSP to 5/8UNF adaptor
Use Sender Kit TT3005-8N
Fitting Instructions

**OIL TEMPERATURE****0****Part No. TG1301-31BB**

Type: Electric
Range: 40 - 140° C
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Use Sender Par No.
TT3005-8N
Fitting Instructions

