


Classic Black

The most recognizable of all of the Smiths ranges, the classic black faced gauge was not only the choice for such manufacturers as Aston Martin, Lotus and MG but also for every enthusiast looking to add to or replace instruments in their vehicle. This is the classic font from the 60's and 70's but we also have the manufacturer specific fonts in other ranges.



FUEL TANK LEVEL

CLASSIC BLACK

Part No. **BF2242-00C**

Type: Bimetal Electric

Range: 0-1/2-4/4 Scale: Arc

Fitting: Spade Dia: 52mm

Bezel: Chrome 1/2 "V"

Use sender Part No.

TB9006KIT or TB9013KIT

Alternative: BF2242-10C

(Chrome 1/2 Round)

[Fitting Instructions](#)



FUEL TANK LEVEL

CLASSIC BLACK

Part No. **BF2242-00CA**

Type: 12 volt Electric

Range: 0-1/2-4/4

Scale: Arc

Dia: 52mm

Bezel: Chrome 1/2 "V"

Use Sender Kit TB9011KIT

or TB9013KIT

[Fitting Instructions](#)



FUEL TANK LEVEL

CLASSIC BLACK

Part No. **BF2242-00CB**

Type: Stepping Motor Electric

Range: 0-1/2-4/4

Scale: Arc

Dia: 52mm

Bezel: Chrome 1/2 "V"

Use Sender Kit TB9011KIT or

TB9013KIT

LED LIGHTING

[Fitting Instructions](#)



OIL PRESSURE

CLASSIC BLACK

Part No. **BP2404-00C**

Type: Bimetal Electric

Range: 0-100 PSI Scale: Arc

Fitting: Spade Dia: 52mm

Bezel: Chrome 1/2 "V"

Use Sender Part No.

PTR1810-1-10

Alternative: BP2404-03C

(Chrome 1/2 Round)

[Fitting Instructions](#)



OIL PRESSURE

CLASSIC BLACK

Part No. **BP2404-00CA**

Type: 12 VOLT Electric

Range: 0-100 PSI

Scale: Arc

Dia: 52mm

Bezel: Chrome 1/2 "V"

[Fitting Instructions](#)



OIL PRESSURE

CLASSIC BLACK

Part No. **PG1310-00CB**

Type: Stepping Motor Electric

Range: 0-100 PSI

Scale: Full

Dia: 52mm

Bezel: Chrome 1/2 "V"

Use Sender Kit

PTTR2300-10-8NKIT

LED LIGHTING

[Fitting Instructions](#)



OIL PRESSURE**CLASSIC BLACK****Part No. PL2328-00C**

Type: Mechanical
 Range: 0 - 100 psi
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Alternative: PL2328-06C
 (Chrome 1/2 Round)

Fitting Instructions**OIL PRESSURE****CLASSIC BLACK****Part No. PG1310-00C**

Type: Mechanical
 Range: 0-100 PSI
 Scale: Full
 Fitting: 1/8in NPT Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Use Fitting Kit Part No. LK-2
 Alternative: PG1310-17C
 (Chrome 1/2 Round)

Fitting Instructions**OIL PRESSURE & WATER TEMP****CLASSIC BLACK****Part No. GD1301-64C078**

Type: Mechanical
 Range: 0-100 PSI / 90-230° F
 Scale: Arc Dia: 52mm
 Fitting: 1/8in NPT / 3/8BSP
 Bezel: Chrome 1/2 "V"
 Capillary length 78inches.
 Comes with 3/8BSP to 5/8UNF
 adaptor. Use LK-1 on Pressure
 Alternative: GD1301-83C078
 (Chrome 1/2 Round)

Fitting Instructions**WATER TEMPERATURE****CLASSIC BLACK****Part No. TG1310-00CB**

Type: 12 volt Electric
 Range: 30-110° C
 Scale: Full
 Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Use Sender Part No. TT3001-8N
 LED LIGHTING

Fitting Instructions**WATER TEMPERATURE****CLASSIC BLACK****Part No. BT2240-00C**

Type: Bimetal Electric
 Range: 50-140° C
 Scale: Arc
 Fitting: Spade Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Use Sender Part No. TT6811-01
 Alternative: BT2240-09C
 (Chrome 1/2 Round)

Fitting Instructions**WATER TEMPERATURE****CLASSIC BLACK****Part No. TG1310-01C078**

Type: Mechanical
 Range: 30-110° C Scale: Full
 Fitting: 3/8BSP Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Capillary length 78inches.
 Comes with 3/8BSP to
 5/8UNF adaptor
 Alternative: TG1310-09C078
 (Chrome 1/2 Round)

Fitting Instructions**WATER TEMPERATURE****CLASSIC BLACK****Part No. TG1310-00C078**

Type: Mechanical
 Range: 30-110° C Scale: Full
 A2 Bulb Dia: 52mm
 Bezel: Chrome 1/2 "V" Capillary
 length 78inches. Inc 3/8BSP to
 5/8UNF adaptor
 Alternative: TG1310-23C078k2
 Bulb Degree F Chrome 1/2V

Fitting Instructions:**WATER TEMPERATURE****CLASSIC BLACK****Part No. TG1310-23C078**

Type: Mechanical
 Range: 90-230F
 Scale: Full Scale
 Dia: 52mm
 Bezel: Chrome 1/2 "V"
Fitting Instructions:
 REPRESENTATIVE
 IMAGE

**OIL TEMPERATURE****CLASSIC BLACK****Part No. TG1311-01C078**

Type: Mechanical
 Range: 40-140° C Scale: Arc
 Fitting: 3/8BSP Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Capillary length 78inches.
 Comes with 3/8BSP to 5/8UNF
 adaptor
 Alternative: TG1311-06C078
 (Chrome 1/2 Round)

Fitting Instructions:**OIL TEMPERATURE****CLASSIC BLACK****Part No. TG1301-61CB**

Type: 12 volt Electric
 Range: 40-140° C
 Scale: Full
 Fitting: 3/8BSP
 Dia: 52mm
 Bezel: Chrome 1/2 "V" Use
 Sender Part No. T3005-8N
 LED LIGHTING

Fitting Instructions

OIL TEMPERATURE**CLASSIC BLACK**

Part No. BT2240-01C
 Type: Bimetal Electric
 Range: 50-140° C
 Scale: Arc
 Fitting: Spade Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Use Sender Part No.
 TT6811-01 Alternative:
 BT2240-07C
 (Chrome 1/2 Round)
Fitting Instructions

**AMBIENT TEMPERATURE****CLASSIC BLACK**

Part No. TG1305-04CB
 Type: Stepping Motor Electric
 Range: -10 - 60 °C
 Scale: Full
 Dia: 52mm
 Bezel: Chrome Full "V"
 includes sender
 LED LIGHTING
Fitting Instructions

**VACUUM****CLASSIC BLACK**

Part No. VG1302-03CB
 Type: Stepping Motor Electric
 Range: 0-30 inHg
 Scale: Full
 Dia: 52mm
 Bezel: Chrome 1/2 "V" Use
 Sender Kit
 PTTR2300-03-8NKIT
 LED LIGHTING
Fitting Instructions

**OUTSIDE TEMPERATURE****CLASSIC BLACK**

Part No. TG1303-01CB
 Type: Stepping motor Electric
 Range: -20 - 50° C
 Scale: Full
 Dia: 52mm
 Bezel: Chrome 1/2 "V"
 includes sender
 With Black bezel TG1303-01BB
 LED LIGHTING
Fitting Instructions:

**VOLTMETER****CLASSIC BLACK**

Part No. BV2220-00CB
 Type: Stepping Motor Electric
 Range: 11-17 Volts
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome 1/2 "V"
 LED LIGHTING
Fitting Instructions:

**VOLTMETER****CLASSIC BLACK**

Part No. ABV2220-00C
 Type: 12 volt Electric
 Range: 11-15 Volts
 Scale: Arc
 Fitting: Spade
 Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Alternative: ABV2220-16C
 (Chrome 1/2 Round)
Fitting Instructions:

**CLOCK****CLASSIC BLACK**

Part No. CA1100-01C
 Type: 12 volt Electric
 Range: 12 hour Scale: Full
 Fitting: Spade Dia: 52mm
 Bezel: Chrome
 Push Button to reset (Do Not
 Turn)
 Alternative: CA1100-14C
 (Chrome 1/2 Round)
Fitting Instructions:

**CLOCK****CLASSIC BLACK**

Part No. CA2-1032-00C
 Type: 12 volt Electric
 Range: 12 hours
 Scale: Full
 Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Alternative: CA2-1032-02C
 (Chrome 1/2 Round)
Fitting Instructions:

**AMMETER****CLASSIC BLACK**

Part No. AM1340-03C
 Type: Electric
 Range: 30-0-30
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Alternative: AM1340-09C
 (Chrome 1/2 Round)
Fitting Instructions:

**AMMETER****CLASSIC BLACK**

Part No. AM1640-03C
 Type: Electrical
 Range: 60-0-60 Amps
 Scale: Arc
 Fitting: Spade
 Dia: 52mm
 Bezel: Chrome 1/2 "V"
 Alternative: AM1640-20C
 (Chrome 1/2 Round)
Fitting Instructions:



TACHOMETER**CLASSIC BLACK****Part No. RVC1004-00CB**

Type: Electrical

Range: 0-10000 RPM

Scale: Full

Fitting: Harness Dia: 80mm

Bezel: Chrome Full "V"

4, 6 or 8 Cyl.

Adjustable redline pointer.

Suits 400-25 Tacho Pod

Fitting Instructions:**TACHOMETER****CLASSIC BLACK****Part No. RVC1006-00CB**

Type: Electrical

Range: 0-8000 RPM

Scale: Full

Fitting: Harness Dia: 80mm

Bezel: Chrome Full "V"

4, 6 or 8 Cyl.

Adjustable redline pointer. Suits

400-25 Tacho Pod

Fitting Instructions:**TACHOMETER****CLASSIC BLACK****Part No. RVC1-1B32-00C**

Type: Electric

Range: 0-8000 RPM

Scale: Full

Dia: 52mm

Bezel: Chrome 1/2 "V"

LED LIGHTING

Fitting Instructions:**TACHOMETER****CLASSIC BLACK****Part No. RVC1490-00CB**

Type: Electrical

Range: 0-7000 RPM

Scale: Full

Dia: 80mm

Bezel: Chrome 1/2 "V"

Alternative: RVC1490-06CB
(Chrome 1/2 Round) **Fitting****Instructions:****TACHOMETER****CLASSIC BLACK****Part No. RVC1690-00CB**

Type: Electric

Range: 0-7000 RPM

Scale: Full

Dia: 80mm

Bezel: Chrome 1/2 "V"

Alternative:

RVC1690-03CB (Chrome
1/2 Round)**Fitting Instructions:****TACHOMETER****CLASSIC BLACK****Part No. RVC1890-00CB**

Type: Electric

Range: 0-7000 RPM

Scale: Full

Dia: 80mm

Bezel: Chrome 1/2 "V"

Alternative: RVC1890-02CB
(Chrome 1/2 Round) **Fitting****Instructions:****TACHOMETER****CLASSIC BLACK****Part No. RVC2890-00CB**

Type: Electric

Range: 0-7000 rpm

Scale: Full

Dia: 80mm

Bezel: Chrome 1/2 "V"

Alternative: RVC2890-03CB
(Chrome 1/2 Round)**Fitting Instructions:****TACHOMETER****CLASSIC BLACK****Part No. RVC2490-00CB**

Type: Electric

Range: 0-7000 RPM

Scale: Full

Dia: 100mm

Bezel: Chrome 1/2 "V"

Alternative: RVC2490-08CB
(Chrome 1/2 Round)**Fitting Instructions:****TACHOMETER****CLASSIC BLACK****Part No. RVC2690-00CB**

Type: Electric

Range: 0 - 7000 RPM

Scale: Full

Dia: 100mm

Bezel: Chrome 1/2 "V"

Alternative: RVC2690-02CB
(Chrome 1/2 Round) **Fitting****Instructions:****TACHOMETER****CLASSIC BLACK****Part No. RVC2490-24CB**

Type: Electric

Range: 0-10000 RPM

Scale: Full

Dia: 100mm

Bezel: Chrome 1/2 "V"

Representative Image

Fitting Instructions:

SMITHS classic electronic speedometers



SPEEDOMETER

CLASSIC BLACK

Part No. **SN5234-05CB**

Type: Electric
Range: 0-240kph

Scale: Full

Dia: 80mm

Bezel: Chromel 1/2 "V"

Alternative: SN5234-37CB

(Chrome 1/2 Round)

Fitting Instructions:



SPEEDOMETER

CLASSIC BLACK

Part No. **SN5234-07CB**

Type: Electric

Range: 0 - 270 kph

Scale: Full

Fitting: Harness

Dia: 80mm

Bezel: Chrome 1/2 "V"

Alternative: SN5234-39CB

(Chrome 1/2 Round)

Fitting Instructions:



SPEEDOMETER

CLASSIC BLACK

Part No. **SNT5372-10CB**

Type: Electric

Range: 0 - 220 kph

Scale: Full

Fitting: Harness

Dia: 100mm

Bezel: Chrome 1/2 "V"

Alternative: SNT5372-63CB

(Chrome 1/2 Round) Fitting

Instructions:



SPEEDOMETER

CLASSIC BLACK

Part No. **SNT5372-09CB**

Type: Electric

Range: 0-140 mph

Scale: Full

Dia: 100mm

Bezel: Chrome 1/2 "V"

Alternative: SNT5372-62CB

(Chrome 1/2 Round) Fitting

Instructions:



SPEEDOMETER

CLASSIC BLACK

Part No. **SNT5372-07CB**

Type: Electric

Range: 0 - 270 kph

Scale: Full

Fitting: Harness

Dia: 100mm

Bezel: Chrome 1/2 "V"

Alternative: SNT5372-61CB

(Chrome 1/2 Round)

Fitting Instructions:



SMITHS classic mechanical speedometers



SPEEDOMETER

CLASSIC BLACK

Part No. **SN5234-05C**

Type: Mechanical
Range: 0-240 kph

Dia: 80mm
Bezel: Chrome 1/2 "V"
625 Revs per Kilometer

Alternative: SN5234-37C
(Chrome 1/2 Round)

Fitting Instructions:



SPEEDOMETER

CLASSIC BLACK

Part No. **SN5234-06C**

Type: Mechanical
Range: 0-170mph

1000 turns per mile
Dia: 80mm
Bezel: Chrome 1/2 "V"
Alternative: SN5234-38C
(Chrome 1/2 Round)

Fitting Instructions:



SPEEDOMETER

CLASSIC BLACK

Part No. **SN5234-07C**

Type: Mechanical
Range: 0-270 kph
625 turns per km

Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
Alternative: SN5234-39C
(Chrome 1/2 Round)

Fitting Instructions:



SPEEDOMETER

CLASSIC BLACK

Part No. **SN5234-04C**

Type: Mechanical
Range: 0-140 mph

1000 turns per mile
Scale: Full
Dia: 80mm
Bezel: Chrome 1/2 "V"
Alternative:
SN5234-36C (Chrome
1/2 Round)

Fitting Instructions:



SPEEDOMETER

CLASSIC BLACK

Part No. **SNT5372-10C**

Type: Mechanical
Range: 0-220 kph
625 turns per km

Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Alternative: SNT5372-49C
(Chrome 1/2 Round)

Fitting Instructions:



SPEEDOMETER

CLASSIC BLACK

Part No. **SNT5372-09C**

Type: Mechanical
Range: 0-140 mph
1000 turns per mile

Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Alternative:
SNT5372-48C (Chrome
1/2 Round)

Fitting Instructions:



SPEEDOMETER

CLASSIC BLACK

Part No. **SNT5372-07C**

Type: Mechanical
Range: 0-270 kph
625 turns per km

Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Alternative: SNT5372-47C
(Chrome 1/2 Round)

Fitting Instructions:



SPEEDOMETER

CLASSIC BLACK

Part No. **SNT5372-06C**

Type: Mechanical
Range: 0-170 mph
1000 turns per mile

Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 "V"
Alternative: SNT5372-46C
(Chrome 1/2 Round)

Fitting Instructions:



Classic Magnolia

The Magnolia Range brings a warm quality feel associated with leather interiors and wood grain.

Perfect in any hot rod or street classic, even your wooden boat.



AMMETER

CLASSIC MAGNOLIA

Part No. **AM1640-05C**

Type: Electrical
Range: 60-0-60 Amps
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome Full "V"
Alternative: AM1640-21C
(Chrome 1/2 Round)



[Fitting Instructions](#)

AMMETER

CLASSIC MAGNOLIA

Part No. **AM1340-05C**

Type: Electric
Range: 30-0-30
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Alternative: AM1340-10C
(Chrome 1/2 Round)



[Fitting Instructions](#)

CLOCK

CLASSIC MAGNOLIA

Part No. **CA1100-03C**

Type: Electric
Range: 12hour Scale: Full
Fitting: Spade Dia: 52mm
Bezel: Chrome Full "V"
Push Button to Reset (Do Not Turn)
Alternative: CA1100-05C
(Chrome 1/2 Round)



[Fitting Instructions](#)

CLOCK

CLASSIC MAGNOLIA

Part No. **CA2-1032-01C**

Type: Electronic
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"



[Fitting Instructions](#)

OIL PRESSURE & WATER TEMP CLASSIC MAGNOLIA

Part No. **GD1301-65C**

Type: Mechanical
Range: 0-100 PSI / 90-230° F
Scale: Arc Dia: 52mm
Fitting: 1/8in NPT / 3/8BSP
Bezel: Chrome Full "V"
Capillary length 78inches.
Comes with 3/8BSP to 5/8UNF adaptor. Use LK-1 on Pressure
Alternative: GD1301-84C078
(Chrome 1/2 Round)



[Fitting Instructions](#)

FUEL TANK LEVEL

CLASSIC MAGNOLIA

Part No. **BF2242-02C**

Type: Electric
Range: 0 - 1/2 - 4/4 Scale: Arc
Fitting: Spade Dia: 52mm
Bezel: Chrome Full "V"
Use sender Part No. TB9006Kit or TB9013Kit
Alternative: BF2242-13C
(Chrome 1/2 Round)



[Fitting Instructions](#)

OIL PRESSURE

CLASSIC MAGNOLIA

Part No. **BP2404-01C**

Type: Electrical
Range: 0-100 PSI Scale: Arc
Fitting: Spade Dia: 52mm
Bezel: Chrome Full "V"
Use Sender Part No. PTR1810-1-10
Alternative: BP2404-04C
(Chrome 1/2 Round)



[Fitting Instructions](#)

OIL PRESSURE

CLASSIC MAGNOLIA

Part No. **BP2404-01CA**

Type: Electrical
Range: 0-100 PSI
Scale: Arc Dia: 52mm
Bezel: Chrome Full "V"
Use Sender Part No. PTR1810-1-10, PTR1811-06, PTR1811-10, PTR1812-06, PTR1812-10



[Fitting Instructions](#)

OIL PRESSURE**CLASSIC MAGNOLIA****Part No. PG1310-46CB**

Type: Electrical
Range: 0-100 psi
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Use Sender Part No.
PTR3000-8N-10
Fitting Instructions

**OIL PRESSURE****CLASSIC MAGNOLIA****Part No. PL2328-04C**

Type: Mechanical
Range: 0-100 psi
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Alternative: PL2328-07C
(Chrome Half Round)
Fitting Instructions

**OIL PRESSURE****CLASSIC MAGNOLIA****Part No. PG1310-01C**

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Fitting: 1/8in NPT Dia: 52mm
Bezel: Chrome Full "V"
Use Fitting Kit Part No. LK-2
Alternative: PG1310-18C
(Chrome 1/2 Round)
Fitting Instructions

**OIL TEMPERATURE****CLASSIC MAGNOLIA****Part No. BT2240-05C**

Type: Electrical
Range: 50-140° C
Scale: Arc
Fitting: Spade Dia: 52mm
Bezel: Chrome Full "V"
Use Sender Part No. TT6811-01
Alternative: BT2240-11C
(Chrome 1/2 Round)
Fitting Instructions

**OIL TEMPERATURE****CLASSIC MAGNOLIA****Part No. TG1311-02C078**

Type: Mechanical
Range: 40-140° C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Alternative: TG1311-07C078
(Chrome 1/2 Round)
Fitting Instructions

**CLASSIC MAGNOLIA****WATER TEMPERATURE****CLASSIC MAGNOLIA****Part No. TG1310-02C078**

Type: Mechanical
Range: 30-110° C
Scale: Full
Fitting: 3/8BSP Dia: 52mm
Bezel: Chrome Full "V"
Comments: Capillary length 78 in.
Alternative: TG1310-10C078
(Chrome 1/2 Round)
Fitting Instructions:

**WATER TEMPERATURE****CLASSIC MAGNOLIA****Part No. TG1310-02CB**

Type: Electrical
Range: 30-110° C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Use Sender Part No.
TT3001-8N
Fitting Instructions

**WATER TEMPERATURE****CLASSIC MAGNOLIA****Part No. BT2240-04C**

Type: Electrical
Range: 50-140° C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Use Sender Part No. TT6811-01
Alternative: BT2240-10C
(Chrome 1/2 Round)
Fitting Instructions

**VACCUM****CLASSIC MAGNOLIA****Part No.**

Range: Type: Electrical
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Use Sender Kit
PTTR2300-03-8NKIT

VOLTMETER**CLASSIC MAGNOLIA****Part No. ABV2220-04CA**Type: Electrical
Range: 11-17VoltsScale: Arc
Dia: 52mm
Bezel: Chrome Full "V"**Fitting Instructions****VOLTMETER****CLASSIC MAGNOLIA****Part No. BV2220-04CB**Type: Electrical Range:
11-17 Volts Scale: Full
Dia: 52mm

Bezel: Chrome Full "V"

Fitting Instructions**VOLTMETER****CLASSIC MAGNOLIA****Part No. ABV2220-04C**Type: Electrical
Range: 11-17 VoltsScale: Arc
Dia: 52mm
Bezel: Chrome Full "V"**Fitting Instructions****TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC1-1B32-01C**Type: Electric
Range: 0 - 8000 RPMScale: Full
Dia: 52mm
Bezel: Chrome Full "V"**Fitting Instructions****TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC1490-01CB**Type: Electric
Range: 0 - 7000 RPMScale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Alternative: RVC1490-07CB
(Chrome 1/2 Round)**Fitting Instructions****TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC1B90-10C**Type: Electric
Range: 0-8000 RPMScale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Alternative: RVC1B90-11C
(Chrome 1/2 Round)

Representative Image

Fitting Instructions**TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC2490-01CB**Type: Electrical
Range: 0-7000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: RVC2490-09CB
(White dial Chrome Full "V")**Fitting Instructions****TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC2690-01CB**Type: Electric
Range: 0-7000RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: RVC2690-03CB
(Chrome 1/2 Round)**Fitting Instructions****TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC2490-25CB**Type: Electric
Range: 0-10000RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Fitting Instructions
Representative Image**TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC1006-02CB**Type: Electrical
Range: 0-8000 RPM Scale: Full
Fitting: Harness Dia: 80mm
Bezel: Chrome Full "V"
4, 6 or 8 Cyl.
Adjustable redline pointer. Suits in
dash mounting
Alternative: RVC1006-01CB
(White dial Chrome Full "V")
Fitting Instructions

TACHOMETER**CLASSIC MAGNOLIA****Part No. RVC1690-01CB**

Type: Electrical
 Range: 0-7000 RPM
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Full "V"
 Alternative:
 RVC1690-02CB (Chrome
 1/2 Round)

Fitting Instructions**TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC2890-01CB**

Type: Electric
 Range: 0 - 7,000 rpm
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Full "V"
 Alternative:
 RVC2890-04CB (Chrome
 1/2 Round)

Fitting Instructions**TACHOMETER****CLASSIC MAGNOLIA****Part No. RVC1890-01CB**

Type: Electrical
 Range: 0-7000 RPM
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Full "V"
 Alternative: RVC1890-03CB
 (Chrome 1/2 Round)

Fitting Instructions**SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SN5234-09C**

Type: Mechanical
 Range: 0-240 kph
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Full "V"
 625 Revs per Kilometer
 Alternative: SN5234-41C
 (Chrome 1/2 Round)

Fitting Instructions:**SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SNT5372-19CB**

Type: Electronic
 Range: 0 - 240 kph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Full "V"
 Alternative: SNT5372-65CB
 (Chrome 1/2 Round)

Fitting Instructions**SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SN5234-10C**

Type: Mechanical
 Range: 0-140 mph
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Full "V"
 Alternative: SN5234-42C
 (Chrome 1/2 Round)

Fitting Instructions:**SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SN5234-08C**

Type: Mechanical
 Range: 0-170 mph
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Full "V"
 Alternative: SN5234-40C
 (Chrome 1/2 Round)

Fitting Instructions:**SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SN5234-11C**

Type: Mechanical
 Range: 0-270kph
 Scale: Full
 Dia: 80mm
 Bezel: Chrome Full "V"
 Alternative: SN5234-43C
 (Chrome 1/2 Round)

Fitting Instructions:

Representative Image

**SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SNT5372-16C**

Type: Mechanical
 Range: 0 - 170 mph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Full "V"
 Alternative: SNT5372-50C
 (Chrome 1/2 Round)

Fitting Instructions:**SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SNT5372-19C**

Type: Mechanical
 Range: 0 - 240 kph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Full "V"
 Alternative: SNT5372-53C
 (Chrome 1/2 Round)

Fitting Instructions:

SPEEDOMETER**CLASSIC MAGNOLIA****Part No. SNT5372-17C**

Type: Mechanical
Range: 0 - 270 kph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
625 revs Kilometer
Alternative:
SNT5372-51C
(Chrome 1/2 Round)

**Fitting Instructions:****SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SNT5372-18C**

Type: Electric
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: SNT5372-52C
(Chrome 1/2 Round)
Fitting Instructions

**SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SNT5372-17CB**

Type: Electric
Range: 0-270kph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: SNT5372-67CB
(Chrome 1/2 Round)
Fitting Instructions
Representative Image

**SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SNT5372-20CA**

Type: Electronic
Range: 0 - 300 kph
Scale: Full
Dia: 100mm
Bezel: Chrome
Fitting Instructions

**SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SN5234-09CB**

Type: Electric
Range: 0-220 kph
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Alternative: SN5234-41CB
(White dial Chrome Full "V"
Fitting Instructions

**SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SN5234-10CB**

Type: Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Alternative: SN5234-42CB
(Chrome 1/2 Round)
Fitting Instructions

**SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SN5234-11CB**

Type: Electric
Range: 0-270 kph
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Alternative: SN5234-43CB
(Chrome 1/2 Round)
Fitting Instructions
Representative Image

**SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SN5234-08CB**

Type: Electric
Range: 0-170 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Alternative: SN5234-40CB
(Chrome 1/2 Round)
Fitting Instructions

**SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SNT5372-16CB**

Type: Electric
Range: 0-170 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: SNT5372-64CB
(Chrome 1/2 Round)
Fitting Instructions

**SPEEDOMETER****CLASSIC MAGNOLIA****Part No. SNT5372-18CB**

Type: Electric
Range: 0-140mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: SNT5372-66CB
(Chrome 1/2 Round)
Fitting Instructions



Smiths Gauges

For generations, Smiths gauges have set the standard in quality instruments and gauges for classic cars.

Starting with the original Smiths tooling, we employ only the finest materials and craftsmanship for each and everyone of our instruments, which means, not only are you assured of owning the original but undoubtedly the best, so why settle for anything less.

Smiths instruments are manufactured in the UK by Caerbont Automotive Instruments.

AC Cobra Gauges

Smiths gauges were originally chosen by AC and Carol Shelby for the iconic Cobra sports car. Now you can equip your own Cobra with the same instruments as used in the original.

For people seeking the ultimate in authenticity the speedo is also available in reverse wind (counter clockwise) operation as fitted to the original Cobra. Electric gauges are also available as an alternative to the original mechanical gauges.

Smiths Cobra range, the only choice for Cobra builders!



AMMETER

AC COBRA

Part No. **AM1640-04C**

Type: Electrical

Range: 50-0-50 Amps

Scale: Arc

Fitting: Spade

Dia: 52mm

Bezel: Chrome Full "V"

alternative: AM1640-22C

(Chrome 1/2 round)

[Fitting Instructions](#)



AMMETER

AC COBRA

Part No. **AM1640-07C**

Type: Electric

Range: 50-0-50

Scale: Arc

Dia: 52mm

Bezel: Chrome Full "V"

Alternative: AM1640-23C

(Chrome 1/2 Round)

[Fitting Instructions](#)



FUEL TANK LEVEL

AC COBRA

Part No. **BF2242-03C**

Type: Electrical

Range: E-1/2-F Scale: Arc

Fitting: Spade Dia: 52mm

Bezel: Chrome Full "V"

Use Fitting Kit Part No.

TB9006Kit or TB9013Kit

Alternative: BF2242-12C

(Chrome 1/2 Round)

[Fitting Instructions](#)



FUEL LEVEL

AC COBRA

Part No. **BF2242-03C**

Type: Electric

Range: E-1/2-F

Scale: Arc

Dia: 52mm

Bezel: Chrome Full "V"

Alternative: BF2242-12C

(Chrome 1/2 Round)

[Fitting Instructions](#)



FUEL LEVEL**AC COBRA****Part No. BF2242-32CB**Type: Electric
Range: E - 1/2 - F

Scale: Arc

Dia: 52mm

Bezel: Chrome Full "V"

Use Sender Kit TB9011KIT
or TB9013KIT**Fitting Instructions****OIL PRESSURE****AC COBRA****Part No. APG1310-02C**Type: Electrical
Range: 0 - 100 PSI Scale: Arc

Fitting: Spade Dia: 52mm

Bezel: Chrome Full "V"

Use Sender Part No.

PTR1000-6-10

Alternative: APG1310-04C

(Chrome 1/2 Round)

Fitting Instructions**OIL PRESSURE****AC COBRA****Part No. PG1310-02CB**Type: Electric
Range: 0-100 psi

Scale: Full

Dia: 52mm

Bezel: Chrome Full "V"

Use Sender Kit

PTTR2300-10-8NKIT

Fitting Instructions**OIL PRESSURE****AC COBRA****Part No. PG1310-07CB**

Type: Electric

Range: 0-100 psi

Scale: Full

Dia: 52mm

Bezel: Chrome Full "V"

Use Sender Kit

PTTR2300-10-8NKIT

Fitting Instructions**OIL PRESSURE****AC COBRA****Part No. PG1310-02C**

Type: Mechanical

Range: 0-100 PSI

Scale: Full

Fitting: 1/8in NPT Dia: 52mm

Bezel: Chrome Full "V"

Use Fitting Kit Part No. LK-2

Alternative: PG1310-19C
(Chrome 1/2 Round)**Fitting Instructions****FUEL PRESSURE****AC COBRA****Part No. PG1310-03CB**

Type: Electric

Range: 0 - 10 PSI

Scale: Full

Fitting: 1/8in NPT

Dia: 52mm

Bezel: Chrome Full "V"

Sender

PTTR2300-03-8NKIT required

Fitting Instructions**FUEL PRESSURE****AC COBRA****Part No. PG1310-27CB**

Type: Electric

Range: 0-100 psi

Scale: Full

Dia: 52mm

Bezel: Chrome Full "V"

Use Sender Kit

PTTR2300-10-8NKIT

Fitting Instructions**WATER TEMPERATURE****AC COBRA****Part No. TG1301-23C078**

Type: Mechanical

Range: 40-140° C Scale: Full

Fitting: 3/8BSP Dia: 52mm

Bezel: Chrome Full "V"

Capillary length 78inches.

Comes with 3/8BSP to 5/8UNF
adaptor

Alternative: TG1301-45C078

(Chrome 1/2 Round)

Fitting Instructions**WATER TEMPERATURE****AC COBRA****Part No. ATG1301-23C**

Type: Electrical

Range: 50 - 140°C

Scale: Arc

Fitting: Spade Dia: 52mm

Bezel: Chrome Full "V"

Use Sender Part No. TT6811-01

Alternative: ATG1301-27C
(Chrome 1/2 Round)**Fitting Instructions****WATER TEMPERATURE****AC COBRA****Part No. TG1301-23CB**

Type: Electric

Range: 40-140° C Scale: Full

Dia: 52mm

Bezel: Chrome Full "V"

Use with Sender Part No.

TT3005-8N

Alternative: TG1301-63CB

(Chrome 1/2 Round)

Fitting Instructions

OIL TEMPERATURE**AC COBRA****Part No. TG1301-24C078**

Type: Mechanical
 Range: 40 - 140° C Scale: Full
 Fitting: 3/8BSP Dia: 52mm
 Bezel: Chrome Full "V"
 Capillary length: 78inches.
 Comes with 3/8BSP to 5/8UNF
 adaptor
 Alternative: TG1301-46C078
 (Chrome 1/2 Round)

Fitting Instructions**OIL TEMPERATURE****AC COBRA****Part No. ATG1301-24C**

Type: Electrical
 Range: 50 - 140° C
 Scale: Arc
 Fitting: Spade Dia: 52mm
 Bezel: Chrome Full "V"
 Use Sender Part No. TT6811-01
 Alternative: ATG1301-28C
 (Chrome 1/2 Round)

Fitting Instructions**OIL TEMPERATURE****AC COBRA****Part No. TG1301-24CB**

Type: Electric
 Range: 40 - 140° C
 Scale: Full
 Dia: 52mm
 Bezel: Chrome Full "V"
 Alternative: TG1301-65CB
 (Chrome 1/2 Round)

Fitting Instructions**OIL TEMPERATURE****AC COBRA****Part No. TG1301-27CB**

Type: Electric
 Range: 40 - 140° C

Scale: Full
 Dia: 52mm
 Bezel: Chrome Full "V"
 Use Sender Part No.

TT3005-8N
Fitting Instructions

**CLOCK****AC COBRA****Part No. CA1100-09C**

Type: Electrical
 Range: 12hour
 Scale: Full
 Fitting: Spade Dia: 52mm
 Bezel: Chrome Full "V"
 Analogue Clock alternative:
 CA1100-13C (Chrome 1/2
 Round)

Fitting Instructions**VOLTMETER****AC COBRA****Part No. ABV2220-07C**

Type: Electrical
 Range: 11 - 17 Volts
 Scale: Arc
 Fitting: Spade Dia: 52mm
 Bezel: Chrome Full "V"
 Alternative: ABV2220-18C
 (Chrome 1/2 Round)

Fitting Instructions**TACHOMETER****AC COBRA****Part No. RVC2816-00CB**

Type: Electric
 Range: 0-8000 RPM
 Scale: Full
 Fitting: Harness Dia: 100mm
 Bezel: Chrome Full "V"
 Distributor/Coil sensing
 Alternative: RVC2816-08CB
 (Chrome 1/2 Round)

Fitting Instructions**SPEEDOMETER****AC COBRA****Part No. SN5346-04CB**

Type: Electric
 Range: 0-160 mph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Full "V"
 Alternative: SN5346-20CB
 (Chrome 1/2 Round)

Fitting Instructions**SPEEDOMETER****AC COBRA****Part No. SN5346-02CB**

Type: Electric
 Range: 0-180 mph
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Full "V"
 Alternative: SN5346-19CB
 (Chrome 1/2 Round)

Fitting Instructions**SPEEDOMETER****AC COBRA****Part No. SN5346-03CB**

Type: Electrical
 Range: 0 - 300 kph Scale: Full
 Fitting: Harness Dia: 100mm
 Bezel: Chrome Anticlockwise
 Direction. Electronic Programmable
 calibration. 6 digit LED odometer.
 Alternative: SN5346-21CB
 (Chrome 1/2 Round)

Fitting Instructions

SPEEDOMETER

AC COBRA

Part No. **SN5346-05CB**

Type: Electronic
Range: 0 - 300 kph Scale: Full
Fitting: Harness Dia: 100mm
Bezel: Chrome Full "V"
Clockwise Direction.
Electronic Programable calibration.
6 digit LED odometer.
Alternative: SN5346-22CB
(Chrome 1/2 Round)

Fitting Instructions



SPEEDOMETER

AC COBRA

Part No. **SN5346-02**

Type: Mechanical
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: SN5346-19
(Chrome 1/2 Round)

Fitting Instructions



SPEEDOMETER

AC COBRA

Part No. **SN5346-04**

Type: Mechanical
Range: 0-160 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: SN5346-20
(Chrome 1/2 Round)

Fitting Instructions:



SPEEDOMETER

AC COBRA

Part No. **SN5346-12**

Type: Mechanical
Range: 0-300 kph
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Fitting Instructions:



OUR MOST POPULAR DUAL GAUGES



TEMPERATURE BULB TYPES A2 & K2



A2



K2

TEMPERATURE BULB TYPES A2 & K2

A2 BULB

Common in A & B Series Engines the bulb has a tapered seating and a 5/8 x 18 UNF Male Nut.

We recommend a #9917 brass adaptor for a good seal, better internal clearance and to stop the male nut fusing into the head

K2 BULB

Common in Big Healey, Jaguar etc the bulb has a 3/8 Female Nut.

It is supplied with either;
a 3/8 BSP Male to 5/8 x 18 Male
(#31-363-415) ; or
a 3/8 BSP Male to 3/8 NPT Male
(#31-363-472-00)



Note:
Pictures with a red star are a representative image. Refer to the left for accurate details. For more information please contact us.

OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1310-11C078**

Type: Mechanical
Range: 0-100psi/30-110°C
Scale: Arc
Dia: 52 mm
Bezel: Chrome Half "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required

Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1310-00C078**

Type: Mechanical
Range: 0-100 psi/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Part No. **GD1310-00B078**

Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-62C078**

Type: Mechanical
Range: 0-100psi/30-110°C
Scale: Arc
Dia: 52 mm
Bezel: Black Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-65C078**

Type: Mechanical
Range: 0-100psi/90-230°F Scale:
Arc
Dia: 52mm
Bezel: Chrome Full "V"
Bulb: K
Capillary length: 78 inches
Dial: Magnolia
Oil Pressure Kit: LK-2 required
Fitting Instructions:



DUAL GAUGES CLASSIC IMPERIAL



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
Classic dual oil and water
41-712-101-189



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-150B055
Type: Mechanical
Range: 0-100 psi/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Bulb: K
Capillary length: 55 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-15-078

Type: Mechanical
Range: 0-100 psi/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-15C078

Type: Mechanical
Range: 0-100 psi/ 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-00B078

Type: Mechanical
Range: 0-100 psi/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-00C078

Type: Mechanical
Range: 0-100 psi/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Part No. GD1310-00B078
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-89C078

Type: Mechanical
Range: 0-100 psi/ 30-110 °C
Scale: Arc
Dia: 52 mm
Bezel: Black Full "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-11C078

Type: Mechanical
Range: 0-100psi/30-110 °C
Scale: Arc
Dia: 52 mm
Bezel: Chrome Half "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



DUAL GAUGES CLASSIC METRIC



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
Classic dual oil and water
41-712-101-161



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-66B078

Type: Mechanical
Range: 0-7 kg/cm² / 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-66C078

Type: Mechanical
Range: 0-7 kg/cm² / 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-00C039

Type: Mechanical
Range: 0-7 kg/cm² / 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 39 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-20C078

Type: Mechanical
Range: 0-7 kg/cm² / 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
Classic dual oil and water
41-712-101-267



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-89B078

Type: Mechanical
Range: 30-110°C / 0-100psi
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-89C078

Type: Mechanical
Range: 0-100 psi / 30-110 °C
Scale: Arc
Dia: 52 mm
Bezel: Black Full "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-13B078

Type: Mechanical
Range: 0-100psi / 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-01C120

Type: Mechanical
Range: 0-100psi / 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Bulb: K
Capillary length: 120 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-11C078

Type: Mechanical
Range: 0-100psi / 30-110°C
Scale: Arc
Dia: 52 mm
Bezel: Chrome Half "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-00B078

Type: Mechanical
Range: 0-100 psi / 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-00C078

Type: Mechanical
Range: 0-100 psi / 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Part No. GD1310-00B078
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-00C120

Type: Mechanical
Range: 0-100psi / 30-110 °C
Scale: Arc
Dia: 52 mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 120 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-05C078

Type: Mechanical
Range: 0-100psi / 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
Classic dual oil and water
41-712-101-277



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-69C078

Type: Mechanical
Range: 0-100psi/90-230°F
Scale: Arc
Dia: 52 mm
Bezel: Chrome Half Round
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-83C078

Type: Mechanical
Range: 0-100psi/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half Round
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-88C078

Type: Mechanical
Range: 0-100 psi/90-230°F
Scale: Arc
Dia: 52 mm
Bezel: Chrome Full "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-64B078

Type: Mechanical
Range: 90-230°F/0-100psi
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-64C039

Type: Mechanical
Range: 90-230°F/0-100psi
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: K
Capillary length: 39 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-64C078

Type: Mechanical
Range: 90-230°F/0-100psi
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-64C020

Type: Mechanical
Range: 90-230°F/0-100psi
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: K
Capillary length: 20 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
Classic dual oil and water
41-712-101-351



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-25C078

Type: Mechanical
Range: 0-100psi/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



DUAL GAUGES classic open wheelers



OIL PRESSURE & OIL TEMP DUAL GAUGES

Dual Gauges SMITHS
Classic dual oil and oil
41-712-101-337



OIL PRESSURE & OIL TEMP DUAL GAUGES

Part No. GD1500-118-C078

Type: Mechanical
Range: 0-160psi/30-120°C
Scale: Arc
Dia: 52 mm
Bezel: Chrome Full "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & OIL TEMP DUAL GAUGES

Part No. GD1500-118-C096

Type: Mechanical
Range: 0-160 psi/ 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Bulb: K
Capillary length: 96 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & OIL TEMP DUAL GAUGES

Part No. GD1500-37C078

Type: Mechanical
Range: 0-160 psi/ 30-120 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
Classic dual oil and water
41-712-101-339



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-17B078

Type: Mechanical
Range: 0-100 psi/ 30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-17B090

Type: Mechanical
Range: 0-100 psi/ 30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Bulb: K
Capillary length: 90 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



DUAL GAUGES classic open wheelers



FULE PRESSURE & WATER TEMP DUAL GAUGE

Dual Gauges SMITHS
Classic dual fuel and
water 41-712-101-343



FUEL PRESSURE & WATER TEMP DUAL GAUGE

Part No. GD1500-119-C072

Type: Mechanical
Range: 0-160 psi/ 30-120°C
Scale: Arc
Dia: 52 mm
Bezel: Chrome Full "V"
Bulb: K
Capillary length: 72 inches
Dial: Black
Oil Pressure Kit: LK-2 required
[Fitting Instructions:](#)



FUEL PRESSURE & WATER TEMP DUAL GAUGE

Part No. GD1500-37C0105

Type: Mechanical
Range: 30-120°C/0-160psi
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Bulb: K
Capillary length: 105 inches
Dial: Black
Oil Pressure Kit: LK-2 required
[Fitting Instructions:](#)



FUEL PRESSURE & WATER TEMP DUAL GAUGE

Part No. GD1500-37C072

Type: Mechanical
Range: 0-160psi/30-120°C
Scale: Arc
Dia: 52 mm
Bezel: Chrome Half "V"
Bulb: K
Capillary length: 72 inches
Dial: Black
Oil Pressure Kit: LK-2 required
[Fitting Instructions:](#)



PRESSURE & TEMP DUAL GAUGES

Dual Gauges SMITHS
Classic dual oil and water
41-712-101-238



PRESSURE & TEMP DUAL GAUGES

Part No. GD1310-04B078

Type: Mechanical
Range: 0-160 psi/30-120°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
[Fitting Instructions:](#)



PRESSURE & TEMP DUAL GAUGES

Part No. GD1310-04B096

Type: Mechanical
Range: 0-160 psi/ 30-120°C
Scale: Arc
Dia: 52 mm
Bezel: Black Full "V"
Bulb: K
Capillary length: 96 inches
Dial: Black
Oil Pressure Kit: LK-2 required
[Fitting Instructions:](#)



PRESSURE & TEMP DUAL GAUGES

Part No. GD1310-04B144

Type: Mechanical
Range: 0-160psi/30-120°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Bulb: K
Capillary length: 144 inches
Dial: Black
Oil Pressure Kit: LK-2 required
[Fitting Instructions:](#)



DUAL GAUGES classic open wheelers



PRESSURE & TEMP DUAL GAUGES

Part No. GD1500-116B078

Type: Mechanical
Range: 0-160psi/ 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



PRESSURE & TEMP DUAL GAUGES

Part No. GD1500-116B086

Type: Mechanical
Range: 0-160psi/30-120°C
Scale: Arc
Dia: 52 mm
Bezel: Black Full "V"
Bulb: K
Capillary length: 86 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



PRESSURE & TEMP DUAL GAUGES

Part No. GD1500-116B115

Type: Mechanical
Range: 0-160psi/30-120°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Bulb: K
Capillary length: 115 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



PRESSURE & TEMP DUAL GAUGES

Part No. GD1310-04C022

Type: Mechanical
Range: 0-160 psi/ 30-120 °C
Scale: Arc
Dia: 52 mm
Bezel: Chrome Full "V"
Bulb: K
Capillary length: 22 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



PRESSURE & TEMP DUAL GAUGES

Part No. GD1310-23C078

Type: Mechanical
Range: 0-160psi/30-120 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & OIL TEMP LOTUS

Part No. GD1500-37-EX

Type: Mechanical
Range: 0-160psi/ 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Fitting Instructions:



OIL PRESSURE & OIL TEMP LOTUS

Part No. GD1500-37XC072

Type: Mechanical
Range: 0-160psi/ 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Capillary Length: 72 inches
Fitting Instructions:



CLASSIC DUAL GAUGES MAGNOLIA IMPERIAL



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
Classic dual oil and water
Magnolia
41-712-101-275



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-68C078**

Type: Mechanical

Range: 0-100psi/90-230°F

Scale: Arc

Dia: 52 mm

Bezel: Chrome Half Round

Bulb: K

Capillary length: 78 inches

Dial: Magnolia

Oil Pressure Kit: LK-2 required

Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-84C078**

Type: Mechanical

Range: 0-100 psi/ 90-230 °F

Scale: Arc

Dia: 52 mm

Bezel: Chrome Half Round

Bulb: K

Capillary length: 78 inches

Dial: Magnolia

Oil Pressure Kit: LK-2 required

Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-65C078**

Type: Mechanical

Range: 0-100psi/90-230°F

Scale: Arc

Dia: 52mm

Bezel: Chrome Full "V"

Bulb: K

Capillary length: 78 inches

Dial: Magnolia

Oil Pressure Kit: LK-2 required

Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-70C078**

Type: Mechanical

Range: 0-100 psi/ 90-230 °F

Scale: Arc

Dia: 52mm

Bezel: Chrome Half "V"

Bulb: K

Capillary length: 78 inches

Dial: Magnolia

Oil Pressure Kit: LK-2 required

Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-97C078**

Type: Mechanical

Range: 0-100psi/90-230°F

Scale: Arc

Dia: 52mm

Bezel: Chrome Full "V"

Bulb: A2

Capillary length: 78 inches

Dial: Magnolia

Oil Pressure Kit: LK-2 required

Fitting Instructions:



DUAL GAUGES MGA MIDGET & HEALEY SPRITE



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
MG dual oil and water
41-712-101-174



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-86B078

Type: Mechanical
Range: 0-100psi/90-230°F
Scale: Arc
Dia: 52 mm
Bezel: Black Half "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-86C078

Type: Mechanical
Range: 0-100 psi/ 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-61-078

Type: Mechanical
Range: 90-230°F/0-100psi
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-93B078

Type: Mechanical
Range: 0-100 psi/ 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-63C072

Type: Mechanical
Range: 0-100 psi/ 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-91C078

Type: Mechanical
Range: 0-100psi/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
MG dual oil and water
41-712-101-190



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-19C078

Type: Mechanical
Range: 0-100 psi/ 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
MG dual oil and water
41-712-101-269



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-82B078

Type: Mechanical
Range: 30-110°C/ 0-100psi
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-82B096

Type: Mechanical
Range: 30-110°C/ 0-100psi
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Bulb: K
Capillary length: 96 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-82C078

Type: Mechanical
Range: 30-110°C/ 0-100psi
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
MG dual oil and water
41-712-101-347



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-61C078

Type: Mechanical
Range: 0-100 psi/ 90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-102C072

Type: Mechanical
Range: 0-100 psi/ 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 72 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-82C120**

Type: Mechanical
Range: 30-110°C/0-100psi
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: K
Capillary length: 120 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-82C140**

Type: Mechanical
Range: 30-110°C/0-100psi
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: K
Capillary length: 140 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-94C078**

Type: Mechanical
Range: 0-100psi/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-87C072**

Type: Mechanical
Range: 0-100psi/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half Round
Bulb: A2
Capillary length: 72 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-87C078**

Type: Mechanical
Range: 0-160 psi/ 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half Round
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-99C072**

Type: Mechanical
Range: 0-100 psi/ 30-110°C
Scale: Arc
Dia: 52 mm
Bezel: Black Full "V"
Bulb: A2
Capillary length: 72 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-62B072**

Type: Mechanical
Range: 0-100 psi/ 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Bulb: A2
Capillary length: 72 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-62C078**

Type: Mechanical
Range: 30-110°C/ 0-100psi
Scale: Arc
Dia: 52 mm
Bezel: Black Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-92B072**

Type: Mechanical
Range: 0-100psi/30-110°C
Scale: Arc
Dia: 52 mm
Bezel: Black Half "V"
Bulb: A2
Capillary length: 72 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-62C072**

Type: Mechanical
Range: 30-110°C/ 0-100psi
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Bulb: A2
Capillary length: 72 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



JAEGER or SMITHS DUAL GAUGES

MGA MIDGET & HEALEY SPRITE

COMPLETE WITH ORIGINAL FLOODLIGHTING SLOTS



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges JAEGER
MG dual oil and water
41-712-101-341



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1501-01C078

Type: Mechanical
Range: 0-100 psi/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required

Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges JAEGER
MG dual oil and water
41-712-101-177



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1501-04C078

Type: Mechanical
Range: 0-100psi/90-230°F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required

Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
MG dual oil and water



OIL PRESSURE & WATER TEMP MG

Part No. GD1502-06C072

Type: Mechanical
Range: 0-100 psi / 90-230°F
Scale: Arc
Dia: 52 mm
Bezel: Chrome Half "V"

Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1501-14C078

Type: Mechanical
Range: 0-100 psi / 90-230°F
Scale: Arc
Dia: 52 mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required

Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1501-15C078

Type: Mechanical
Range: 0-100 psi/30-110°C
Scale: Arc
Dia: 52 mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required

Fitting Instructions:



SMITHS MGB DUAL GAUGES



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
MGB dual oil and
water
41-712-101-195



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-21B072

Type: Mechanical
Range: 0-100 psi/C-N-H
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Bulb: A2
Capillary length: 72 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-90B072

Type: Mechanical
Range: 0-100 psi/C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 72 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-21C072

Type: Mechanical
Range: 0-100 psi/C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 72 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-21C091

Type: Mechanical
Range: 0-100 psi/C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 91 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-90C072

Type: Mechanical
Range: 0-100 psi/C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 72 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



SMITHS MGB GT V8 DUAL GAUGES



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
MGB GT V8
dual Oil and Water
41-712-101-236



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-45C078**

Type: Mechanical
Range: 0-60 psi/ C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-53C078**

Type: Mechanical
Range: 0-60 psi/ C-N-H
Scale: Arc
Dia: 52 mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1302-45C078**

Type: Mechanical
Range: 0-60 psi/ C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Magnolia
Oil Pressure Kit: LK-2 required
Fitting Instructions:



MAGNOLIA DUAL GAUGES MG & AUSTIN HEALEY



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
MG dual oil and water
41-712-101-318



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-75C072

Type: Mechanical
Range: 0-100psi/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Capillary length: 72 inches
Dial: Magnolia
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
MG dual oil and water
41-712-101-330



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-96C078

Type: Mechanical
Range: 0-100 psi/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-85C078

Type: Mechanical
Range: 0-100psi/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: K
Capillary length: 78 inches
Dial: Magnolia
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-92C072

Type: Mechanical
Range: 0-100psi/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
Bulb: A2
Capillary length: 72 inches
Dial: Magnolia
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-14C078

Type: Mechanical
Range: 0-100 psi/ 30-110°C
Scale: Arc
Dia: 52 mm
Bezel: Chrome Full "V"
Bulb: A2
Capillary length: 78 inches
Dial: Magnolia
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-81C078

Type: Mechanical
Range: 0-100psi/30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Magnolia
Oil Pressure Kit: LK-2 required
Fitting Instructions:



MAGNOLIA DUAL GAUGES MGB GT & AUSTIN HEALEY



OIL PRESSURE & WATER TEMP DUAL GAUGES


Dual Gauges SMITHS
MGB GT V8
dual oil and water
41-712-101-354



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-104C078

Type: Mechanical
Range: 0-60psi, 30-120°C Scale:
Arc
Dia: 52mm
Bezel: Chrome Full "V"
Bulb: K
Capillary length: 78 inches
Dial: Magnolia
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
AUSTIN HEALEY dual
oil and water
41-712-101-355



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1301-105C078

Type: Mechanical
Range: 0-60 psi/30-120° F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Bulb: K
Capillary length: 78 inches
Dial: Magnolia
Oil Pressure Kit: LK-2 required
Fitting Instructions:



DUAL GAUGES LANDROVER



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
Landrover dual oil
and water
41-712-101-338



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-16B080

Type: Mechanical

Range: 0-100psi/0-120°C

Scale: Arc

Dia: 52mm

Bezel: Black Full "V"

Bulb: K

Capillary length: 80 inches

Dial: Black

Oil Pressure Kit: LK-2 required

Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Dual Gauges SMITHS
Landrover dual oil
and water
41-712-101-344



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. GD1310-20B080

Type: Mechanical

Range: 0-100psi/30-100°C

Scale: Arc

Dia: 52mm

Bezel: Black Full "V"

Bulb: K

Capillary length: 80 inches

Dial: Black

Oil Pressure Kit: LK-2 required

Fitting Instructions:



DUAL GAUGES LOTUS



OIL PRESSURE & WATER TEMP LOTUS

Part No. GD1301-23C078

Type: Electric

Range: 0-60 psi/ 30-110°C

Scale: Arc

Dia: 52mm

Bezel: Chrome Half "V"

Capillary Length: 78 inches

Fitting Instructions:



OIL PRESSURE & WATER TEMP LOTUS

Part No. GD1310-19B048

Type: Mechanical

Range: 0-60 psi/ 90-230°F

Scale: Arc

Dia: 52mm

Bezel: Black Half "V"

Bulb: K

Capillary length: 48 inches


Dial: Black

Oil Pressure Kit: LK-2 required

Fitting Instructions:



FLIGHT RANGE



CLOCK

FLIGHT

Part No. **FAC1-1052-00C**

Type: Electrical
Range: 12 hours
Scale: Full

Dia: 52 mm
Bezel: Chrome Half Round
Fitting Instructions:



AMBIENT TEMP

FLIGHT

Part No. **FAT1-1B52-00C**

Type: Electric
Range: -20-50 °C

Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Fitting Instructions:

WATER TEMP

FLIGHT

Part No. **FCT1-1B52-00C**

Type: Electric
Range: 40-120 °C
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Fitting Instructions:



FUEL LEVEL

FLIGHT

Part No. **FFC1-1B52-00C**

Type: Electric
Range: 0-1/4-1/2-3/4-4/4
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Fitting Instructions:



FLIGHT BOOST

FLIGHT

Part No. **FMP1-1B52-00C**

Type: Electrical
Range: -1 - 2 bar
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Fitting Instructions:



OIL PRESSURE

FLIGHT

Part No. **FOP1-1B52-00C**

Type: Electric
Range: 0-7bar
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Fitting Instructions:



OIL PRESSURE

FLIGHT

Part No. **FOP1-1B52-02C**

Type: Electric
Range: 0-100 psi
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Representative Image
Fitting Instructions:



OIL PRESSURE

FLIGHT

Part No. **FOP1-1B52-17C**

Type: Electrical
Range: 0-7 bar
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Fitting Instructions:



OIL TEMP

FLIGHT

Part No. **FOT1-1B52-00C**
Type: Electric
Range: 50-100 °C
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Fitting Instructions:



VOLTMETER

FLIGHT

Part No. **FVO1-1B52-00C**
Type: Electric
Range: 9-17 volts
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Fitting Instructions:



SPEEDOMETER

FLIGHT

Part No. **FES3-1B52-00C**
Type: Electrical
Range: 0-180 mph
Scale: Full
Dia: 80 mm
Bezel: Chrome Half Round
Fitting Instructions:



SPEEDOMETER

FLIGHT

Part No. **FES3-1B52-01C**
Type: Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
Representative Image
Fitting Instructions:



SPEEDOMETER

FLIGHT

Part No. **FES3-1B52-02C**
Type: Electric
Range: 0-280 kph
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
Fitting Instructions:



SPEEDOMETER

FLIGHT

Part No. **FES5-1B52-00C**
Type: Electric
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half Round
Fitting Instructions:



TACHOMETER

FLIGHT

Part No. **FET5-1B52-00C**
Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Half Round
Fitting Instructions:



SPEEDOMETER

FLIGHT

Part No. **FES5-1B52-02C**
Type: Electric
Range: 0-280 kph
Scale: Full
Dia: 100mm
Bezel: Chrome Half Round
Fitting Instructions:



TACHOMETER

FLIGHT

Part No. **FET1-1B52-00C**
Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 52mm
Bezel: Chrome Half Round
Fitting Instructions:



TACHOMETER

FLIGHT

Part No. **FET3-1B52-00C**
Type: Electrical
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
Fitting Instructions:





GT40 Gauges

The GT40 is a motor racing icon that achieved legendary victories at Le Mans. Every GT40 was equipped with gauges from Smiths.

The classic lines of the black bezels, red sector tach and 200mph speedo are combined with the GT40 font

Your GT40 project deserves gauges that meet the requirements of low volume compliance.

AMMETER

GT40

Part No. **AM1640-16B**

Type: Electrical
Range: -50 - 0 - 50 Amps
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Chrome 1/2 "V"
[Fitting Instructions](#)



OIL PRESSURE

GT40

Part No. **PG1310-09B**

Type: Mechanical
Range: 0 - 100 PSI
Scale: Full
Fitting: 1/8in NPT
Dia: 52mm
Bezel: Black 1/2 "V"
Use Fitting Kit Part No. LK-2
[Fitting Instructions](#)



FUEL TANK LEVEL

GT40

Part No. **ABF2242-15B**

Type: Electrical
Range: E - 1/2 - F
Scale: Full
Fitting: Spade
Dia: 52mm
Bezel: Black 1/2 "V"
Use sender TB9011KIT or TB9013I
[Fitting Instructions](#)



OIL PRESSURE

GT40

Part No. **PG1310-09BB**

Type: Electric
Range: 0 - 100 PSI
Scale: Full
Dia: 52mm
Bezel: Black 1/2 "V"
Use Sender Kit
PTTR2300-10-8NKIT
[Fitting Instructions](#)



SPEEDOMETER

GT40

Part No. **SN3327-00**

Type: Mechanical
Range: 200 mph
Scale: Full
Fitting:
Dia: 100mm
Bezel: Black 1/2
"V" (1184 turns per mile
input) mph scale only
[Fitting Instruction](#)



SPEEDOMETER

GT40

Part No. **SN3327-03**

Type: Mechanical
Range: 320kph / 200 mph
Scale: Full
Dia: 100mm
Bezel: Black 1/2 "V"
[Fitting Instructions](#)



SPEEDOMETER**GT40****Part No. SN3327-04BB**

Type: Electronic Programmable

Range: 320 kph / 200 mph

Scale: Full

Fitting: Harness

Dia: 100mm

Bezel: Black 1/2 "V"

kph outer/mph inner scale

Fitting Instructions**SPEEDOMETER****GT40****Part No. SN3327-02BB**

Type: Electronic

Range: 0-200 mph

Scale: Full

Dia: 100mm

Bezel: Black 1/2 "V"

Fitting Instructions**TACHOMETER****GT40****Part No. RVC2816-04BB**

Type: Electrical

Range: 8000 RPM

Scale: Full

Fitting: Harness

Dia: 100mm

Bezel: Black 1/2 "V"

Red sector 6500 - 7000rpm

Fitting Instructions**TACHOMETER****GT40****Part No. RVC2816-06BB**

Type: Electric

Range: 0-8000RPM

Scale: Full

Dia: 100mm

Bezel: Black 1/2 "V"

Fitting Instructions**WATER TEMPERATURE****GT40****Part No. TG1301-30B078**

Type: Mechanical

Range: 30 - 120° C

Scale: Full

Fitting: 3/8BSP

Dia: 52mm

Bezel: Black 1/2 "V"

Capillary length 78in.

Comes with 3/8BSP to 5/8UNF adaptor

Fitting Instructions:**WATER TEMPERATURE****GT40****Part No. TG1301-30B120**

Type: Mechanical

Range: 30 - 120° C

Scale: Full

Fitting: 3/8BSP

Dia: 52mm

Bezel: Black 1/2 "V"

Capillary length 120in.

Comes with 3/8BSP to 5/8UNF adaptor

Fitting Instructions:**WATER TEMPERATURE****GT40****Part No. TG1301-30BB**

Type: Electric

Range: 30 - 120° C

Scale: Full

Dia: 52mm

Bezel: Black 1/2 "V"

Use Sender Part No.

TT3001-8N

Fitting Instructions**OIL TEMP****GT40****Part No. TG1301-31B078**

Type: Mechanical

Range: 40 - 140°C

Scale: Full

Fitting: 3/8BSP Dia: 52mm

Bezel: Black 1/2 "V"

Capillary length 78in.

Comes with 3/8BSP to 5/8UNF ada;

Fitting Instructions**OIL TEMPERATURE****GT40****Part No. TG1301-31B120**

Type: Mechanical

Range: 40 - 140° C

Scale: Full

Fitting: 3/8BSP Dia: 52mm

Bezel: Black 1/2 "V"

Capillary length 120in. Comes with 3/8BSP to 5/8UNF adaptor

Fitting Instructions**OIL TEMPERATURE****0****Part No. TG1301-31BB**

Type: Electric

Range: 40 - 140° C

Scale: Full

Dia: 52mm

Bezel: Black 1/2 "V"

Use Sender Par No.

TT3005-8N

Fitting Instructions

INTERNATIONAL RANGE



CLOCK

INTERNATIONAL

Part No. **IAC1-1052-00B**

Type: Electrical
Range: 12 hours
Scale: Full
Dia: 52 mm
Bezel: Black Full "V"

[Fitting Instructions](#)



CLOCK

INTERNATIONAL

Part No. **IAC1-1052-01B**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52 mm
Bezel: Black Full "V"

[Fitting Instructions](#)



AMMETER

INTERNATIONAL

Part No. **IAM1-0052-03B**

Type: Electric
Range: 30-0-30
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"

[Fitting Instructions](#)



AMMETER

INTERNATIONAL

Part No. **IAM1-0052-06B**

Type: Electric
Range: 60-0-60
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"

[Fitting Instructions](#)



OIL PRESSURE

INTERNATIONAL

Part No. **IOP1-1552-07B**

Type: Electric
Range: 0-7 bar
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"

[Fitting Instructions](#)



OIL PRESSURE

INTERNATIONAL

Part No. **IOP1-1552-10B**

Type: Electric
Range: 0-10 bar
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"

[Fitting Instructions](#)



FUEL LEVEL

INTERNATIONAL

Part No. **IFC1-1552-00B**

Type: Electric
Range: 0-1/2-1
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"

[Fitting Instructions](#)



WATER TEMP

INTERNATIONAL

Part No. **ICT1-1452-12B**

Type: Electrical
Range: 40-140°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"

[Fitting Instructions](#)



OIL TEMP

INTERNATIONAL

Part No. **IOT1-1452-15B**

Type: Electrical
Range: 50-150 °C
Scale: Arc
Dia: 52 mm
Bezel: Black Full "V"
[Fitting Instructions](#)



TRANSMISSION OIL TEMP

INTERNATIONAL

Part No. **ITT1-1452-15B**

Type: Electric
Range: 50-150 °C
Scale: Arc
Dia: 52 mm
Bezel: Black Full "V"
[Fitting Instructions](#)



VOLTMETER

INTERNATIONAL

Part No. **IVO1-1052-02B**

Type: Electrical
Range: 9-17 volts
Scale: Arc
Dia: 52 mm
Bezel: Black Full "V"
[Fitting Instructions](#)



VOLTMETER

INTERNATIONAL

Part No. **IVO1-1052-03B**

Type: Electric
Range: 9-17 volts
Scale: Arc
Dia: 52 mm
Bezel: Black Full "V"
[Fitting Instructions](#)



SPEEDOMETER

INTERNATIONAL

Part No. **IES3-1B32-00B**

Type: Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Black Full "V"
[Fitting Instructions](#)



SPEEDOMETER

INTERNATIONAL

Part No. **IES3-1B32-01B**

Type: Electric
Range: 0-180 mph
Scale: Full
Dia: 80mm
Bezel: Black Full "V"
[Fitting Instructions](#)



SPEEDOMETER

INTERNATIONAL

Part No. **IES3-1B32-02B**

Type: Electric
Range: 0-240 kph
Scale: Full
Dia: 80mm
Bezel: Black Full "V"
[Fitting Instructions](#)



SPEEDOMETER

INTERNATIONAL

Part No. **IES3-1B32-03B**

Type: Electric
Range: 0-280 kph
Scale: Full
Dia: 80mm
Bezel: Black Full "V"
[Fitting Instructions](#)



SPEEDOMETER

INTERNATIONAL

Part No. **IES5-1B32-00B**

Type: Electric
Range: 0-140 mph
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
[Fitting Instructions](#)



SPEEDOMETER

INTERNATIONAL

Part No. **IES5-1B32-01B**

Type: Electrical
Range: 0-180 mph
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
[Fitting Instructions](#)



SPEEDOMETER INTERNATIONAL

Part No. **IES5-1B32-02B**

Type: Electrical
Range: 0-240kph
Scale: Full
Dia: 100mm Bezel:
Black Full "V"
[Fitting Instructions](#)



TRANSMISSION OIL TEMP INTERNATIONAL

Part No. **IES5-1B32-03B**

Type: Electric
Range: 0-280 kph
Scale: Full
Dia: 100 mm
Bezel: Black Full "V"
[Fitting Instructions](#)



TACHOMETER INTERNATIONAL

Part No. **IET3-5B32-00B**

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 80 mm
Bezel: Black Full "V"
[Fitting Instructions](#)



TACHOMETER INTERNATIONAL

Part No. **IET3-5B32-03B**

Type: Electric
Range: 0-14000 RPM
Scale: Arc
Dia: 52 mm
Bezel: Black Full "V"
[Fitting Instructions](#)



TACHOMETER INTERNATIONAL

Part No. **IET5-5B32-00B**

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm Bezel:
Black Full "V"
[Fitting Instructions](#)




Jaguar Charging System



AMMETER JAGUAR

Part No. **AM1340-15B**


Type: Electric
Range: 30-0-30
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
[Fitting Instructions](#)
LUCAS



AMMETER JAGUAR

Part No. **AM1340-20B**


Type: Electric
Range: 30-0-30
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
[Fitting Instructions](#)
SMITHS



AMMETER JAGUAR

Part No. **AM1640-17B**


Type: Electric
Range: 60-0-60
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
[Fitting Instructions](#)
LUCAS



AMMETER JAGUAR

Part No. **AM1640-31B**


Type: Electric
Range: 60-0-60
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
[Fitting Instructions](#)
SMITHS



AMMETER JAGUAR

Part No. **AM1640-28B**


Type: Electric
Range: 60-0-60
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
[Fitting Instructions](#)
SMITHS



AMMETER JAGUAR

Part No. **AM1640-28C**

Type: Electric
Range: 60-0-60
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
[Fitting Instructions](#)
SMITHS



VOLTMETER JAGUAR

Part No. **ABV2202-01B**

Type: 12 Volt Electric
Range: 10-16 volts
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
[Fitting Instructions](#)
LUCAS



VOLTMETER JAGUAR

Part No. **ABV2202-00B**

Type: 12 Volt Electric
Range: 11-17 volts
Scale: Arc
Dia: 52 mm
Bezel: Black Half Round
[Fitting Instructions](#)
ABV2202-00C Full V Chrome
ABV2202-00 Black Full V



Jaguar Fuel gauges & Clocks



E TYPE SERIES 1 FUEL TANK LEVEL JAGUAR

Part No. BF2200-11

Type: Bimetal Electric

Range: E-1/4-1/2-3/4-F

Scale: Arc

Dia: 52mm

Bezel: Black Half Round

[Fitting Instructions](#)



E TYPE SERIES 1 FUEL TANK LEVEL JAGUAR

Part No. BF2200-13

Type: Bimetal Electric

Range: E-1/4-1/2-3/4-F

Scale: Arc

Dia: 52 mm

Bezel: Black Half Round

[Fitting Instructions](#)



E TYPE SERIES 2 FUEL TANK LEVEL JAGUAR

Part No. BF2200-12

Type: Bimetal Electric

Range: E-1/4-1/2-F

Scale: Arc

Dia: 52mm

Bezel: Black Half Round

[Fitting Instructions](#)



E TYPE SERIES 2 FUEL TANK LEVEL JAGUAR

Part No. BF2200-14

Type: Bimetal Electric

Range: E-1/4-1/2-F

Scale: Arc

Dia: 52 mm

Bezel: Black Half Round

[Fitting Instructions](#)



FUEL TANK LEVEL JAGUAR

Part No. ABF2242-16B

Type: 12 volt Electric

Range: E-1/2-F

Scale: Arc

Dia: 52mm

Bezel: Black Full "V"

[Fitting Instructions](#)



E TYPE FUEL TANK LEVEL JAGUAR

Part No. BF2200-06

Type: Bimetal Electric

Range: E-1/2-F

Scale: Arc

Dia: 52mm

Bezel: Black Full "V"

[Fitting Instructions](#)



CLOCK JAGUAR

Part No. CTE3107-01HR

Type: Electric

Range: 12 hours

Scale: Full

Dia: 60mm

Bezel: Black Half Round

[Fitting Instructions](#)



CLOCK JAGUAR

Part No. CTE3107-02HV

Type: Electric

Range: 12 hours

Scale: Full

Dia: 60mm

Bezel: Black 1/2 "V"

[Fitting Instructions](#)



Jaguar Electric Temperature gauges



WATER TEMP

JAGUAR

Part No. BT2200-10

Type: Bimetal Electric

Range: 30-110°C

Scale: Arc

Dia: 52mm

Bezel: Black Full "V"

[Fitting Instructions](#)

MADE IN ENGLAND



WATER TEMP

JAGUAR

Part No. BT2200-12

Type: Bimetal Electric

Range: 30-110 °C

Scale: Arc

Dia: 52mm

Bezel: Black Full "V"

[Fitting Instructions](#)

MADE IN ENGLAND



WATER TEMP

JAGUAR

Part No. BT2200-01

Type: Bimetal Electric

Range: 30-110 °C

Scale: Arc

Dia: 52mm

Bezel: Black Full "V"

[Fitting Instructions](#)

MADE IN UK



WATER TEMP

JAGUAR

Part No. ATG1301-66C

Type: 12 volt Electric

Range: 30-110°C

Scale: Arc

Dia: 52mm

Bezel: Black Half Round

[Fitting Instructions](#)

MADE IN UK



WATER TEMP

JAGUAR

Part No. BT2200-09

Type: Bimetal Electric

Range: 30-110 °C

Scale: Arc

Dia: 52mm

Bezel: Black Full "V"

[Fitting Instructions](#)

MADE IN UK



WATER TEMP

JAGUAR

Part No. BT2200-08

Type: Bimetal Electric

Range: 30-110°C

Scale: Arc

Dia: 52mm

Bezel: Black Full "V"

[Fitting Instructions](#)

MADE IN UK



WATER TEMP

JAGUAR

Part No. BT2217-03

Type: Bimetal Electric


Range: C-NORMAL-H

Scale: Arc

Dia: 52 mm

Bezel: Black Half Round

[Fitting Instructions](#)



WATER TEMP

JAGUAR

Part No. BT2217-01

Type: Bimetal Electric

Range: C-N-H

Scale: Arc

Dia: 52mm

Bezel: Black Full "V"

[Fitting Instructions](#)

REPRESENTATIVE IMAGE



Jaguar Electrical Pressure Gauges Negative Earth



OIL PRESSURE

JAGUAR

Part No. **APE2300-00NEG**

Type: 12volt Electric
Range: 0-100 psi
Scale: Arc
Dia: 52mm
Bezel: Black Full "V" Semi matt
Black
Alternative
Part No. APE2300-05NEG
[Fitting Instructions](#)



OIL PRESSURE

JAGUAR

Part No. **ABP2210-00RNEG**

Type: 12volt Electric
Range: 0-80 psi
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
[Fitting Instructions](#)



OIL PRESSURE

JAGUAR

Part No. **APE2300-02NEG**

Type: Electric
Range: 0-60 psi
Scale: Arc
Dia: 52mm
Bezel: Black Full V
[Fitting Instructions](#)



OIL PRESSURE

JAGUAR

Part No. **APE2300-03NEG**

Type: Electric
Range: 0-60 psi
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
[Fitting Instruction](#)



OIL PRESSURE

JAGUAR

Part No. **APE2300-03CNEG**

Type: Electric
Range: 0-60 psi
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
[Fitting Instructions](#)



OIL PRESSURE

JAGUAR

Part No. **APE2300-04NEG**

Type: Electric
Range: 0-60 psi
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
[Fitting Instructions](#)



Jaguar Electrical Pressure Gauges Positive Earth



OIL PRESSURE

JAGUAR

Part No. **APE2300-02RNEG**

Type: Electric
Range: 0-60 psi
Scale: Arc
Dia: 52mm
Bezel: Black 1/2 Round

Alternative
Part No. APE2300-02POS
[Fitting Instructions](#)



OIL PRESSURE

JAGUAR

Part No. **APE2300-03POS**

Type: Electric
Range: 0-60 psi
Scale: Arc

Dia: 52mm
Bezel: Black Full V
[Fitting Instructions](#)



OIL PRESSURE

JAGUAR

Part No. **APE2300-03CPOS**

Type: Electric
Range: 0-60 psi
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
[Fitting Instructions](#)



OIL PRESSURE

JAGUAR

Part No. **APE2300-04POS**

Type: Electric
Range: 0-60 psi
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
[Fitting Instructions](#)



Jaguar Mechanical Pressure Gauges



OIL PRESSURE

JAGUAR

Part No. **PL2300-040**

Type: Mechanical

Range: 0-60 psi

Scale: Arc

Dia: 52mm

Bezel: Black Full V

Fitting Instructions:



OIL PRESSURE

JAGUAR

Part No. **PL2300-04C**

Type: Mechanical

Range: 0-60 psi

Scale: Arc

Dia: 52mm

Bezel: Chrome Full "V"

Fitting Instructions:



OIL PRESSURE

JAGUAR

Part No. **PL2300-050**

Type: Mechanical

Range: 0-60 psi

Scale: Arc

Dia: 52mm

Bezel: Black Half Round

Fitting Instructions:



OIL PRESSURE

JAGUAR

Part No. **PL2329-00B**

Type: Mechanical

Range: 0-100 psi

Scale: Arc

Dia: 52mm

Bezel: 1/2 Round Black

Fitting Instructions:



OIL PRESSURE

JAGUAR

Part No. **PL2329-**

Type: Mechanical

Range: 0-100 psi

Scale: Arc

Dia: 52mm

Bezel: Black Full "V"

Fitting Instructions:



E TYPE MECHANICAL SPEEDO KM/H



SPEEDOMETER

JAGUAR

Part No. **SN6322-01**

Type: Mechanical

Range: 0-260 kph

Scale: Full

Dia: 120mm Bezel:

Black Full "V"

Fitting Instructions:

760 TURNS PER KM



SPEEDOMETER

JAGUAR

Part No. **SN6322-02**

Type: Mechanical

Range: 0-260 kph

Scale: Full

Dia: 120 mm Bezel:

Black Full "V"

Fitting Instructions:

764 TURNS PER KM



SPEEDOMETER

JAGUAR

Part No. **SN6322-04**

Type: Mechanical

Range: 0-260 kph

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions:

820 TURNS PER KM



SPEEDOMETER

JAGUAR

Part No. **SN6322-10**

Type: Mechanical

Range: 0-260 kph

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions:

700 TURNS PER KM



SPEEDOMETER

JAGUAR

Part No. **SN6322-15**

Type: Mechanical

Range: 0-260 kph

Scale: Full

Dia: 120 mm

Bezel: Black Full "V"

Fitting Instructions:

820 TURNS PER KM



SPEEDOMETER

JAGUAR

Part No. **SN6322-30**

Type: Mechanical

Range: 0-260 kph

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions:

820 TURNS PER KM



SPEEDOMETER

JAGUAR

Part No. **SN6322-47**

Type: Mechanical

Range: 0-280 kph

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions:

760 TURNS PER KM



SPEEDOMETER

JAGUAR

Part No. **SN6332-00**

Type: Mechanical

Range: 0-260 kmh

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions:

1312 TURNS PER KM



SPEEDOMETER

JAGUAR

Part No. **SN6332-02**

Type: Electric

Range: 0-260 kph

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions:

760 TURNS PER KM



E TYPE MECHANICAL SPEED MPH



SPEEDOMETER

JAGUAR

Part No. **SN6322-00**

Type: Mechanical

Range: 0-160 mph

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions:

1216 TURNS PER MILE



SPEEDOMETER

JAGUAR

Part No. **SN6322-09A**

Type: Mechanical

Range: 0-160 mph

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions:

1120 TURNS PER MILE



SPEEDOMETER

JAGUAR

Part No. **SN6322-29**

Type: Mechanical

Range: 0-160 mph

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions:

1312 TURNS PER MILE



SPEEDOMETER

JAGUAR

Part No. **SN6322-48**

Type: Mechanical

Range: 0-160 mph

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions:

1070 TURNS PER MILE



SPEEDOMETER

JAGUAR

Part No. **SN6322-49**

Type: Mechanical

Range: 0-160 mph

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions:

1090 TURNS PER MILE



SPEEDOMETER

JAGUAR

Part No. **SN6332-00**

Type: Mechanical

Range: 0-260 kph

Scale: Full

Dia: 120mm Bezel:

Black Full "V"

Fitting Instructions:

1312 TURNS PER KM



SPEEDOMETER

JAGUAR

Part No. **SN6332-05A**

Type: Mechanical

Range: 0-260 kph

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions:

700 TURNS PER KM



SPEEDOMETER

JAGUAR

Part No. **SN6332-06**

Type: Mechanical

Range: 0-160 mph

Scale: Full

Dia: 120mm

Bezel: Black Half Round

Fitting Instructions:

1216 TURNS PER Mile



SPEEDOMETER

JAGUAR

Part No. **SN6332-15**

Type: Mechanical

Range: 0-260 kph

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions:

760 TURNS PER KM



Jaguar E TYPE SERIES 1 TACHOMETER & CLOCK



E TYPE SERIES 1 TACHOMETER JAGUAR

Part No. RV7413-03

Type: Electric

Range: 0-6000 rpm

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions

Blue LED Illumination

Red Sector 5.5-6k



E TYPE SERIES 1 TACHOMETER JAGUAR

Part No. RV7413-16

Type: Electric

Range: 0-6000 rpm

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions

White LED Illumination

Red Sector 5.5-6k



E TYPE SERIES 1 TACHOMETER JAGUAR

Part No. RV7414-05

Type: Electric

Range: 0-5500 rpm

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions

Red Sector 5-5k

Green LED Illumination



E TYPE SERIES 1 TACHOMETER JAGUAR

Part No. RV7414-06

Type: Electric

Range: 0-6000 rpm

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions

Red Sector 5.0-6k

Green LED Illumination



E TYPE SERIES 1 TACHOMETER JAGUAR

Part No. RV7414-09

Type: Electric

Range: 0-6000 rpm

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions

Red Sector 5.0-6k

White LED Illumination



E TYPE SERIES 1 TACHOMETER JAGUAR

Part No. RV7414-10

Type: Electric

Range: 0-6000 rpm

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions

Red Sector 5.0-6k

Green LED Illumination



E TYPE SERIES 1 TACHOMETER JAGUAR

Part No. RV7414-11

Type: Electric

Range: 0-5500 rpm

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions

Red Sector 5.0-6k

Green LED Illumination



ETypes 1 TACHOMETER JAGUAR

Part No. RV7403-00BB

Type: Electric

Range: 0-6000 rpm

Scale: Full

Dia: 120mm

Bezel: Black Half "V"

Fitting Instructions

Red Sector 5.5-6k

Blue LED Illumination



Jaguar E TYPE SERIES 2 TACHOMETER



E TYPE SERIES 2 TACHOMETER JAGUAR

Part No. RVI4600-00

Type: Electric

Range: 0-7000 rpm

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions

Red Sector 6.0-7.0k
Blue LED Illumination



E TYPE SERIES 2 TACHOMETER JAGUAR

Part No. RVI4610-00

Type: Electric

Range: 0-6000 rpm

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions

Red Sector 5.5-6k
Green LED Illumination



E TYPE SERIES 2 TACHOMETER JAGUAR

Part No. RVI4612-00

Type: Electric

Range: 0-6000 rpm

Scale: Full

Dia: 120mm

Bezel: Black Half Round

Fitting Instructions

Red Sector 5.5-6k



E TYPE SERIES 2 TACHOMETER JAGUAR

Part No. RVI4612-02

Type: Electric

Range: 0-6000 rpm

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions

Red Sector 5.5-6k



E TYPE SERIES 2 TACHOMETER JAGUAR

Part No. RVI4612-02NEG

Type: Electric

Range: 0-6000 rpm

Scale: Full

Dia: 120mm

Bezel: Black 1/2 Round

Fitting Instructions

Red Sector 5.0-6k



E TYPE SERIES 2 TACHOMETER JAGUAR

Part No. RVI4612-02HR

Type: Electric

Range: 0-6000 rpm

Scale: Full

Dia: 120mm

Bezel: Black 1/2 Round

Fitting Instructions

Red Sector 5.0-6k



E TYPE SERIES 2 TACHOMETER JAGUAR

Part No. RVI4612-02FV

Type: Electric

Range: 0-6000 rpm

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

Fitting Instructions

Red Sector 5.0-6k



Jaguar C TYPE ELECTRONIC SPEEDOMETER



C TYPE SPEEDOMETER

JAGUAR

Part No. **EES7-1B32-00B**

Type: Electric

Range: 0-160 mph

Scale: Full

[Fitting Instructions](#)



C TYPE SPEEDOMETER

JAGUAR

Part No. **EES7-1B32-00C**

Type: Electric

Range: 0-160 mph

Scale: Full

Dia: 120mm

Bezel: Chrome Full "V"

[Fitting Instructions](#)



C TYPE SPEEDOMETER

JAGUAR

Part No. **EES7-1B32-03B**

Type: Electric

Range: 0-260 kph

Scale: Full

Dia: 120mm

Bezel: Black Full "V"

[Fitting Instructions](#)



C TYPE SPEEDOMETER

JAGUAR

Part No. **EES7-1B32-04C**

Type: Electric

Range: 0-140 mph

Scale: Full

Dia: 120mm

Bezel: Chrome Full "V"

[Fitting Instructions](#)



C TYPE SPEEDOMETER

JAGUAR

Part No. **EES7-1B32-04B**

Type: Electric

Range: 0-240 KMH

Scale: Full

[Fitting Instructions](#)



C TYPE SPEEDOMETER

JAGUAR

Part No. **EES7-1B32-09C**

Type: Electric Range:

0-80 mph

Scale: Full

Dia: 120mm

Bezel: Chrome Full "V"

[Fitting Instructions](#)



C TYPE SPEEDOMETER

JAGUAR

Part No. **EES7-1B32-11C**

Type: Electric

Range: 0-170 mph

Scale: Full

[Fitting Instructions](#)



C TYPE SPEEDOMETER

JAGUAR

Part No. **EES7-1B32-12C**

Type: Electric

Range: 0-180 mph

Scale: Full

Dia: 120mm

Bezel: Chrome Full "V"

Alternative

Part No.

EES7-1B32-12B

[Fitting Instructions](#)



SMITHS C Type Electronic Tachometers



TACHOMETER

JAGUAR

Part No. **EET7-1B32-00B**

Type: Electric
Range: 0-6500 rpm
Scale: Full
Dia: 120mm
Bezel: Black Full "V"
[Fitting Instructions](#)



C TYPE TACHOMETER

JAGUAR

Part No. **EET7-1B32-03C**

Type: Electric
Range: 0-7000 rpm
Scale: Full
Dia: 120mm
Bezel: Chrome Full "V"
[Fitting Instructions](#)



C TYPE TACHOMETER

Part No. **FET5-1B62-00C**

Type: Electric
Range: 0-8000 rpm
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
[Fitting Instructions](#)

C TYPE SPEEDOMETER

JAGUAR

Part No. **FES7-1B62-00C**

Type: Mechanical
Range: 0-300 kph
Scale: Full
Dia: 120mm
Bezel: Chrome Full "V"
[Fitting Instructions](#)



SMITHS Classic Racing C Type, D Type & XKSS Mechanical Instruments



D TYPE SPEEDOMETER

JAGUAR

Part No. **SN5412-00**

Type: Mechanical
Range: 0-180mph
Scale: Full

Dia: 120mm Bezel: Black
Full "V"

Fitting Instructions:
1000 turns per mile

Beige lettering



D TYPE TACHOMETER

JAGUAR

Part No. **RC 167**

Type: Electric
Range: 0-8000 rpm

Scale: Full
Dia: 120mm

Bezel: Black Full "V"
Fitting Instructions

Beige Lettering



WATER TEMP

JAGUAR

Part No. **TG1301-B078/S**

Type: Mechanical
Range: 30-110 °C
Scale: Full

Dia: 52mm
Bezel: Black Full "V"

K Type Bulb

Fitting Instructions:

TG 1301-36B078/S

A TYPE BULB

BEIGE PRINT D TYPE



OIL PRESSURE

JAGUAR

Part No. **PG1504-02**

Type: Mechanical
Range: 0-100 psi
Scale: Full

Dia: 52mm


Bezel: Black Full V

link required

Fitting Instructions:

PG1310-10B/S

BEIGE PRINT D TYPE



PRESSURE & TEMP

JAGUAR

Part No. **GD1310-04B108**

Type: Mechanical
Range: 0-160 psi/30-120 °C

Scale: Arc

Dia: 52mm

Bezel: Black Full "V"

Fitting Instructions:



PRESSURE & TEMP

JAGUAR

Part No. **GD1310-04C108**

Type: Mechanical
Range: 0-160 psi/30-120 °C

Scale: Arc

Dia: 52mm

Bezel: Chrome Full "V"

Fitting Instructions:



PRESSURE & TEMP

JAGUAR

Part No. **GD1301-72B078**

Type: Mechanical
Range: 0-100 psi/30-120 °C

Scale: Arc

Dia: 52mm

Bezel: Black Full "V"

Fitting Instructions:

REPRESENTATIVE IMAGE



PRESSURE & TEMP

JAGUAR

Part No. **GD1301-73B078**

Type: Mechanical
Range: 0-100 psi/30-120 °C

Scale: Arc

Dia: 52mm

Bezel: Black Full "V"

Fitting Instructions:

REPRESENTATIVE IMAGE



LAND ROVER



LAND ROVER

Landrover Series 1



FUEL GAUGE

LAND ROVER

Part No. **FG2530-06**

Type: bi metal Electric

Range: 0-1/4-1/2-3/4-F

Scale: Arc

Dia: 52mm

Bezel: Black Full "V"

Dial: Black

Fitting Instructions



OIL PRESSURE & WATER TEMP LAND ROVER

Part No. **GD1310-16B080**

Type: Electric

Range: 0-100psi/ 30-100°C

Scale: Arc

Dia: 52mm

Bezel: Black Full "V"

Dial: Black

Bulb Type: K

Fitting Instructions



OIL PRESSURE & WATER TEMP LAND ROVER

Part No. **GD1310-20B080**

Type: Electric

Range: 0-100psi/ 30-100°C

Scale: Arc

Dia: 52mm

Bezel: Black Full "V"

Dial: Black

Bulb Type: K

Fitting Instructions



SPEEDOMETER LAND ROVER

Part No. **SN3102-09**

Type: Mechanical

Range: 0-75 MPH

Scale: Full

Dia: 60mm

Bezel: Black Full "V"

Dial: Black

Fitting Instructions:



SPEEDOMETER LAND ROVER

Part No. **SN3102-10**

Type: Mechanical

Range: 0-120 KMH

Scale: Full

Dia: 60mm

Bezel: Black Full

"V" Dial: Black

Fitting Instructions:

Representative

Image



SPEEDOMETER LAND ROVER

Part No. **SN3102-11**

Type: Mechanical

Range: 0-75 MPH


Scale: Full

Dia: 60mm

Bezel: Black Full "V"

Dial: Black

Fitting Instructions:



SPEEDOMETER LAND ROVER

Part No. **SN3102-12**

Type: Mechanical

Range: 0-120 KMH

Scale: Full

Dia: 60mm


Bezel: Black Full "V"

Dial: Black

Fitting Instructions:

Representative

Image



LAND ROVER

Landrover Series 2 &3



FUEL GAUGE

LAND ROVER

Part No. **BF6106-05SPR**

Type: bi metal electric
Range: E-1/4-1/2-F
Scale: Arc
Dia: 52mm
Note: Fits inside the
IP3231-09 and IP3247-01 3
in 1 gauges.
Fitting Instructions



OIL PRESSURE

LAND ROVER

Part No. **PL2310-00FVB**

Type: bi metal
Electric Range:
0-100 psi Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Fitting Instructions



WATER TEMPERATURE

LAND ROVER

Part No. **BT6106-08SPR**

Type: bi metal Electric
Range: C-N-H
Scale: Arc
Note: Fits inside the
IP3231-09 and IP3247-01 3
in 1 gauges.
Fitting Instructions



FUEL LEVEL, WATER & OIL TEMP LAND ROVER

Part No. **IP3244-00**

Type: bi metal Electric
Range: E-1/2-F/ C-N-H/ C-N-H
Scale: Arc
Dia: 100mm
Bezel: Black Full "V"
Note: these gauges are
temporarily unavailable.
Fitting Instructions



WATER TEMP, FUEL LEVEL & CHARGE LAND ROVER

Part No. **IP3247-01**

Type: bi metal Electric
Range: C-N-H/ E-1/2-F/ On-Off
Scale: Arc
Dia: 100mm
Bezel: Black Full "V"
Note: these gauges are
temporarily unavailable.
Fitting Instructions



WATER TEMP, FUEL LEVEL & CHARGE LAND ROVER

Part No. **IP3231-09**

Type: bi metal Electric
Range: C-N-H/ E-1/2-F/ On-Off
Scale: Arc
Dia: 100mm
Bezel: Black Full "V"
Note: these gauges are
temporarily unavailable.
Fitting Instructions



SPEEDOMETER

LAND ROVER

Part No. **SNT6209-07**

Type: Mechanical
Range: 0-150 KM/H
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Fitting Instructions:



SPEEDOMETER

LAND ROVER

Part No. **SNT6209-10AS**

Type: Mechanical
Range: 5-75 MPH
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Fitting Instructions:



Representative Image

SPEEDOMETER

LAND ROVER

Part No. **SNT6209-24**

Type: Mechanical
Range: 5-95 MPH
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Fitting Instructions:



Representative Image

SPEEDOMETER

LAND ROVER

Part No. **SNT6209-26**

Type: Mechanical
Range: 5-95 MPH
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Fitting Instructions:



Representative Image

SPEEDOMETER

LAND ROVER

Part No. **SNT6209-28**

Type: Mechanical
Range: 5-95 MPH
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Fitting Instructions:



Representative Image

SPEEDOMETER

LAND ROVER

Part No. **SNT6209-32**

Type: Mechanical
Range: 0 - 150 KMH
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Fitting Instructions:



Representative Image

SPEEDOMETER

LAND ROVER

Part No. **SNT6209-42**

Type: Mechanical
Range: 0-95 MPH
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Fitting Instructions:



Representative Image

LAND ROVER

Landrover Range
Rover



AMMETER

LAND ROVER

Part No. **AM1340-03B**

Type: Electric
Range: -30-0-30
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Fitting Instructions



CLOCK

LAND ROVER

Part No. **CA1100-28B**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Fitting Instructions



OIL PRESSURE

LAND ROVER

Part No. **BP2211-00**

Type: Bi metal Electric
Range: 0-60 psi
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Fitting Instructions



OIL PRESSURE

LAND ROVER

Part No. **BP2211-10**

Type: Bi Metal Electric
Range: 0-60 psi
Scale: Arc
Dia: 52mm
Bezel: Satin black Full "V"
Dial: Black
Fitting Instructions



OIL TEMPERATURE

LAND ROVER

Part No. **BT2227-01**

Type: Bi Metal Electric
Range: 60-120 °C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Fitting Instructions



OIL TEMPERATURE

LAND ROVER

Part No. **BT2227-02**

Type: Bi Metal Electric
Range: 60-135°C
Scale: Arc
Dia: 52mm
Bezel: Black Enamel Full "V"
Dial: Black
[Fitting Instructions](#)



OIL TEMPERATURE

LAND ROVER

Part No. **BT2227-03**

Type: Bi Metal Electric
Range: 60-135°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
[Fitting Instructions](#)



VOLTMETER

LAND ROVER

Part No. **ACV2201-00**

Type: Bi Metal Electric
Range: -Normal-
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
[Fitting Instructions](#)



VOLTMETER

LAND ROVER

Part No. **ACV2201-10**

Type: Bi Metal Electric
Range: -Normal-
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
[Fitting Instructions](#)



LAND ROVER

Landrover
Defender 90-110



FUEL GAUGE

LAND ROVER

Part No. **ACF2211-01**

Type: 12 volts Electric
Range: E-F
Scale: Arc
Dia: 52mm
Bezel: Black Flat
Dial: Black
Voltage: 12V
[Fitting Instructions](#)



FUEL GAUGE

LAND ROVER

Part No. **ACF2212-02**

Type: 12 volts Electric
Range: E-F
Scale: Arc
Dia: 52mm
Bezel: Black Flat
Dial: Black
Voltage: 24V
[Fitting Instructions](#)



OIL PRESSURE

LAND ROVER

Part No. **ACP2213-02**

Type: 12 volts Electric
Range: 0-700 kPa
Scale: Arc
Dia: 52mm
Bezel: Black Flat
Dial: Black
[Fitting Instructions](#)



OIL PRESSURE

LAND ROVER

Part No. **ACP2212-02**

Type: 12 volts Electric
Range: 0-100 psi
Scale: Arc
Dia: 52mm
Bezel: Black Flat
Dial: Black
[Fitting Instructions](#)



OIL TEMPERATURE

LAND ROVER

Part No. **ACT2218-03**

Type: 12 volts Electric
Range: C-H (130-150°C)
Scale: Arc
Dia: 52mm
Bezel: Black Full Round
Dial: Black
[Fitting Instructions](#)



COOLANT TEMP

LAND ROVER

Part No. **ACT2219-08**

Type: Electric
Range: C-H
Scale: Arc
Dia:52mm
Bezel: Black Flat
Dial: Black
Voltage: 24V

Fitting Instructions



COOLANT TEMP

LAND ROVER

Part No. **ACT2218-05**

Type: Electric
Range: C-H
Scale: Arc
Dia:52mm
Bezel: Black Flat
Dial: Black
Voltage: 12V

Fitting Instructions



COOLANT TEMP

LAND ROVER

Part No. **ACT2219-03**

Type: Electric
Range: 50-110°C
Scale: Arc
Dia:52mm
Bezel: Black Flat

Fitting Instructions



VOLTMETER

LAND ROVER

Part No. **ACV2207-01**

Type: Electric
Range: 9-17 Volts
Scale: Arc
Dia:52mm
Bezel: Black Flat
Dial: Black

Fitting Instructions



SPEEDOMETER

LAND ROVER

Part No. **SRM6014-06**

Type: Mechanical
Range: 0-200 KMH/ 110MPH
Scale: Full
Dia:100mm
Bezel: Black
Dial: Black

Fitting Instructions



Representative Image

SPEEDOMETER

LAND ROVER

Part No. **SRM6014-07**

Type: Mechanical
Range: 0-150 KMH
Scale: Full
Dia:100mm
Bezel: Black
Dial: Black

Fitting Instructions



SPEEDOMETER

LAND ROVER

Part No. **SRM6014-08**

Type: Mechanical
Range: 0-120 MPH
Scale: Full
Dia: 100mm
Bezel: Black
Dial: Black

Fitting Instructions



Representative Image

Landrover TD5



FUEL GAUGE

LAND ROVER

Part No. **PFC1-1B53-00B**

Type: 12 volts Electric
Range: E-F
Scale: Arc
Dia: 52mm
Bezel: Black Flat
Dial: Black

Fitting Instructions



COOLANT TEMPERATURE

LAND ROVER

Part No. **PCT1-1B53-00B**

Type: 12 volts Electric

Range: 100-250°C

Scale: Arc

Dia: 52mm

Bezel: Black Flat

[Fitting Instructions](#)



TACHOMETER

LAND ROVER

Part No. **PET1-1B53-00B**

Type: Electric

Range: 0-5000 RPM

Scale: Full

Dia: 52mm

Bezel: Black Flat Dial: Black

[Fitting Instructions](#)



SPEEDOMETER

LAND ROVER

Part No. **PES5-1B53-00B**

Type: Electric

Range: 0-200 KM/H

Scale: Full

Dia: 100mm

Bezel: Black Flat

Dial: Black

[Fitting Instruction](#)



SPEEDOMETER

LAND ROVER

Part No. **PES5-1B53-01B**

Type: Electric

Range: 0-120 MPH

Scale: Full

Dia: 100mm

Bezel: Black Flat

Dial: Black

[Fitting Instructions](#)



LOTUS



LOTUS

Lotus Cortina



SPEEDOMETER

LOTUS

Part No. **SN6138-00**

Type: Mechanical

Range: 0-140 MPH

Scale: Full

Dia: 100mm

Bezel: Black Half "V"

Dial: Black

Fitting Instructions:



LOTUS

Lotus Elan



FUEL GAUGE

LOTUS

Part No. **FG2530-71**

Type: bi metal Electric

Range: E-1/4-1/2-3/4-F

Scale: Arc

Dia: 52mm

Bezel: Black Half "V"

Dial: Black

Fitting Instructions



FUEL GAUGE

LOTUS

Part No. **BF2201-19**

Type: bi metal Electric

Range: E-1/4-1/2-3/4-F

Scale: Arc

Dia: 52mm

Bezel: Chrome Half "V"

Fitting Instructions



OIL PRESSURE & WATER TEMP

LOTUS

Part No. **GD1301-23C078**

Type: Mechanical

Range: 0-60 psi/ 30-110°C

Scale: Arc

Dia: 52mm

Bezel: Chrome Half "V"

Capillary Length: 78 inches

Fitting Instructions:



TACHOMETER

LOTUS

Part No. **RV12402-00BB**

Type: Electric

Range: 0-8000 RPM

Scale: Full

Dia: 100mm

Bezel: Black Half "V"

Dial: Black

Fitting Instructions



SPEEDOMETER

LOTUS

Part No. **SN6136-00A**

Type: Mechanical

Range: 0-140 MPH

Scale: Full

Dia: 100mm

Bezel: Black Half "V"

Fitting Instructions:



SPEEDOMETER

LOTUS

Part No. **SN6207-08**

Type: Mechanical
Range: 0-140 MPH
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Dial: Black
[Fitting Instructions](#)



SPEEDOMETER

LOTUS

Part No. **SN6207-08CB**

Type: Electronic
Range: 0-140 MPH
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Dial: Black
[Fitting Instructions](#)



SPEEDOMETER

LOTUS

Part No. **SN6207-10CB**

Type: Electronic
Range: 0-140 MPH
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Dial: Black
[Fitting Instructions](#)



SPEEDOMETER

LOTUS

Part No. **SN6207-10**

Type: Mechanical
Range: 0-140 MPH
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Dial: Black
[Fitting Instructions](#)



LOTUS

Lotus Elite



TACHOMETER

LOTUS

Part No. **RN2306-00**

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Black Half "V"
Dial: Black
[Fitting Instructions](#)



LOTUS

Lotus Esprit



CLOCK

LOTUS

Part No. **PAC1-1051-22B**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Black Full "V"
[Fitting Instructions](#)



BOOST GAUGE

LOTUS

Part No. **PMP1-1B51-00B**

Type: Electric
Range: 0-1 bar
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
[Fitting Instructions:](#)



FUEL GAUGE

LOTUS

Part No. **PFC1-1B51-00B**

Type: Electric
Range: 0-1/2-1
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
[Fitting Instructions:](#)



OIL PRESSURE

LOTUS

Part No. **POP1-1B51-00B**

Type: Electric
Range: 0-7bar
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Fitting Instructions:



WATER TEMPERATURE

LOTUS

Part No. **PCT1-1B51-00B**

Type: Electric
Range: 50-120°C
Scale: Arc
Dia: 52mm
Bezel: Black Full "V"
Dial: Black
Fitting Instructions:



TACHOMETER

LOTUS

Part No. **PET5-1B51-00B**

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
Fitting Instructions:



SPEEDOMETER

LOTUS

Part No. **PES5-1B51-00B**

Type: Electric
Range: 0-180 MPH
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
Fitting Instructions:



SPEEDOMETER

LOTUS

Part No. **PES5-1B51-01B**

Type: Electric
Range: 0-300 KMH
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
Fitting Instructions:



Representative Image

SPEEDOMETER

LOTUS

Part No. **PES5-1B51-02B**

Type: Electric
Range: 0-180 MPH
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
Fitting Instructions:



Representative Image

LOTUS

Lotus Europa



TACHOMETER

LOTUS

Part No. **RV11432-00CB**

Type: Electronic
Range: 0-8000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome and Black Half Round
Dial: Black
Fitting Instructions:



SPEEDOMETER

LOTUS

Part No. **SN5226-13CB**

Type: Electric
Range: 0-230 KMH
Scale: Full
Dia: 80mm
Bezel: Chrome and Black Half Round
Dial: Black
Fitting Instructions:



SPEEDOMETER

LOTUS

Part No. **SN5226-12CB**

Type: Electric
Range: 0-140 MPH
Scale: Full
Dia: 80mm
Bezel: Chrome and Black Half Round
Dial: Black
Fitting Instructions:



Representative Image

LOTUS

Lotus Racing



OIL PRESSURE & WATER TEMP LOTUS

Part No. GD1500-37XC072

Type: Mechanical
Range: 0-160psi/ 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Capillary Length: 72 inches
Fitting Instructions:



OIL PRESSURE & WATER TEMP LOTUS

Part No. GD1500-37-EX

Type: Mechanical
Range: 0-160psi/ 30-120°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Fitting Instructions:



WATER TEMPERATURE LOTUS

Part No. TG1501-12C078

Type: Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Capillary Length: 78 inches
Fitting Instructions:



Representative Image

WATER TEMPERATURE LOTUS

Part No. TG1501-14C070

Type: Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Capillary Length: 70 inches
Fitting Instructions:



OIL TEMPERATURE LOTUS

Part No. TG1501-15C078

Type: Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Capillary Length: 78 inches
Fitting Instructions:



WATER TEMPERATURE LOTUS

Part No. TG1501-12

Type: Electric
Range: 30-110°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Fitting Instructions:



Representative Image

OIL TEMPERATURE LOTUS

Part No. PMP1-1B51-00B

Type: Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V" Dial: Black
Fitting Instructions:



Representative Image

OIL TEMPERATURE LOTUS

Part No. PAC1-1051-22B

Type: Electric
Range: 40-140°C
Scale: Full
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Capillary Length: 72 inches
Fitting Instructions:



Representative Image

MG



CLOCK

MG

Part No. **CA1100-30C**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52 mm
Bezel: 1/2 V chrome/
inner black bezel
Fitting Instructions:



CLOCK

MG

Part No. **CA1100-31C**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Magnolia
Bezel: 1/2 V chrome/
inner black bezel"
Fitting Instructions:



CLOCK

MG

Part No. **CA1100-37C**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: 1/2 V chrome/
inner black bezel
Front Reset
Fitting Instructions:



CLOCK

MG

Part No. **CA1100-32C**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Magnolia
Bezel: Chrome Full "V"
Fitting Instructions:



CLOCK

CLASSIC BLACK

Part No. **CA1100-01C**

Type: 12 volt Electric
Range: 12 hour Scale: Full
Fitting: Spade Dia: 52mm
Bezel: Chrome
Push Button to reset (Do Not
Turn)
Alternative: CA1100-14C
(Chrome 1/2 Round)
Fitting Instructions:



CLOCK

MG

Part No. **CA1100-39C**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Magnolia
Bezel: Chrome Half "V"
Fitting Instructions:



MG DUAL GAUGES



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-64C078**

Type: Mechanical
Range: 0-100 psi / 90-230 °F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-102C072**

Type: Mechanical
Range: 0-100 psi / 30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-104C078**

Type: Mechanical
Range: 0-60 psi / C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-105C078**

Type: Mechanical
Range: 0-60 psi / C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-21C072**

Type: Mechanical
Range: 0-100 psi / C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-45C078**

Type: Mechanical
Range: 0-60 psi / C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-53C078**

Type: Mechanical
Range: 0-80 psi / C-N-H
Scale: Arc
Dia: 52 mm
Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-61C078**

Type: Mechanical
Range: 0-100 psi / 90-230 °F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-63C072**

Type: Mechanical
Range: 0-100 psi / 90-230 °F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"

Back Illumination
Fitting Instructions:



OIL PRESSURE & WATER TEMP MGB

Part No. **GD1301-83C072**

Type: Mechanical
Range: 0-100 psi / C-N-H
Scale: Arc
Dia: 52mm

Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MGB

Part No. **GD1301-83C078**

Type: Mechanical
Range: 0-100 psi / C-N-H
Scale: Arc
Dia: 52mm

Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1310-28C078**

Type: Mechanical
Range: 0-60 psi / 30-110 °C
Scale: Arc
Dia: 52mm

Bezel: Chrome Full "V"
Fitting Instructions:

Representative Image



OIL PRESSURE & WATER TEMP MGA

Part No. **GD1501-01C078**

Type: Mechanical
Range: 0-100 psi / 90-230 °F
Scale: Arc
Dia: 52mm

Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1501-04C078**

Type: Mechanical
Range: 0-100 psi / 30-110 °C
Scale: Arc
Dia: 52mm

Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1501-14C078**

Type: Mechanical
Range: 0-100 psi / 90-230 °F
Scale: Arc
Dia: 52 mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required

Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1501-15C078**

Type: Mechanical
Range: 0-100 psi / 30-110 °C
Scale: Arc
Dia: 52mm

Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1502-06C072**

Type: Mechanical
Range: 0-100 psi / C-N-H
Scale: Arc

Dia: 52 mm
Bezel: Chrome Half "V"

Fitting Instructions:

Slot Illumination



MAGNOLIA DUAL GAUGES MG & AUSTIN HEALEY



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-105C078**

Type: Mechanical
Range: 0-60 psi / C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-75C072**

Type: Mechanical
Range: 0-100psi/30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Capillary length: 72 inches
Dial: Magnolia
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP MG

Part No. **GD1301-104C078**

Type: Mechanical
Range: 0-60 psi / C-N-H
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-96C078**

Type: Mechanical
Range: 0-100 psi/30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Bulb: K
Capillary length: 78 inches
Dial: Black
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-85C078**

Type: Mechanical
Range: 0-100psi/30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: K
Capillary length: 78 inches
Dial: Magnolia
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-92C072**

Type: Mechanical
Range: 0-100psi/30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Black Half Round
Bulb: A2
Capillary length: 72 inches
Dial: Magnolia
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-14C078**

Type: Mechanical
Range: 0-100 psi/ 30-110 °C
Scale: Arc
Dia: 52 mm
Bezel: Chrome Full "V"
Bulb: A2
Capillary length: 78 inches
Dial: Magnolia
Oil Pressure Kit: LK-2 required
Fitting Instructions:



OIL PRESSURE & WATER TEMP DUAL GAUGES

Part No. **GD1301-81C078**

Type: Mechanical
Range: 0-100psi/30-110 °C
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"
Bulb: A2
Capillary length: 78 inches
Dial: Magnolia
Oil Pressure Kit: LK-2 required
Fitting Instructions:



MG FUEL GAUGES

Bimetal Fuel gauges require a voltage regulator



FUEL LEVEL

MGB

Part No. **BF2226-00**

Type:Bimetal Electric
Range:E-1/2-F
Scale:Arc
Dia: 52mm
Bezel:Chrome Half "V"

Fitting Instructions:

250-20 ohms



FUEL LEVEL

MGB

Part No. **BF2226-00B**

Type:Bimetal Electric
Range:E-1/2-F
Scale: Arc
Dia: 52mm
Bezel:Black Half "V"

Fitting Instructions:

250-20 ohms



MGB

Part No. **BF2226-01C**

Type:Bimetal Electric
Range:E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"

Fitting Instructions:

250-20 ohms



FUEL LEVEL

MGB

Part No. **BF2226-02**

Type:Bimetal Electric
Range:E-1/2-F
Scale: Arc
Dia: 52mm
Bezel:Chrome Full "V"

Fitting Instructions:

250-20 ohms



FUEL LEVEL

MG

Part No. **FG2530-70**

Type:Bimetal Electric
Range: 250-19 ohms
Scale: Arc
Dia: 52mm
Bezel:Chrome Half "V"

Fitting Instructions:

250-20 OHMS



FUEL LEVEL

MG

Part No. **FG2530-05**

Type:Bimetal Electric
Range:E-1/2-F
Dia: 52mm
Bezel:Chrome Half "V"

Fitting Instructions:

250-20 OHMS



FUEL LEVEL

MG

Part No. **BF2239-00**

Type:Bimetal Electric
Range:E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Half "V"

Fitting Instructions:

250-20 ohms



PRESSURE

MG

Part No. **PL2324-00**

Type:Mechanical
Range:0-100 psi/ 0-7 kg
Scale:Arc
Dia:52mm
Bezel:Chrome Half "V"

Fitting Instructions:



MGA JAEGER



SPEEDOMETER

MGA

Part No. **SN6104-06CB**

Type:Electric
Range:0-200kph
Scale:Full
Dia:100mm
Bezel:Chrome Half "V"
Fitting Instructions:

Jaeger

Representative image



TACHOMETER

MGA

Part No. **RN2312-01CB**

Type:Electric
Range:0-7000rpm
Scale:Full
Dia:100mm
Bezel:Chrome Half "V"
Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6161-07**

Type:Mechanical
Range:0-200 kph
Scale:Full
Dia:100mm
Bezel:Chrome Half "V"

900 REVS PER KM

Fitting Instructions:



OIL PRESSURE & WATER TEMP

MGA

Part No. **GD1501-01C078**

Type:Mechanical
Range:0-100 psi / 90-230 °F
Scale:Arc
Dia:52mm
Bezel:Chrome Half "V"
Fitting Instructions:



OIL PRESSURE & WATER TEMP

MG

Part No. **GD1501-04C078**

Type:Mechanical
Range:0-100psi / 30-110 °C
Scale:Arc
Dia:52mm
Bezel:Chrome Half "V"
Fitting Instructions:



FUEL LEVEL

MG

Part No. **FG2530-05**

Type:BimetaElectric
Range:E-1/2-F
Dia:52mm
Bezel:Chrome Half "V"

Fitting Instructions:

250-20 OHMS



MGB SERIES 3 SPEEDOMETER'S



SPEEDOMETER

MG

Part No. **SN5226-00**

Type: Mechanical
Range: 0-140 mph
Scale: Full

Dia: 80mm
Bezel: Chrome Half "V"

1020 turns per mile
Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN5226-01**

Type: Mechanical
Range: 0-220 kph

Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

640 turns per mile
Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN5226-10**

Type: Mechanical
Range: 0-160 kph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

840 turns per mile
Fitting Instructions:

Representative Image



SPEEDOMETER

MG

Part No. **SN5230-11S**

Type: Mechanical
Range: 0-140 mph

Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

Fitting Instructions:
960 Turns per mile



SPEEDOMETER

MG

Part No. **SN5230-011CB**

Type: Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN5230-11CB**

Type: Electric
Range: 0-140 mph
Scale: Full
Dia: 80mm

Bezel: Chrome Half "V"

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN5230-12CB**

Type: Electric
Range: 0-220 kph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

Fitting Instructions:

Representative Image



SPEEDOMETER


MG

Part No. **SN5230-12S**

Type: Mechanical
Range: 0-220 kph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

Fitting Instructions:

600 revs per mile



MGB SERIES 3 SPEEDOMETER'S



SPEEDOMETER

MG

Part No. **SN5230-13**

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

1000 turns per mile

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN5230-15**

Type: Mechanical
Range: 0-200 kph
Scale: Full
Dia: 80mm
Bezel: Black Half "V"

620 Revs per mile

Fitting Instructions:

Representative Image



SPEEDOMETER

MG

Part No. **SN5230-15C**

Type: Mechanical
Range: 0-200 kph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

620 Revs per mile

Fitting Instructions:



SPEEDOMETER


MG

Part No. **SN5231-00**

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

1280 revs per mile

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN5234-00**

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

Dual Scale
120mph/180kmh

1000 revs per mile

Fitting Instructions:



SPEEDOMETER

MG


Part No. **SN5234-02**

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

Dual Scale
120mph/190kmh

1000 revs per mile

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN5234-50CB**

Type: Electric
Range: 0-220 kph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

Dual Scale

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN5234-13**

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"

1000 revs per mile

Fitting Instructions:



MGB SERIES 1 SPEEDOMETER'S



SPEEDOMETER

MG

Part No. **SN6125-04**

Type: Mechanical
Range: 0-120 mph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"
1060 Revs per mile

Fitting Instructions:

Representative Image



SPEEDOMETER

MG

Part No. **SN6125-04A**

Type: Mechanical Range:
0-120 mph

Scale: Full

Dia: 100mm

Bezel: Chrome 1/2 V 1060
revs per mile

Fitting Instructions:

Representative Image



SPEEDOMETER

MG

Part No. **SN6125-05**

Type: Mechanical

Range: 0-200 kph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

660 Revs per km

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6125-06**

Type: Mechanical

Range: 0-120 mph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

1060 revs per mile

Fitting Instructions:

Representative Image



SPEEDOMETER

MG

Part No. **SN6125-06A**

Type: Mechanical

Range: 0-120 mph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

Fitting Instructions:

Representative Image



SPEEDOMETER

MG

Part No. **SN6142-01**

Type: Mechanical

Range: 0-200 kph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6142-07**

Type: Mechanical

Range: 0-160 kph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

Fitting Instructions:

Representative Image



SPEEDOMETER

MG

Part No. **SN6142-09CB**

Type: Electric

Range: 0-120 mph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

Fitting Instructions:



MGB SERIES 2 SPEEDOMETER'S



SPEEDOMETER

MG

Part No. **SN6144-00**

Type: Mechanical

Range: 0-120 mph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

1040 revs per mile

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6144-01**

Type: Mechanical

Range: 0-200 kph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

660 revs per km

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6144-02**

Type: Mechanical

Range: 0-120 mph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

1020 revs per mile

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6144-20**

Type: Mechanical

Range: 0-120 mph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

1280 revs per mile

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6144-23**

Type: Mechanical

Range: 0-120 mph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

1280 revs per mile

Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6144-28**

Type: Mechanical

Range: 0-120 mph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

1216 revs per mile

Fitting Instructions:

Representative image



SPEEDOMETER

MG

Part No. **SN6144-24**

Type: Mechanical

Range: 0-200 kph

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

800 revs per km

Fitting Instructions:



MGB SERIES 2 ELECTRONIC SPEEDOMETER'S

SPEEDOMETER

MG

Part No. **SN6144-000CB**

Type: Electric
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6144-003CB**

Type: Electric
Range: 0-200 kph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6144-36CB**

Type: Electric
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6144-38CB**

Type: Electric
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Fitting Instructions:
Representative Image



MG MAGNOLIA SPEEDOMETER'S



SPEEDOMETER

MG

Part No. **SN6144-01CB**

Type: Electric
Range: 0-200 kph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
Fitting Instructions:



SPEEDOMETER

MG

Part No. **SN6144-36C**

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"

1040 TURNS PER MI
Fitting Instructions: LE



SPEEDOMETER

MG

Part No. **SN6144-37C**

Type: Mechanical
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"

1130 Turns Per Mile
Fitting Instructions:



TACHOMETER

MG

Part No. **RVI2401-20CB**

Type: Electric
Range: 0-7000 rpm
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
12V -ve earth
Stepping Motor Movement
Magnolia
Fitting Instructions:



TACHOMETER

MG

Part No. **RVI2415-01CB**

Type: Electric
Range: 0-7000 rpm
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
12V -ve earth
Stepping Motor Movement
Magnolia
Fitting Instructions:



MGB SERIES 3 TACHOMETER'S



TACHOMETER

MGB

Part No. **RVC1410-00CB**

Type: Electric

Range: 0-7000 rpm

Scale: Full

Dia: 80mm

Bezel: Chrome Half "V"

Fitting Instructions:



TACHOMETER

MGB

Part No. **RVC1414-00CB**

Type: Electric

Range: 0-7000 rpm

Scale: Full

Dia: 80mm

Bezel: Chrome Half "V"

Fitting Instructions:



TACHOMETER

MGB

Part No. **RVC1414-01CB**

Type: Electric

Range: 0-7000 rpm

Scale: Full

Dia: 80mm

Bezel: Chrome Half "V"

Fitting Instructions:



TACHOMETER

MGB GT V8

Part No. **RVC1810-00CB**

Type: Electric

Range: 0-7000 rpm

Scale: Full

Dia: 80mm

Bezel: Chrome Half "V"

Fitting Instructions:



TACHOMETER

MGB

Part No. **RVI1439-00CB**

Type: Electric

Range: 0-7000 rpm

Scale: Full

Dia: 80mm

Bezel: Chrome Half "V"

Red and Orange segments at 5500 - 7000 RPM

Fitting Instructions:



TACHOMETER

MGB GT

Part No. **RVI1433-00CB**

Type: Stepping Motor Electric

Range: 0-7000 rpm

Scale: Full

Dia: 80mm

Bezel: Chrome Half ROUND

4CYL

Fitting Instructions:



TACHOMETER

MGB

Part No. **RVC2415-00CB**

Type: Electric
Range: 0-7000rpm
Scale: Full
Dia: 80mm
Bezel: Chrome Half "V"
Fitting Instructions:



TACHOMETER

MGB

Part No. **RVI2401-00CB**

Type: Electric
Range: 0-7000 rpm
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
12V -ve earth
Stepping Motor Movement
Fitting Instructions:



TACHOMETER

MGB

Part No. **RVI2401-00CA**

Type: Electric
Range: 0-7000rpm
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
12V -ve earth
Fitting Instructions:



TACHOMETER

MGB

Part No. **RVI2401-01CB**

Type: Electric
Range: 0-7000 rpm
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
12V -ve earth
Stepping Motor Movement
Fitting Instructions:



TACHOMETER

MGB

Part No. **RVI2401-00CBPOS**

Type: Electric
Range: 0-7000 rpm
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
12V +ve earth
Stepping Motor Movement
Fitting Instructions:



TACHOMETER

MGB

Part No. **RVI2415-00CB**

Type: Electric
Range: 0-7000 rpm
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
-ve earth 4 Cylinder
Alternative: RVI2415-00BB
(Black Bezel)
Fitting Instructions:



TACHOMETER

RACING MGB

Part No. **RVI2415-02CB**

Type: Electric
Range: 0-8000 rpm
Scale: Full
Dia: 100mm
Bezel: Chrome Half "V"
-ve earth 6 Cylinder
Fitting Instructions:



TACHOMETER

MOD MGB

Part No. **RVI2415-03CB**

Type: Electric
Range: 0-7000rpm
Scale: Full
Dia: 100mm
Bezel: Chrome 1/2 V
-ve earth 8 Cylinder
Fitting Instructions:



TACHOMETER

MGB

Part No. **RVI2415-04CB**

Type: Electric
Range: 0-7000rpm
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
-ve earth 4 Cylinder
Fitting Instructions:



MGB Digital Tachometer 7K 100mm Black

100mm Digital Tachometer with black dial, white print and white pointer. With Black or Chrome half 'V' bezel and Orange / Red Sectors at 55500 -7000 RPM. Ignition warning light. 12V -ve earth. Available in 4, 6 and 8 Cylinder



TACHOMETER

MG

Part No. **RV12430-00BB**

Type: Electric

Range: 0-7000 rpm

Scale: Full

Dia: 100mm

Bezel: Black Half "V"

4 CYL

Fitting Instructions:



TACHOMETER

MG

Part No. **RV12430-00CB**

Type: Electric

Range: 0-7000 rpm

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

4 CYL

Fitting Instructions:



TACHOMETER

MG

Part No. **RV12440-00CB**

Type: Electric

Range: 0-7000 rpm

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

8 CYL

Fitting Instructions:



TACHOMETER

MG

Part No. **RV12619-00CB**

Type: Electric

Range: 0-7000 rpm

Scale: Full

Dia: 100mm

Bezel: Chrome Half "V"

6 CYL

Fitting Instructions:



TACHOMETER

MG

Part No. **RV12630-00BB**

Type: Electric

Range: 0-7000 rpm

Scale: Full

Dia: 100mm

Bezel: Black Half "V"

6 CYL

Fitting Instructions:



TACHOMETER

MG

Part No. **RV12630-00CB**

Type: Electric

Range: 0-7000 rpm

Scale: Full

Dia: 100mm

Bezel: Black Half "V"

6 CYL

Fitting Instructions:



Mini Range

Authentic Smiths Instruments as fitted to the original classic mini in the UK.

Choice of black and magnolia dials.

Speedometer ranges available in MPH or KPH.

Electronic Speedometers are now available.

Chrome round bezels. 1/2v bezels are available
Speedo includes a voltage regulator and a fuel gauge.



SPEEDOMETER

MINI

Part No. **SN4421-01SA**

Type: Mechanical

Range: 0-150kph

780 turns km

Scale: Full

Dia: 80mm

Bezel: Chrome 1/2 "V"

Fitting Instructions:



SPEEDOMETER

MINI

Part No. **SN4421-00SA**

Type: Mechanical

Range: 0-90 mph

1280 turns per mile

Scale: Full

Dia: 140mm

Bezel: Chrome Full "V"

Fitting Instructions:

Representative Image



SPEEDOMETER

MINI

Part No. **SN4421-32**

Type: Mechanical

Range: 10 - 130 mph

1280 turns per mile

Scale: Full

Dia: 132mm

Bezel: Chrome 1/2 "V"

In-built fuel gauge

Fitting Instructions:



SPEEDOMETER

MINI

Part No. **SN4421-33**

Type: Mechanical

Range: 20 - 200 kph

800 turns per km

Scale: Full

Dia: 132mm

Bezel: Chrome 1/2

"V" In-built fuel gauge

Fitting Instructions:



SPEEDOMETER

MINI

Part No. **SN4421-60**

Type: Mechanical

Range: 0-90 mph

1250 turns per mile

Scale: Full

Dia: 140mm

Bezel: Chrome Full "V"

Fitting Instructions:



SPEEDOMETER

MINI

Part No. **SN4421-61**

Type: Mechanical

Range: 0 - 150 kph

780 turns per km

Scale: Full

Dia: 140mm

Bezel: Chrome Full "V"

Fitting Instructions:



SPEEDOMETER

MINI

Part No. **SN4421-62**

Type: Mechanical

Range: 10 - 130 mph

1280 turns per mile

Scale: Full

Fitting:

Dia: 132mm

Bezel: Chrome Full

"V" In-built fuel gauge

Fitting Instructions:



SPEEDOMETER

MINI

Part No. **SN4421-63**

Type: Mechanical

Range: 20 - 200 kph

800 turns per km

Scale: Full

Fitting:

Dia: 132mm

Bezel: Chrome Full

"V" In-built fuel gauge

Fitting Instructions:




Mini Range

Authentic Smiths Instruments as fitted to the original classic English mini.

Choice of black and magnolia dials.

Speedo ranges available in MPH or KPH.

Electronic Speedometers are now available.



OIL PRESSURE

MINI

Part No. **PL2310-00**

Type: Mechanical Range: 0 - 100 PSI & 0-7 kg/cm

Scale: Arc

Fitting: 1/8in NPT

Dia: 52mm

Bezel: Chrome 1/2 Round

Use Fitting Kit Part No. LK-2

[Fitting Instructions:](#)



OIL PRESSURE

CLASSIC BLACK

Part No. **BP2404-00C**

Type: Bimetal Electric

Range: 0-100 PSI Scale: Arc

Dia: 52mm

Bezel: Chrome 1/2 "V"

Use Sender Part No.

PTR1810-1-10

Alternative: BP2404-03C
(Chrome 1/2 Round)

[Fitting Instructions:](#)



OIL PRESSURE

MINI

Part No. **PL2310-05**

Type: Mechanical

Range: 100 PSI & 0-7 Kg/cm

Scale: Arc

Fitting: 1/8in NPT

Dia: 52mm

Bezel: Chrome 1/2 Round

Use Fitting Kit Part No. LK-2

[Fitting Instructions:](#)



OIL PRESSURE

CLASSIC MAGNOLIA

Part No. **BP2404-01C**

Type: Bimetal Electrical

Range: 0-100 PSI Scale: Arc

Fitting: Spade Dia: 52mm

Bezel: Chrome Full "V"

Use Sender Part No.

PTR1810-1-10

Alternative: BP2404-04C
(Chrome 1/2 Round)

[Fitting Instructions:](#)



WATER TEMPERATURE

MINI

Part No. **BT2204-11**

Type: Bimetal Electric

Range: C - N - H

Scale: Arc

Fitting: Spade

Dia: 52mm

Bezel: Chrome

Use Sender TT4803-00A

[Fitting Instructions:](#)



WATER TEMPERATURE

MINI

Part No. **BT2204-31**

Type: Bimetal Electric

Range: C - N - H

Scale: Arc

Fitting: Spade

Dia: 52mm

Bezel: Chrome

Use Sender TT4803-00A

[Fitting Instructions:](#)



OIL PRESSURE

MINI

Part No. **PL2328-00C**

Type: Mechanical

Range: 0 - 100 PSI & 0-7 kg/cm

Scale: Arc

Fitting: 1/8in NPT

Dia: 52mm

Bezel: Chrome 1/2 "V"

Use Fitting Kit Part No. LK-2

[Fitting Instructions:](#)



OIL PRESSURE

MINI

Part No. **PL2328-04C**

Type: Mechanical Range:

0-100psi & 0-7kg/cm

Scale: Arc

Fitting: 1/8in NPT

Dia: 52mm

Bezel: Chrome Full "V" Use

Fitting Kit Part No. LK-2


[Fitting Instructions:](#)



Mini Range

Authentic Smiths Aftermarket Instruments as fitted to the original classic mini.

Choice of black and magnolia dials.



WATER TEMPERATURE

CLASSIC BLACK

Part No. **TG1310-00C078**

Type: Mechanical
Range: 30-110° C Scale: Full

A2 Bulb Dia: 52mm
Bezel: Chrome 1/2 "V" Capillary length 78inches. Inc3/8BSP to 5/8UNF adaptor
Alternative: TG1310-23C078k2
Bulb Degree F Chrome 1/2V

Fitting Instructions:



WATER TEMPERATURE

CLASSIC BLACK

Part No. **TG1310-00CB**

Type: Stepping Motor Electrical
Range: 30-110°C

Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Use Sender Part No. TT3001-8N

LED LIGHTING
Fitting Instructions:



OIL PRESSURE

CLASSIC BLACK

Part No. **PG1310-00C**

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Fitting: 1/8in NPT Dia: 52mm
Bezel: Chrome 1/2 "V"
Use Fitting Kit Part No. LK-2
Alternative: PG1310-17C
(Chrome 1/2 Round)

Fitting Instructions:



OIL PRESSURE

CLASSIC BLACK

Part No. **PG1310-00CB**

Type: Stepping Motor Electric
Range: 0-100 PSI

Scale: Full
Dia: 52mm
Bezel: Chrome 1/2 "V"
Use Sender Kit PTR2300-10-8NKIT

LED LIGHTING
Fitting Instructions:



WATER TEMPERATURE

CLASSIC MAGNOLIA

Part No. **TG1310-02C078**

Type: Mechanical
Range: 30-110° C
A2 Bulb Scale: Full
Fitting: 3/8BSP Dia: 52mm
Bezel: Chrome Full "V"
Comments: Capillary length 78 in.
Alternative: TG1310-10C078
(Chrome 1/2 Round)

Fitting Instructions:



WATER TEMPERATURE

CLASSIC MAGNOLIA

Part No. **TG1310-02CB**

Type: Stepping Motor Electric
Range: 30-110° C
Scale: Full

Dia: 52mm
Bezel: Chrome Full "V"
Use Sender Part No. TT3001-8N

Fitting Instructions:



OIL PRESSURE

CLASSIC MAGNOLIA

Part No. **PG1310-01C**

Type: Mechanical
Range: 0-100 PSI
Scale: Full
Fitting: 1/8in NPT Dia: 52mm
Bezel: Chrome Full "V"
Use Fitting Kit Part No. LK-2
Alternative: PG1310-18C
(Chrome 1/2 Round)

Fitting Instructions:



OIL PRESSURE

CLASSIC MAGNOLIA

Part No. **PG1310-46CB**

Type: Stepping Motor Electric
Range: 0-100 psi
Scale: Full
Dia: 52mm

Bezel: Chrome Full "V"
Use Sender Part No. PTR3000-8N-10


Fitting Instructions:



Mini Range

Authentic Smiths Aftermarket Instruments as fitted to the original classic mini.

Choice of black and magnolia dials.



OIL PRESSURE & WATER TEMP

Part No. **GD1301-62C078**

Type: Mechanical
Range: 0-100 PSI / 100-230F

A2 Bulb Dia: 52mm
Bezel: Chrome 1/2 "V" Capillary length 78 inches. Requires adaptor 9915
Use LK-2 Pressure Line Kit
Fitting Instructions:



OIL PRESSURE & WATER TEMP

Part No. **GD1310-00C078**

Type: Mechanical
Range: 0-100 PSI / 30-110C

A2 Bulb Dia: 52mm
Bezel: Chrome 1/2 "V"
Capillary length 78 inches. Requires adaptor 9915
Use LK-2 Pressure Line Kit
Fitting Instructions:



OIL PRESSURE & WATER TEMP CLASSIC MAGNOLIA

Part No. **GD1301-65C**

Type: Mechanical
Range: 0-100 PSI / 100-230F
A2 Bulb Dia: 52mm
Bezel: Chrome 1/2 "V"
Capillary length 78 inches. Requires adaptor 9915 Use LK-2 Pressure Line Kit
Fitting Instructions:



OIL PRESSURE & WATER TEMP CLASSIC MAGNOLIA

Part No. **GD1301-65C**

Type: Mechanical
Range: 0-100 PSI / 100-230F
A2 Bulb Dia: 52mm
Bezel: Chrome 1/2 "V"
Capillary length 78 inches. Requires adaptor 9915 Use LK-2 Pressure Line Kit
Fitting Instructions:



TACHOMETER CLASSIC MAGNOLIA

Part No. **RVC1004-02CB**

Type: Electric
Range: 0-10000 RPM
Scale: Full Dia: 80mm
Bezel: Chrome Full "V"
4, 6, 8 Cyl. Adjustable redline pointer.
Fitting Instructions:
Representative Image



TACHOMETER CLASSIC MAGNOLIA

Part No. **RVC1006-02CB**

Type: Electrical
Range: 0-8000 RPM
Scale: Full Dia: 80mm
Bezel: Chrome Full "V"
4, 6 or 8 Cyl. Adjustable redline pointer.
Fitting Instructions:



TACHOMETER CLASSIC BLACK

Part No. **RVC1004-00CB**

Type: Electrical
Range: 0-10000 RPM
Scale: Full
Fitting: Harness Dia: 80mm
Bezel: Chrome Full "V"
4, 6 or 8 Cyl. Adjustable redline pointer. Suits Tacho Pod
Fitting Instructions:



TACHOMETER CLASSIC BLACK


Part No. **RVC1006-00CB**

Type: Electrical
Range: 0-8000 RPM
Scale: Full
Fitting: Harness Dia: 80mm
Bezel: Chrome Full "V"
4, 6 or 8 Cyl. Adjustable redline pointer. Suits Tacho Pod
Fitting Instructions:



Mini Range

Authentic Smiths Aftermarket Instruments as fitted to the original classic mini.



WATER TEMPERATURE

MINI

Part No. BT2240-18CA

Type: 12-volt Electric

Range: 50-140c

Scale: Arc

Fitting: Spade

Dia: 52mm

Bezel: Chrome 1/2V Use

Sender TT4803-00A

Fitting Instructions:



OIL PRESSURE

MINI

Part No. BP2240-19CA

Type: 12 volt Electric

Range: 100 PSI & 0-7 Kgcm

Scale: Arc

Fitting: 1/8in NPT

Dia: 52mm

Bezel: Chrome 1/2 V

Fitting Instructions:



VOLTMETER

Part No. ABV2220-03C

Type: Stepping Motor Electric


Range: 9-17Volts

Scale: Arc

Dia: 52mm

Bezel: Chrome 1/2 "V"

Fitting Instructions:



AMMETER

Part No. AM1640-24C

Type: Electric


Range: 60-0-60

Scale: Arc

Dia: 52mm

Bezel: Chrome 1/2 "V"

Fitting Instructions:



VOLTMETER

Part No. ACV1042-00C

Type: Stepping Motor Electric

Range: 9-17Volts

Scale: Arc

Dia: 52mm

Bezel: Chrome full Round

Fitting Instructions:



OIL TEMPERATURE

Part No. ACT1043-00C

Type: Bimetal Electric

Range: 50-170° C

Scale: Arc

Fitting: Spade Dia: 52mm

Bezel: Chrome full Round

Use Sender Part No. TT6811-01

Fitting Instructions:



CLOCK

Part No. CA1100-06C

Type: 12 volt Electric

Range: 12hour Scale: Full

Fitting: Spade Dia: 52mm Bezel:

Chrome full round

Push Button to reset

(Do Not Turn)

Fitting Instructions:



CLOCK

Part No. CA1100-02C

Type: 12 volt Electric

Range: 12hour Scale: Full

Fitting: Spade Dia: 52mm

Bezel: Chrome 1/2 v

Push Button to reset

(Do Not Turn)

Fitting Instructions:



Electric Mini Speedo Range

Authentic Smiths Instruments with an update.

Choice of black and magnolia dials. Speedo ranges available in MPH or KPH.

Chrome round bezels. 1/2 v an extra option.

Speedo includes a fuel gauge. No voltage reg for temp.



SPEEDOMETER

MINI

Part No. **SN4421-01CC**

Type: Electric

Range: 0-140 kph

Scale: Full

Dia: 140mm

Bezel: Chrome 1/2

"V" Representative

Image

Fitting Instructions:



SPEEDOMETER

MINI

Part No. **SN4421-00CC**

Type: Electric

Range: 0-90 mph

Scale: Full

Dia: 140mm

Bezel: Chrome 1/2 "V"

Fitting Instructions:



SPEEDOMETER

MINI

Part No. **SN4421-60CC**

Type: Electric

Range: 0-90 mph

Scale: Full

Dia: 140mm

Bezel: Chrome

Fitting Instructions:



SPEEDOMETER

MINI

Part No. **SN4421-62CC**

Type: Electric

Range: 0-130 mph

Scale: Full

Dia: 140mm

Bezel: Chrome

Fitting Instructions:



SPEEDOMETER

MINI

Part No. **SN4417-18CC**

Type: Electric

Range: 0-130 mph

Scale: Full

Dia: 140mm

Bezel: Chrome Full "V"

Fitting Instructions:



SPEEDOMETER

MINI

Part No. **SN4417-19CC**

Type: Electric

Range: 0-210 kph

Scale: Full

Dia: 140mm

Bezel: Chrome Full "V"

Fitting Instructions:

Representative Image



SPEEDOMETER

MINI

Part No. **SN4421-32CC**

Type: Electric

Range: 0-130 mph

Scale: Full

Dia: 140mm

Bezel: Chrome

Fitting Instructions:



SPEEDOMETER

MINI

Part No. **SN4421-33CC**

Type: Electric

Range: 0-200 kph

Scale: Full

Dia: 140mm

Bezel: Chrome

Fitting Instructions:

Representative Image



Electric Mini Speedo Range

Authentic Smiths Instruments with an update.

Choice of black and magnolia dials. Speedo ranges available in MPH or KPH.

Chrome round bezels. 1/2 v an extra option.

Speedo includes a fuel gauge. No voltage reg for temp.



SPEEDOMETER

MINI

Part No. **SN4421- 61CC**

Type: Electric

Range: 0-140 kph

Scale: Full

Dia: 140mm

Bezel: Chrome Full "V"

Fitting Instructions:

Representative Image



SPEEDOMETER

MINI

Part No. **SN4421- 63CC**

Type: Electric

Range: 0-200 kph

Scale: Full

Dia: 140mm

Bezel: Chrome Full "V"

Fitting Instructions:



SPEEDOMETER

MINI

Part No. **SN4421- 70CC**

Type: Electric

Range: 0-90 mph

Scale: Full

Dia: 140mm

Bezel: Chrome

Fitting Instructions:



SPEEDOMETER

MINI

Part No. **SN4421- 72CC**

Type: Electric

Range: 0-130 mph Scale:

Full

Dia: 140mm

Bezel: Chrome

Fitting Instructions:

Representative Image



SPEEDOMETER

MINI

Part No. **SN4421- 71CC**

Type: Electric

Range: 0-140 kph

Scale: Full

Dia: 140mm

Bezel: Chrome

Fitting Instructions:

Representative Image



SPEEDOMETER

MINI

Part No. **SN4421- 73CC**

Type: Electric

Range: 0-200 kph

Scale: Full

Dia: 133mm

Bezel: Chrome

Fitting Instructions:

Representative Image



MOTORCYCLE



SPEEDOMETER

MOTORCYCLE

Part No. **RES3-1B52-01C**

Type: Stepping Motor Electric

Range: 0-120 mph

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



SPEEDOMETER

MOTORCYCLE

Part No. **RES3-1B52-05C**

Type: Stepping Motor Electric

Range: 0-190 kmh

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:

Representative Image



SPEEDOMETER

MOTORCYCLE

Part No. **RES3-1B52-10C**

Type: Stepping Motor Electric

Range: 0-220 kmh

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:

Representative Image



SPEEDOMETER

MOTORCYCLE

Part No. **RES3-1B52-16C**

Type: Stepping Motor Electric

Range: 0-184 mph

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



SPEEDOMETER

MOTORCYCLE

Part No. **RES3-1B52-17C**

Type: Stepping Motor Electric

Range: 0-156 mph

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



SPEEDOMETER

MOTORCYCLE

Part No. **RES3-1B52-26C**

Type: Stepping Motor Electric

Range: 5-80 mph

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



MOTORCYCLE



TACHOMETER

MOTORCYCLE

Part No. **RET3-1B52-01C**

Type: Stepping Motor Electric

Range: 0-8000 rpm

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



TACHOMETER

MOTORCYCLE

Part No. **RET3-1B52-06C**

Type: Stepping Motor Electric

Range: 500-10000 rpm

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



TACHOMETER

MOTORCYCLE

Part No. **RET3-1B52-30C**

Type: Stepping Motor Electric

Range: 500-10000 rpm

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



TACHOMETER

MOTORCYCLE

Part No. **RET3-1B52-31C**

Type: Stepping Motor Electric

Range: 0-8000 rpm

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



9v Battery TACHOMETER

MOTORCYCLE

Part No. **SRT-1B32-01B**

Type: Stepping Motor Electric

Range: 0-12000 RPM

Scale: Full

Dia: 82mm

Bezel: Black Full "V"

9 volt Battery

Fitting Instructions:



SENSORS

MOTORCYCLE

Part No. **EMP45-1**

Tacho Sensor



Part No. **EMP48-1**

Speedo Sensor



9v Battery TACHOMETER

MOTORCYCLE

Part No. **SRT-1B32-05B**

Type: Stepping Motor Electric

Range: 0-10000 RPM

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Part No. SRT-1B32-06B

Range: 0-9000 RPM

Fitting Instructions:



9v Battery TACHOMETER

MOTORCYCLE

Part No. **SRT-1B32-09B**

Type: Stepping Motor Electric


Range: 0-14000 RPM

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



MOTORCYCLE



SPEEDOMETER

MOTORCYCLE

Part No. **RES3-1B52-23C**

Type: Stepping Motor Electric

Range: 0-240 kmh

Scale: Arc

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:

Representative Image



SPEEDOMETER

MOTORCYCLE

Part No. **RES3-1B52-22C**

Type: Stepping Motor Electric

Range: 0 - 150 MPH

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



TACHOMETER

MOTORCYCLE

Part No. **RET3-1B52-21C**

Type: Stepping Motor Electric

Range: 0-9000rpm

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



SENSORS

MOTORCYCLE

Part No. **EMP45-1**

Tacho Sensor



Part No. **EMP48-1**

Speedo Sensor



SPEEDOMETER

MOTORCYCLE

Part No. **RES3-1B52-24C**

Type: Stepping Motor Electric

Range: 0-150 mph

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



SPEEDOMETER

MOTORCYCLE

Part No. **RES3-1B52-25C**

Type: Stepping Motor Electric

Range: 0-240 kmh

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:

Representative Image



TACHOMETER

MOTORCYCLE

Part No. **RET3-1B52-22C**

Type: Stepping Motor Electric

Range: 0-9000 rpm

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



MOUNTING ACCESSORIES

MOTORCYCLE

Part No. **RET-BRKT**

Part No. **RET-BARMNT**



MOTORCYCLE



SPEEDOMETER

MOTORCYCLE

Part No. **RES3-1B52-21C**

Type: Stepping Motor Electric

Range: 0-240 kmh

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:

Representative Image



SPEEDOMETER

MOTORCYCLE

Part No. **RES3-1B52-20C**

Type: Stepping Motor Electric

Range: 0-150 mph

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



TACHOMETER

MOTORCYCLE

Part No. **RET3-1B52-20C**

Type: Stepping Motor Electric

Range: 0-9000 RPM Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



SENSORS

MOTORCYCLE

Part No. **EMP45-1**

Tacho Sensor



Part No. **EMP48-1**

Speedo Sensor



SPEEDOMETER

MOTORCYCLE

Part No. **RES3-1B52-02C**

Type: Stepping Motor Electric

Range: 0-150 mph

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



SPEEDOMETER

MOTORCYCLE

Part No. **RES3-1B52-03C**

Type: Stepping Motor Electric

Range: 0-240 kmh

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:

Representative Image



TACHOMETER

MOTORCYCLE

Part No. **RET3-1B52-02C**

Type: Stepping Motor Electric

Range: 0-10000 RPM

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



REAR VIEW TACHOMETER

MOTORCYCLE

Part No. **RET & RES**

Sealed CNC Aluminium Case

Sealed Wiring Gland



MOTORCYCLE



SPEEDOMETER

MOTORCYCLE

Part No. **RES3-1B52-14C**

Type: Stepping Motor Electric

Range: 0-150 mph

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



SPEEDOMETER

MOTORCYCLE

Part No. **RES3-1B52-15C**

Type: Stepping Motor Electric

Range: 0 -220 kmh

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:

Representative Image



TACHOMETER

MOTORCYCLE

Part No. **RES3-1B52-23C**

Type: Stepping Motor Electric

Range: 0-10000 rpm

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



SENSORS

MOTORCYCLE

Part No. **EMP45-1**

Tacho Sensor



Part No. **EMP48-1**

Speedo Sensor



SPEEDOMETER

MOTORCYCLE

Part No. **RES3-1B52-04C**

Type: Stepping Motor Electric

Range: 0-230 kmh

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:

Representative Image



SPEEDOMETER

MOTORCYCLE

Part No. **RES3-1B52-00C**

Type: Stepping Motor Electric

Range: 0-120 mph

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



TACHOMETER

MOTORCYCLE

Part No. **RET3-1B52-04C**

Type: Stepping Motor Electric

Range: 0-10000 rpm

Scale: Full

Dia: 82mm

Bezel: Chrome Full "V"

Fitting Instructions:



REAR VIEW TACHOMETER

MOTORCYCLE

Part No. **RET & RES**

Sealed CNC Aluminium Case

Sealed Wiring Gland




Motorsport

The Smiths Motorsport range is for the racing enthusiast who is looking for that something extra.

The classic tachometer keeps that classic look but with a C type scale and larger diameters.

The ProSport Plus and ProSport F1 Tachos match the modern styling of the Telemetrix range of gauges as well as providing max revs recall and a three stage shift light in the ProSport F1.



TACHOMETER

MOTORSPORT

Part No. **RET3-1A32-13**

Type: Electrical

Range: 0-8000 RPM
(0 - 3000 compressed)

Scale: Full

Fitting: Harness

Dia: 80mm

Bezel: Silver Half Round
ProSport Plus max revs recall

Fitting Instructions: 1



TACHOMETER

MOTORSPORT

Part No. **RET5-1A32-14**

Type: Electrical

Range: 0-10000 RPM
(0 - 4000 compressed)

Scale: Full

Fitting: Harness

Dia: 100mm

Bezel: Silver Half Round
ProSport Plus max revs recall

Fitting Instructions: 1



TACHOMETER

MOTORSPORT

Part No. **RET3-1A32-14**

Type: Electrical

Range: 0-10000 RPM
(0 - 4000 compressed) Scale:
Full

Fitting: Harness

Dia: 80mm

Bezel: Silver Half Round
ProSport Plus max revs recall

Fitting Instructions: 1



TACHOMETER

MOTORSPORT

Part No. **RET3-1A32-19**

Type: Electrical

Range: 0-8000 RPM
(0 - 3000 compressed)

Scale: Full

Fitting: Harness Dia: 80mm

Bezel: Silver Half Round
ProSport F1 shift lamps & max
revs recall

Fitting Instructions: 1



TACHOMETER

MOTORSPORT

Part No. **RET5-1A32-13**

Type: Electrical

Range: 0-8000
(0 - 3000 compressed)

Scale: Full

Fitting: Harness

Dia: 100mm

Bezel: Silver Half Round
ProSport Plus max revs recall

Fitting Instructions: 1



TACHOMETER

MOTORSPORT

Part No. **RET3-1A32-20**

Type: Electrical

Range: 0-10000
(0 - 4000 compressed)

Scale: Full

Fitting: Harness Dia: 80mm

Bezel: Silver Half Round
ProSport F1 shift lamps & max
revs recall

Fitting Instructions: 1



TACHOMETER

MOTORSPORT

Part No. **RET3-1A32-03**

Type: Electrical
Range: 0-12000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Alternative: RET3-1A32-51
(Chrome Half Round)
Fitting Instructions:



TACHOMETER

MOTORSPORT

Part No. **RET3-1A32-04**

Type: Electrical
Range: 0 - 14000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Alternative: RET3-1A32-52
(Chrome Half Round)
Fitting Instructions:



TACHOMETER

MOTORSPORT

Part No. **RET3-1A32-05**

Type: Electrical
Range: 0-16000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Alternative: RET3-1A32-53
(Chrome Half Round)
Fitting Instructions:



TACHOMETER

MOTORSPORT

Part No. **RET3-1A32-06**

Type: Electrical
Range: 0-18000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Full "V"
Alternative: RET3-1A32-54
(Chrome Half Round)
Fitting Instructions:



TACHOMETER

MOTORSPORT

Part No. **RET3-1A32-15**

Type: Electrical
Range: 0-12000 RPM
(0 - 5000 compressed)
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
Fitting Instructions:



TACHOMETER

MOTORSPORT

Part No. **RET3-1A32-16**

Type: Electrical
Range: 0-14000 RPM
(0-7000 compressed)
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
Fitting Instructions:



TACHOMETER

MOTORSPORT

Part No. **RET3-1A32-17**

Type: Electrical
Range: 0-16000 RPM
(0-8000 compressed)
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
Fitting Instructions:



TACHOMETER

MOTORSPORT

Part No. **RET3-1A32-18**

Type: Electrical
Range: 0-18000 RPM
(0 - 9000 compressed)
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
Fitting Instructions:



TACHOMETER

MOTORSPORT

Part No. **RET3-1A32-21**

Type: Electrical
Range: 0-12000
(0 - 5000 compressed)
Scale: Full
Dia: 80mm
Bezel: Silver Half Round
Fitting Instructions:



TACHOMETER

MOTORSPORT

Part No. **RET3-1A32-22**

Type: Electrical
Range: 0-14000
(0 - 7000 compressed)
Scale: Full
Dia: 80mm
Bezel: Silver Half Round
Fitting Instructions:



TACHOMETER**MOTORSPORT****Part No. RET3-1A32-23**

Type: Electrical
Range: 0-16000 RPM
Scale: Full
Dia: 80mm
Bezel: Silver Half Round
Fitting Instructions:

**TACHOMETER****MOTORSPORT****Part No. RET3-1A32-24**

Type: Electrical
Range: 0 - 18000 RPM
Scale: Full
Dia: 80mm
Bezel: Chrome Half Round
Fitting Instructions:

**TACHOMETER****MOTORSPORT****Part No. RET5-1A32-03**

Type: Electrical
Range: 0-12000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: RET5-1A32-40
(Silver Half Round)
Fitting Instructions:

**TACHOMETER****MOTORSPORT****Part No. RET5-1A32-04**

Type: Electrical
Range: 0-14000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: RET5-1A32-41
(Silver Half Round)
Fitting Instructions:

**TACHOMETER****MOTORSPORT****Part No. RET5-1A32-05**

Type: Electrical
Range: 0-16000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: RET5-1A32-42
(Silver Half Round)
Fitting Instructions:

**TACHOMETER****MOTORSPORT****Part No. RET5-1A32-06**

Type: Electrical
Range: 0-18000 RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Alternative: RET5-1A32-43
(Silver Half Round)
Fitting Instructions:

**TACHOMETER****MOTORSPORT****Part No. RET5-1A32-15**

Type: Electrical
Range: 0-12000 RPM
(0-5000 Compressed)
Scale: Full
Dia: 100mm
Bezel: Silver
Fitting Instructions:

**TACHOMETER****MOTORSPORT****Part No. RET5-1A32-16**

Type: Electrical
Range: 0-14000 RPM
Scale: Full
Dia: 100mm
Bezel: Silver
Fitting Instructions:

**TACHOMETER****MOTORSPORT****Part No. RET5-1A32-17**

Type: Electrical
Range: 0-16000
(0 - 8000 compressed)
Scale: Full
Dia: 100mm
Bezel: Silver
Fitting Instructions:

**TACHOMETER****MOTORSPORT****Part No. RET5-1A32-18**

Type: Electrical
Range: 0-18000
(0 - 9000 compressed)
Scale: Full
Dia: 100mm
Bezel: Silver
Fitting Instructions:



TACHOMETER**MOTORSPORT****Part No. RET5-1A32-19**

Type: Electrical

Range: 0-8000 RPM

(0 - 3000 compressed)

Scale: Full

Fitting: Harness Dia: 100mm

Bezel: Silver Half Round

Prosport F1 shift lamps max
revs recall**Fitting Instructions:****TACHOMETER****MOTORSPORT****Part No. RET5-1A32-02**

Type: Electrical

Range: 0 - 10000 RPM

Scale: Full Fitting: Harness

Dia: 100mm

Bezel: Chrome Full "V"

Classic Range

Alternative: RET5-1A32-39

(Chrome Half Round)

Fitting Instructions:**TACHOMETER****MOTORSPORT****Part No. RET5-1A32-20**

Type: Electrical

Range: 0-10000 RPM

(0 - 4000 compressed)

Scale: Full

Fitting: Harness Dia: 100mm

Bezel: Silver Half Round

Prosport F1 shift lamps max
revs recall**Fitting Instructions:****TACHOMETER****MOTORSPORT****Part No. RET5-1A32-21**

Type: Electrical

Range: 0-12000 RPM

Scale: Full

Dia: 100mm

Bezel: Silver

Fitting Instructions:**TACHOMETER****MOTORSPORT****Part No. RET3-1A32-01**

Type: Electrical

Range: 0 - 8000 RPM

Scale: Full

Fitting: Harness Dia: 80mm

Bezel: Chrome Full "V" Classic

Range

Alternative: RET3-1A32-49

(Chrome Half Round)

Fitting Instructions:**TACHOMETER****MOTORSPORT****Part No. RET5-1A32-22**

Type: Electrical

Range: 0-14000 RPM

Scale: Full

Dia: 100mm

Bezel: Silver

Fitting Instructions:**TACHOMETER****MOTORSPORT****Part No. RET3-1A32-02**

Type: Electrical

Range: 0 - 10000 RPM

Scale: Full

Fitting: Harness Dia: 80mm

Bezel: Chrome Full "V"

Classic Range

Alternative: RET3-1A32-50

(Chrome Half Round)

Fitting Instructions:**TACHOMETER****MOTORSPORT****Part No. RET5-1A32-23**

Type: Electrical

Range: 0-16000 RPM

Scale: Full

Dia: 100mm

Bezel: Silver

Fitting Instructions:**TACHOMETER****MOTORSPORT****Part No. RET5-1A32-01**

Type: Electrical

Range: 0- 8000 RPM

Scale: Full

Fitting: Harness Dia: 100mm

Bezel: Chrome Full "V"

Classic Range

Alternative: RET5-1A32-44

(Silver Half Round)

Fitting Instructions:**TACHOMETER****MOTORSPORT****Part No. RET5-1A32-24**

Type: Electrical

Range: 0-18000

(0 - 9000 compressed)

Scale: Full

Dia: 100mm

Bezel: Silver

Fitting Instructions:

PORSCHE



PORSCHE

Porsche 356

Gauges designed and manufactured for the original Porsche 356



FUEL TEMPERATURE AND LEVEL PORSCHE

Part No. IP2211-03

Type: Electric
Range: 0-2/4-4/4
Scale: Arc
Dia: 100mm
Bezel: Chrome Full "V"
Dial: Black
Fitting Instructions:



OIL PRESSURE

PORSCHE

Part No. EOP1-6352-00C

Type: Electric
Range: 0-70 lbs./sq.inch
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V" Dial: Black
Fitting Instructions:



TACHOMETER

PORSCHE

Part No. RVC2490-19CB

Type: Electric
Range: 0-8000RPM
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Dial: Black
Bulb: 3 watts
Fitting Instructions:



SPEEDOMETER

PORSCHE

Part No. SNT5372-77CB

Type: Electric
Range: 0-200 MPH
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Dial: Black
Bulb: 3 Watts
Fitting Instructions:



SPEEDOMETER

PORSCHE

Part No. SNT5372-71CB

Type: Electric
Range: 0-220 KPH
Scale: Full
Dia: 100mm
Bezel: Chrome Full "V"
Dial: Black
Fitting Instructions:



PORSCHE

Porsche 911

Instruments designed and manufactured for the original Porsche 911



CLOCK

PORSCHE

Part No. **EAC3-1B32-00B**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 80mm
Bezel: Black Full "V"
Dial: Black
Fitting Instructions:



OIL & FUEL LEVEL

PORSCHE

Part No. **ETO5-1B32-10B**

Type: Electric
Range: 50-150°C/0-10 bar
Scale: Arc
Dia: 80mm
Bezel: Black Full "V"
Fitting Instructions:



FUEL TANK LEVEL

PORSCHE

Part No. **ETO3-1B32-00B**

Type: Electric
Range: R-2/4-4/4
Scale: Arc
Dia: 80mm
Bezel: Black Full
"V" Dial: Black
Fitting Instructions:



TACHOMETER

PORSCHE

Part No. **EET9-1B32-02CB**

Type: Electric
Range: 0-10000 RPM
Scale: Full
Dia: 115mm
Bezel: Black and Chrome Full "V"
Dial: Black
(Also available with 0-8000 RPM)
Fitting Instructions:



OIL PRESSURE

PORSCHE

Part No. **EET9-1B32-04B**

Type: Electric
Range: 0-10000 RPM
Scale: Full
Dia: 115mm
Bezel: Black and Chrome Full "V"
Dial: Green
(Also available with 0-8000 RPM)
Fitting Instructions:



representative image

TACHOMETER

PORSCHE

Part No. **EET9-1B32-00B**

Type: Electronic
Range: 0-8000 RPM
Scale: Full
Dia: 115mm
Bezel: Black Full "V"
Dial: Black
Fitting Instructions:



representative image

TACHOMETER

PORSCHE

Part No. **EET9-1B32-01B**

Type: Electronic
Range: 0-10000 RPM
Scale: Full
Dia: 115mm
Bezel: Black Full "V"
Dial: Black
Fitting Instructions:



SPEEDOMETER

PORSCHE

Part No. **EES5-1B32-150B**

Type: Electric
Range: 0-190 MPH
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
Fitting Instructions:




SPEEDOMETER

PORSCHE

Part No. **EES5-1B32-151B**

Type: Electric
Range: 0-300 KPH
Scale: Full
Dia: 100mm
Bezel: Black Full "V"
Dial: Black
Fitting Instructions:




representative image

Telemetrix

Smiths Telemetrix range is designed for a modern sporting look with attractive brushed aluminium bezels, cirrus white dials and red pointers creating great clarity for the performance and race car driver.

The Telemetrix range was original equipment on the TVR range of sports cars in the UK.



AMMETER

TELEMETRIX

Part No. **TAM1-0052-06**

Type: Electrical
Range: 60-0-60 Amps
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Silver 1/2 Round
Fitting Instructions:



AMMETER

TELEMETRIX

Part No. **TAM1-0052-03**

Type: Electric
Range: 30-0-30
Scale: Full
Dia: 52mm
Bezel: Silver 1/2 Round
Fitting Instructions:



CLOCK

TELEMETRIX

Part No. **TAC1-1052-00**

Type: Electrical
Range: 12hour
Scale: Full
Fitting: Spade
Dia: 52mm
Bezel: Silver 1/2 Round
Fitting Instructions:



CLOCK

TELEMETRIX

Part No. **TAC1-1052-01**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Silver 1/2 Round
Fitting Instructions:



FUEL TANK LEVEL

TELEMETRIX

Part No. **TFC1-1552-00**

Type: Electric
Range: 0 - 1/2 - 1
Scale: Full
Fitting: Spade
Dia: 52mm
Bezel: Silver
Use sender Part No. TB9006Kit or TB9013Kit
Fitting Instructions:



OIL PRESSURE

TELEMETRIX

Part No. **TOP1-3832-10**

Type: Mechanical
Range: 0 - 10 Bar
Scale: Full
Fitting: 1/8in NPT
Dia: 52mm
Bezel: Silver 1/2 Round
Use Fitting Kit Part No. LK-2
Fitting Instructions:



OIL PRESS./WATER TEMPERATURE

TELEMETRIX

Part No. **TGD1301-64078**

Type: Mechanical
Range: 0 - 100 PSI / 90 - 230° F
Scale: Full Dia: 52mm
Fitting: 1/8in NPT / 3/8BSP
Bezel: Silver 1/2 Round
Capillary length 78in.
Comes with 3/8BSP to 5/8UNF adaptor. Use LK-1 on Pressure
Fitting Instructions:



OIL PRESSURE

TELEMETRIX

Part No. **TOP1-1552-10**

Type: Electric
Range: 0 - 10 Bar
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Silver 1/2 Round
Use Sender Part No. PTR3000-8N-
Fitting Instructions:



OIL PRESSURE**TELEMETRIX****Part No. TOP1-1552-07**

Type: Electric
Range: 0 - 7 Bar Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Silver 1/2 Round Use
Sender Part No.
PTR3000-8N-10

Fitting Instructions:**OIL PRESSURE****TELEMETRIX****Part No. TOP1-3832-07**

Type: Mechanical
Range: 0 - 7 Bar
Scale: Full
Fitting: 1/8in NPT
Dia: 52mm
Bezel: Silver 1/2 Round
Use Fitting Kit Part No. LK-2

Fitting Instructions:**FUEL PRESSURE****TELEMETRIX****Part No. TFP1-3832-07**

Type: Mechanical
Range: 0 - 7 Bar
Scale: Full
Fitting: 1/8in NPT
Dia: 52mm
Bezel: Silver 1/2 Round
Use Fitting Kit Part No. LK-2

Fitting Instructions:**FUEL PRESSURE****TELEMETRIX****Part No. TFP1-3832-02**

Type: Mechanical
Range: 0 - 2 Bar
Scale: Full
Fitting: 1/8in NPT
Dia: 52mm
Bezel: Silver 1/2 Round
Use Fitting Kit Part No. LK-2

Fitting Instructions:**WATER TEMP****TELEMETRIX****Part No. TCT1-1452-12**

Type: Electrical
Range: 40 - 120°C
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Silver 1/2 Round
Use Sender Part No. TT3001-8N

Fitting Instructions:**WATER TEMP****TELEMETRIX****Part No. TCT1-3832-002**

Type: Mechanical
Range: 40 - 150°C Scale: Full
Fitting: 3/8BSP Dia: 52mm
Bezel: Silver 1/2 Round
Capillary length 78in.
Comes with 3/8BSP to 5/8UNF adaptor.

Fitting Instructions:**TRANSMISSION OIL TEMPERATURE****TELEMETRIX****Part No. TTT1-1452-15**

Type: Electric
Range: 50 - 150°C
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Silver 1/2 Round
Use Sender Part No. TT3005-8N

Fitting Instructions:**OIL TEMPERATURE****TELEMETRIX****Part No. TOT1-1452-15**

Type: Electric
Range: 50 - 150°C
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Silver 1/2 Round
Use Sender Part No. TT3005-8N

Fitting Instructions:**OIL TEMPERATURE****TELEMETRIX****Part No. TOT1-3832-002**

Type: Mechanical
Range: 40 - 150°C Scale: Full
Fitting: 3/8BSP Dia: 52mm
Bezel: Silver 1/2 Round
Capillary length 78inches.
Comes with 3/8BSP to 5/8UNF adaptor.

Fitting Instructions:**TURBO BOOST****TELEMETRIX****Part No. TMP1-3832-21**

Type: Mechanical
Range: -1 to +1.5 Bar
Scale: Full
Fitting: 1/8in NPT
Dia: 52mm
Bezel: Silver 1/2 Round

Fitting Instructions:

VOLTMETER**TELEMETRIX****Part No. TV01-1052-03**

Type: Electric
Range: 9-17 Volts
Scale: Arc
Dia: 52mm
Bezel: Silver 1/2 Round
Fitting Instructions:

**VOLTMETER****TELEMETRIX****Part No. TV01-1052-02**

Type: Electric
Range: 9 - 17 Volts
Scale: Arc
Fitting: Spade
Dia: 52mm
Bezel: Silver 1/2 Round
Fitting Instructions:

**SPEEDOMETER****TELEMETRIX****Part No. TES5-1B32-02**

Type: Electrical Range:
0 - 240 kph
Scale: Full
Fitting: Harness
Dia: 100mm
Bezel: Silver 1/2 Round
Fitting Instructions:

**SPEEDOMETER****TELEMETRIX****Part No. TES3-1B32-00**

Type: Electrical
Range: 0 - 140 mph
Scale: Full
Dia: 80mm
Bezel: Silver 1/2 Round
Fitting Instructions:

**SPEEDOMETER****TELEMETRIX****Part No. TES5-1B32-03**

Type: Electrical
Range: 0 - 280 kph
Scale: Full
Fitting: Harness
Dia: 100mm
Bezel: Silver 1/2 Round
Fitting Instructions:

**SPEEDOMETER****TELEMETRIX****Part No. TES3-1B32-02**

Type: Electrical
Range: 0 - 240 kph
Scale: Full
Fitting: Harness
Dia: 80mm
Bezel: Silver 1/2 Round
Fitting Instructions:

**SPEEDOMETER****TELEMETRIX****Part No. TES3-1B32-01**

Type: Electric
Range: 0 - 180 mph
Scale: Full
Dia: 80mm
Bezel: Silver 1/2 Round
Fitting Instructions:

**SPEEDOMETER****TELEMETRIX****Part No. TES3-1B32-03**

Type: Electrical
Range: 0 - 280 kph
Scale: Full
Fitting: Harness
Dia: 80mm
Bezel: Silver 1/2 Round
Fitting Instructions:

**SPEEDOMETER****TELEMETRIX****Part No. TES5-1B32-01**

Type: Electrical
Range: 0 - 180 mph
Scale: Full
Dia: 100mm
Bezel: Silver 1/2 Round
Fitting Instructions:

**SPEEDOMETER****TELEMETRIX****Part No. TES5-1B32-00**

Type: Electric
Range: 0 - 140 mph
Scale: Full
Dia: 100mm
Bezel: Silver 1/2 Round
Fitting Instructions:



TACHOMETER

TELEMETRIX

Part No. **TET3-5B32-00**

Type: Electrical

Range: 0 - 8000 RPM

Scale: Full

Fitting: Harness

Dia: 80mm

Bezel: Silver 1/2 Round
2, 3 or 4 pulses / rev

Fitting Instructions:



TACHOMETER

TELEMETRIX

Part No. **TET3-5B32-03**

Type: Electrical

Range: 0 - 14000 RPM

Scale: Full

Dia: 80mm

Bezel: Silver Half Round

Fitting Instructions:



TACHOMETER

TELEMETRIX

Part No. **TET5-5B32-00**

Type: Electric

Range: 0 - 8000 RPM

Scale: Full

Fitting: Harness

Dia: 100mm

Bezel: Silver 1/2

Round 2, 3 or 4 Pulse /
rev

Fitting Instructions:



TRIUMPH



TRIUMPH

Triumph Stag



CLOCK

TRIUMPH

Part No. **CA1100-16B**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Fitting Instructions:



CLOCK

TRIUMPH

Part No. **CA1100-17C**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Fitting Instructions:



FUEL LEVEL

TRIUMPH

Part No. **BF2201-21**

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Fitting Instructions:



OIL PRESSURE

TRIUMPH

Part No. **PG1310-31B**

Type: Electric
Range: 0-100 psi
Scale: Full
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Fitting Instructions:



OIL PRESSURE

TRIUMPH

Part No. **PG1310-32C**

Type: Electric
Range: 0-100 psi
Scale: Full
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Fitting Instructions:



OIL PRESSURE & WATER TEMP TRIUMPH

Part No. **GD1301-21B072**

Type: Electric
Range: 0-100 psi/ C-N-H
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Fitting Instructions:



WATER TEMP TRIUMPH

Part No. **BT2204-23**

Type: Electric
Range: 50-140°C
Scale: Arc
Dia: 52mm
Bezel: Black Half "V"
Dial: Black
Fitting Instructions:



WATER TEMP**TRIUMPH****Part No. BT2230-01**

Type: Electric
 Range: C-H
 Scale: Arc
 Dia: 52mm
 Bezel: Black
 Dial: Black
Fitting Instructions:

**VOLTMETER****TRIUMPH****Part No. ABV2204-00**

Type: Electric
 Range: 0-16 Volts
 Scale: Arc
 Dia: 52mm
 Bezel: Black
 Dial: Black
Fitting Instructions:

**VOLTMETER****TRIUMPH****Part No. ABV2213-00**

Type: Electric
 Range: 11-17 Volts
 Scale: Arc
 Dia: 52mm
 Bezel: Black Half "V"
 Dial: Black
Fitting Instructions:

**TACHOMETER****TRIUMPH****Part No. RVI2819-00BB**

Type: Electric
 Range: 0-7000 RPM
 Scale: Full
 Dia: 100mm
 Bezel: Black Half "V"
 Dial: Black
Fitting Instructions:

**TACHOMETER****TRIUMPH****Part No. RVC2811-00CB**


Type: Electric
 Range: 0-7000 RPM
 Scale: Full
 Dia: 100mm
 Bezel: Black Half "V"
 Dial: Black
Fitting Instructions:

**SPEEDOMETER****TRIUMPH****Part No. SN6201-06**

Type: Mechanical
 Range: 0-140MPH/0-225 KMH
 Scale: Full
 Dia: 100mm
 Bezel: Black
 Dial: Black
Fitting Instructions:

**SPEEDOMETER****TRIUMPH****Part No. SN6212-00S**

Type: Mechanical
 Range: 0-140MPH/0-225 KMH
 Scale: Full
 Dia: 100mm
 Bezel: Black Full "V"
 Dial: Black
Fitting Instructions:

**SPEEDOMETER****TRIUMPH****Part No. SN6215-02**

Type: Mechanical
 Range: 0-140MPH/0-225 KMH
 Scale: Full
 Dia: 100mm
 Bezel: Black Full "V"
 Dial: Black
Fitting Instructions:

**SPEEDOMETER****TRIUMPH****Part No. SN6212-005CB**

Type: Electronic
 Range: 0-140MPH/0-225 KMH
 Scale: Full
 Dia: 100mm
 Bezel: Chrome Half "V"
 Dial: Black
Fitting Instructions:

**SPEEDOMETER****TRIUMPH****Part No. SNT6209-24**

Type: Electronic
 Range: 0-140MPH/0-225 KMH
 Scale: Full
 Dia: 100mm
 Bezel: Black and Chrome Half "V"
 Dial: Black
Fitting Instructions:



Representative image

TRIUMPH

Triumph Spitfire




FUEL LEVEL

TRIUMPH

Part No. **BF2201-16**

Type: Electric
Range: E-1/4-1/2-3/4-F
Scale: Arc
Dia:52mm
Bezel: Black Half "V"
Dial: Black

Fitting Instructions:



Representative image

FUEL LEVEL

TRIUMPH

Part No. **BF2201-16C**

Type: Electric
Range: E-1/4-1/2-3/4-F
Scale: Arc
Dia:52mm
Bezel: Chrome Half "V"
Dial: Black

Fitting Instructions:



WATER TEMP

TRIUMPH

Part No. **BT2204-12**

Type: Electric
Range: C-N-H
Scale: Arc
Dia:52mm
Bezel: Black Half "V"
Dial: Black

Fitting Instructions:



WATER TEMP

TRIUMPH

Part No. **BT2204-12C**

Type: Electric
Range: C-N-H
Scale: Arc
Dia:52mm
Bezel: Chrome Half "V"
Dial: Black

Fitting Instructions:



WATER TEMP

TRIUMPH

Part No. **BT2230-00**

Type: Electric
Range: C-N-H
Scale: Arc
Dia:52mm
Bezel: Chrome and Black Half "V"
Dial: Black

Fitting Instructions:



TACHOMETER

TRIUMPH

Part No. **RN1319-00**

Type: Electric
Range: 0-6500 RPM
Scale: Full
Dia:100mm
Bezel: Chrome Half "V"
Dial: Black

Fitting Instructions:



Representative image

TACHOMETER

TRIUMPH

Part No. **RN1319-02**

Type: Electric
Range: 0-6500 RPM
Scale: Full
Dia:100mm
Bezel: Chrome Half "V"
Dial: Black

Fitting Instructions:



Representative image

TACHOMETER

TRIUMPH

Part No. **RN1319-04**

Type: Electric
Range: 0-6500 RPM
Scale: Full
Dia:100mm
Bezel: Black Half "V"
Dial: Black

Fitting Instructions:



Representative image

TACHOMETER

TRIUMPH

Part No. **RN1326-00AS**

Type: Electric
Range: 0-7000 RPM
Scale: Full
Dia:100mm
Bezel: Chrome and Black Half "V"
Dial: Black

Fitting Instructions:



SPEEDOMETER

TRIUMPH

Part No. **SNT6211-14SB**

Type: Mechanical
Range: 0-120 MPH
Scale: Full
Dia: 100mm
Bezel: Chrome
Dial: Black
Fitting Instructions:



Triumph TR2



AMMETER

TRIUMPH

Part No. **AM1340-18C**

Type: Electric
Range: (-)30-0-30
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Glass: Domed
Fitting Instructions:




AMMETER

TRIUMPH

Part No. **AM1340-19C**

Type: Electric
Range: (-)30-0-30
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Glass: Flat
Fitting Instructions:



Representative Image

FUEL GAUGE

TRIUMPH

Part No. **FG2530-20**

Type: Electric
Range: E-1/2-F
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Dial: Black
Fitting Instructions:



OIL PRESSURE

TRIUMPH

Part No. **PL2561-00**

Type: Electric
Range: 0-100 psi
Scale: Arc
Dia: 52mm
Bezel: Chrome
Fitting Instructions:



OIL PRESSURE

TRIUMPH

Part No. **PL2561-01**

Type: Electric
Range: 0-7kgm
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Fitting Instructions:



WATER TEMP

TRIUMPH

Part No. **TL2561-03**

Type: Electric
Range: 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Glass: Domed
Fitting Instructions:



WATER TEMP

TRIUMPH

Part No. **TL2561-11**

Type: Electric
Range: 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Chrome Full "V"
Glass: Flat
Fitting Instructions:



Representative Image

WATER TEMP

TRIUMPH

Part No. **TL2561-01**

Type: Electric

Range: 90-230 °F

Scale: Arc

Dia: 52mm

Bezel: Chrome

Dial: Black

Fitting Instructions:



TVR



TVR

TVR Chimaera & TVR Griffith



CLOCK

TVR

Part No. **EAC1-1052-10A**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Aluminum Round
Dial: Magnolia
Fitting Instructions:



CLOCK

TVR

Part No. **EAC1-1052-11A**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Aluminum Round
Dial: Black
Fitting Instructions:



CLOCK

TVR

Part No. **EAC1-1052-12A**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Aluminum Round
Dial: Cirrus White
Fitting Instructions:



CLOCK

TVR

Part No. **EAC1-1052-13A**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Aluminum Round
Dial: Mint Green
Fitting Instructions:



CLOCK

TVR

Part No. **EAC1-1052-55A**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Aluminum Round
Dial: Black
Fitting Instructions:



CLOCK

TVR

Part No. **EAC1-1052-56A**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Aluminum Round
Dial: Magnolia
Fitting Instructions:



CLOCK

TVR

Part No. **EAC1-1052-57A**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Aluminum Round
Dial: Cirrus White
Fitting Instructions:



FUEL	TVR
Part No. EFC1-1152-55A Type: Electric Range: E-1/2-F Scale: Arc Dia: 52mm Bezel: Aluminum Half Round Dial: Black Fitting Instructions:	

FUEL	TVR
Part No. EFC1-1152-56A Type: Electric Range: E-1/2-F Scale: Arc Dia: 52mm Bezel: Aluminum Half Round Round Dial: Magnolia Fitting Instructions:	

FUEL	TVR
Part No. EFC1-1152-57A Type: Electric Range: E-1/2-F Scale: Arc Dia: 52mm Bezel: Aluminum Half Round Round Dial: Cirrus White Fitting Instructions:	

FUEL	TVR
Part No. EFC1-1152-58A Type: Electric Range: E-1/2-F Scale: Arc Dia: 52mm Bezel: Aluminum Half Round Dial: Mint Green Fitting Instructions:	

FUEL	TVR
Part No. EFC1-1152-10A Type: Electric Range: E-1/2-F Scale: Arc Dia: 52mm Bezel: Aluminum Half Round Dial: Magnolia Fitting Instructions:	

FUEL	TVR
Part No. EFC1-1152-11A Type: Electric Range: E-1/2-F Scale: Arc Dia: 52mm Bezel: Aluminum Half Round Dial: Black Fitting Instructions:	

FUEL	TVR
Part No. EFC1-1152-12A Type: Electric Range: E-1/2-F Scale: Arc Dia: 52mm Bezel: Aluminum Half Round Dial: Cirrus White Fitting Instructions:	

FUEL	TVR
Part No. EFC1-1152-13A Type: Electric Range: E-1/2-F Scale: Arc Dia: 52mm Bezel: Aluminum Half Round Dial: Mint Green Fitting Instructions:	

OIL PRESSURE	TVR
Part No. EOP1-1352-55A Type: Electric Range: 0-90 psi Scale: Arc Dia: 52mm Bezel: Aluminum Half Round Dial: Black Fitting Instructions:	

OIL PRESSURE	TVR
Part No. EOP1-1352-56A Type: Electric Range: 0-90 psi Scale: Arc Dia: 52mm Bezel: Aluminum Half Round Dial: Magnolia Fitting Instructions:	

OIL PRESSURE **TVR**

Part No. EOP1-1352-57A

Type: Electric
 Range: 0-90 psi
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half
 Round Dial: Cirrus White
Fitting Instructions:



OIL PRESSURE **TVR**

Part No. EOP1-1352-58A

Type: Electric
 Range: 0-90 psi
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half
 Round Dial: Mint Green
Fitting Instructions:



OIL PRESSURE **TVR**

Part No. EOP1-1352-10A

Type: Electric
 Range: 0-90 psi
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Magnolia
Fitting Instructions:



OIL PRESSURE **TVR**

Part No. EOP1-1352-11A

Type: Electric
 Range: 0-90 psi
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Black
Fitting Instructions:



OIL PRESSURE **TVR**

Part No. EOP1-1352-12A

Type: Electric
 Range: 0-90 psi
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Cirrus White
Fitting Instructions:



OIL PRESSURE **TVR**

Part No. EOP1-1352-13A

Type: Electric
 Range: 0-90 psi
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half
 Round Dial: Mint Green
Fitting Instructions:



WATER TEMP **TVR**

Part No. ECT1-1152-55A

Type: Electric
 Range: 50-120 °C
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Black
Fitting Instructions:



WATER TEMP **TVR**

Part No. ECT1-1152-56A

Type: Electric
 Range: 50-120 °C
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Magnolia
Fitting Instructions:



WATER TEMP **TVR**

Part No. ECT1-1152-57A

Type: Electric
 Range: 50-120 °C
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Cirrus White
Fitting Instructions:



WATER TEMP **TVR**

Part No. ECT1-1152-58A

Type: Electric
 Range: 50-120 °C
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Mint Green
Fitting Instructions:



WATER TEMP **TVR**

Part No. ECT1-1152-10A

Type: Electric
 Range: 50-120 °C
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Magnolia
Fitting Instructions:



WATER TEMP **TVR**

Part No. ECT1-1152-11A

Type: Electric
 Range: 50-120°C
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Black
Fitting Instructions:



WATER TEMP **TVR**

Part No. ECT1-1152-12A

Type: Electric
 Range: 50-120°C
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Cirrus White
Fitting Instructions:



WATER TEMP **TVR**

Part No. ECT1-1152-13A

Type: Electric
 Range: 50-120°C
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Mint Green
Fitting Instructions:



OIL TEMP **TVR**

Part No. EOT1-1452-33A

Type: Electric
 Range: 50-150°C
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Black
Fitting Instructions:



OIL TEMP **TVR**

Part No. EOT1-1452-32A

Type: Electric
 Range: 50-150°C
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Magnolia
Fitting Instructions:



OIL TEMP **TVR**

Part No. EOT1-1452-24A

Type: Electric
 Range: 50-150°C
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Full "V"
 Dial: Cirrus White
Fitting Instructions:



OIL TEMP **TVR**

Part No. EOT1-1452-23A

Type: Electric
 Range: 50-150°C
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome Full "V"
 Dial: Mint Green
Fitting Instructions:



OIL TEMP **TVR**

Part No. EOT1-1452-25A

Type: Electric
 Range: 50-150°C
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminium Half Round
 Dial: Cirrus White
Fitting Instructions:



OIL TEMP **TVR**

Part No. EOT1-1452-36A

Type: Electric
 Range: 50-150°C
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminium Half Round
 Dial: Black
Fitting Instructions:



OIL TEMP**TVR****Part No. EOT1-1452-35A**

Type: Electric
 Range: 50-150°C
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminium Half Round
 Dial: Magnolia
Fitting Instructions:

**VOLTMETER****TVR****Part No. EVO1-1052-11A**

Type: Electric
 Range: 9-17 volts
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Black
Fitting Instructions:

**VOLTMETER****TVR****Part No. EVO1-1052-12A**

Type: Electric
 Range: 9-17 volts
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Round Dial: Cirrus White
Fitting Instructions:

**VOLTMETER****TVR****Part No. EVO1-1052-13A**

Type: Electric
 Range: 9-17 volts
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Mint Green
Fitting Instructions:

**VOLTMETER****TVR****Part No. EVO1-1052-10A**

Type: Electric
 Range: 9-17 volts
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Round Dial: Magnolia
Fitting Instructions:

**VOLTMETER****TVR****Part No. EVO1-1052-55A**

Type: Electric
 Range: 9-17 volts
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Black
Fitting Instructions:

**VOLTMETER****TVR****Part No. EVO1-1052-56A**

Type: Electric
 Range: 9-17 volts
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Magnolia
Fitting Instructions:

**VOLTMETER****TVR****Part No. EVO1-1052-57A**

Type: Electric
 Range: 9-17 volts
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Cirrus White
Fitting Instructions:

**VOLTMETER****TVR****Part No. EVO1-1052-58A**

Type: Electric
 Range: 9-17 volts
 Scale: Arc
 Dia: 52mm
 Bezel: Aluminum Half Round
 Dial: Mint Green
Fitting Instructions:

**TACHOMETER****TVR****Part No. EET5-1B32-01A**

Type: Electric
 Range: 0-8000 RPM
 Scale: Full
 Dia: 100mm
 Bezel: Aluminum Half Round
 Dial: Black
Fitting Instructions:



TACHOMETER**TVR****Part No. EET5-1B32-03A**

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Cirrus White
Fitting Instructions:

**TACHOMETER****TVR****Part No. EET5-1B32-32A**

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Magnolia
Fitting Instructions:

**TACHOMETER****TVR****Part No. EET5-1B32-11A**

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Black
Fitting Instructions:

**TACHOMETER****TVR****Part No. EET5-1B32-12A**

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Magnolia
Fitting Instructions:

**TACHOMETER****TVR****Part No. EET5-1B32-66A**

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Cirrus White
Fitting Instructions:

**TACHOMETER****TVR****Part No. EET5-1B32-79A**

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Mint Green
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-01A**

Type: Electric
Range: 0-180MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Black
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-02A**

Type: Electric
Range: 0-180MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Magnolia
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-31A**

Type: Electric
Range: 0-220MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Black
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-32A**

Type: Electric
Range: 0-220MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Magnolia
Fitting Instructions:



SPEEDOMETER**TVR****Part No. EES5-1B32-33A**

Type: Electric
Range: 0-220MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Cirrus White
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-61A**

Type: Electric
Range: 0-300KPH (single scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Black
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-62A**

Type: Electric
Range: 0-300KPH (single scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Magnolia
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-143A**

Type: Electric
Range: 0-180MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Black
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-139A**

Type: Electric
Range: 0-180MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Cirrus White
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-138A**

Type: Electric
Range: 0-180MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Magnolia
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-136A**

Type: Electric
Range: 0-180MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Mint Green
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-141A**

Type: Electric
Range: 0-220MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Cirrus White
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-111A**

Type: Electric
Range: 0-330KPH (single scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Black
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-113A**

Type: Electric
Range: 0-330KPH (single scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Cirrus White
Fitting Instructions:



SPEEDOMETER

TVR

Part No. **EES5-1B32-20A**

Type: Electric
Range: 0-330KPH (single scale)
Scale: Full

Dia: 100mm
Bezel: Aluminum Half Round
Dial: Magnolia
Fitting Instructions:



TVR

TVR Cerbera



CLOCK

TVR

Part No. **EAC1-1052-10A**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Aluminum Round
Dial: Magnolia
Fitting Instructions:



CLOCK

TVR

Part No. **EAC1-1052-11A**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Aluminum Round
Dial: Black
Fitting Instructions:



CLOCK

TVR

Part No. **EAC1-1052-12A**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Aluminum Round
Dial: Cirrus White
Fitting Instructions:



CLOCK

TVR

Part No. **EAC1-1052-13A**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Aluminum Round
Dial: Mint Green
Fitting Instructions:



CLOCK

TVR

Part No. **EAC1-1052-55A**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Aluminum Round
Dial: Black
Fitting Instructions:



CLOCK

TVR

Part No. **EAC1-1052-56A**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Aluminum Round
Dial: Magnolia
Fitting Instructions:



CLOCK

TVR

Part No. **EAC1-1052-57A**

Type: Electric
Range: 12 hours
Scale: Full
Dia: 52mm
Bezel: Aluminum Round
Dial: Cirrus White
Fitting Instructions:



FUEL	TVR
Part No. EFC1-1152-55A Type: Electric Range: E-1/2-F Scale: Arc Dia: 52mm Bezel: Aluminum Half Round Dial: Black Fitting Instructions:	

FUEL	TVR
Part No. EFC1-1152-56A Type: Electric Range: E-1/2-F Scale: Arc Dia: 52mm Bezel: Aluminum Half Round Dial: Magnolia Fitting Instructions:	

FUEL	TVR
Part No. EFC1-1152-57A Type: Electric Range: E-1/2-F Scale: Arc Dia: 52mm Bezel: Aluminum Half Round Dial: Cirrus White Fitting Instructions:	

FUEL	TVR
Part No. EFC1-1152-58A Type: Electric Range: E-1/2-F Scale: Arc Dia: 52mm Bezel: Aluminum Half Round Dial: Mint Green Fitting Instructions:	

FUEL	TVR
Part No. EFC1-1152-10A Type: Electric Range: E-1/2-F Scale: Arc Dia: 52mm Bezel: Aluminum Half Round Dial: Magnolia Fitting Instructions:	

FUEL	TVR
Part No. EFC1-1152-11A Type: Electric Range: E-1/2-F Scale: Arc Dia: 52mm Bezel: Aluminum Half Round Dial: Black Fitting Instructions:	

FUEL	TVR
Part No. EFC1-1152-12A Type: Electric Range: E-1/2-F Scale: Arc Dia: 52mm Bezel: Aluminum Half Round Dial: Cirrus White Fitting Instructions:	

FUEL	TVR
Part No. EFC1-1152-13A Type: Electric Range: E-1/2-F Scale: Arc Dia: 52mm Bezel: Aluminum Half Round Dial: Cirrus White Bezel: Mint Green Fitting Instructions:	

OIL PRESSURE & WATER TEMP	TVR
Part No. ETP1-3932-55A Type: Electric Range: 0-100 psi/ 30-110°C Scale: Arc Dia: 52mm Bezel: Anodised Aluminum Dial: Black Bulb: A2 Capillary length: 20 inches Fitting Instructions:	

OIL PRESSURE & WATER TEMP	TVR
Part No. EOP1-1352-56A Type: Electric Range: 0-100 psi/ 30-110°C Scale: Arc Dia: 52mm Bezel: Anodised Aluminum Dial: Magnolia Bulb: A2 Capillary length: 20 inches Fitting Instructions:	

OIL PRESSURE & WATER TEMP TVR

Part No. **ETP1-3932-57A**

Type: Electric
Range: 0-100 psi/ 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Anodised Aluminum
Dial: Cirrus White
Bulb: A2
Capillary length: 20 inches
Fitting Instructions:



OIL PRESSURE & WATER TEMP TVR

Part No. **ETP1-3932-58A**

Type: Electric
Range: 0-100 psi/ 30-110°C
Scale: Arc
Dia: 52mm
Bezel: Anodised Aluminum
Dial: Mint Green
Capillary length: 20 inches
Bulb: A2
Capillary length: 20 inches
Fitting Instructions:



TACHOMETER TVR

Part No. **EET5-1B32-01A**

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Black
Fitting Instructions:



TACHOMETER TVR

Part No. **EET5-1B32-03A**

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Cirrus White
Fitting Instructions:



TACHOMETER TVR

Part No. **EET5-1B32-32A**

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Magnolia
Fitting Instructions:



TACHOMETER TVR

Part No. **EET5-1B32-11A**

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Black
Fitting Instructions:



TACHOMETER TVR

Part No. **EET5-1B32-12A**

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Magnolia
Fitting Instructions:



TACHOMETER TVR

Part No. **EET5-1B32-66A**

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Cirrus White
Fitting Instructions:



TACHOMETER TVR

Part No. **EET5-1B32-79A**

Type: Electric
Range: 0-8000 RPM
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Mint Green
Fitting Instructions:



SPEEDOMETER TVR

Part No. **EES5-1B32-01A**

Type: Electric
Range: 0-180MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Black
Fitting Instructions:



SPEEDOMETER**TVR****Part No. EES5-1B32-02A**

Type: Electric
Range: 0-180MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Magnolia
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-31A**

Type: Electric
Range: 0-220MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Black
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-32A**

Type: Electric
Range: 0-220MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Magnolia
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-33A**

Type: Electric
Range: 0-220MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Cirrus White
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-61A**

Type: Electric
Range: 0-300KPH (single scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Black
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-62A**

Type: Electric
Range: 0-300KPH (single scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Magnolia
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-143A**

Type: Electric
Range: 0-180MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Black
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-139A**

Type: Electric
Range: 0-180MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Cirrus White
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-138A**

Type: Electric
Range: 0-180MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Magnolia
Fitting Instructions:

**SPEEDOMETER****TVR****Part No. EES5-1B32-136A**

Type: Electric
Range: 0-180MPH (dual scale)
Scale: Full
Dia: 100mm
Bezel: Aluminum Half Round
Dial: Mint Green
Fitting Instructions:



SPEEDOMETER

TVR

Part No. **EES5-1B32-141A**

Type: Electric

Range: 0-220MPH (dual scale)

Scale: Full

Dia: 100mm

Bezel: Aluminum Half Round

Dial: Cirrus White

Fitting Instructions:



SPEEDOMETER

TVR

Part No. **EES5-1B32-111A**

Type: Electric

Range: 0-330KPH (single scale)

Scale: Full

Dia: 100mm

Bezel: Aluminum Half Round

Dial: Black

Fitting Instructions:



SPEEDOMETER

TVR

Part No. **EES5-1B32-113A**

Type: Electric

Range: 0-330KPH (single scale)

Scale: Full

Dia: 100mm

Bezel: Aluminum Half Round

Dial: Cirrus White

Fitting Instructions:



SPEEDOMETER

TVR

Part No. **EES5-1B32-20A**

Type: Electric

Range: 0-330KPH (single scale)

Scale: Full

Dia: 100mm

Bezel: Aluminum Half Round

Dial: Magnolia

Fitting Instructions:



TVR

TVR Series 4



TACHOMETER

TVR

Part No. **FET3-1B32-00B**

Type: Electric

Range: 0-8000rpm

Scale: Full

Dia: 80mm

Bezel: Black Half "V"

Dial: Black

Fitting Instructions:



SPEEDOMETER

TVR

Part No. **FES3-1B52-35B**

Type: Electric

Range: 0-240 KPH

Scale: Full

Dia: 80mm

Bezel: Black Half "V"

Dial: Black

Fitting Instructions:



SPEEDOMETER

TVR

Part No. **FES3-1B52-36B**

Type: Electric

Range: 0-160 MPH

Scale: Full

Dia: 80mm

Bezel: Black Half "V"

Dial: Black

Fitting Instructions:



VW Spit Screen Series 1 & 2

TACHOMETER

VW SPLIT SCREEN

Part No. **EET1-1B52-01C**

Type: Electric
Range: 0-6000 rpm
Scale: Full
Dia: 52mm
Bezel: Chrome

Alternative Black bezel Part
No. EET1-1B52-01B
Fitting Instructions:



CLOCK

VW SPLIT SCREEN

Part No. **EAC1-1052-90C**

Type: Electric
Range: 0-12 hour
Scale: Full
Dia: 52mm
Bezel: Chrome
Fitting Instructions:



OIL PRESSURE

VW SPLIT SCREEN

Part No. **EOP1-1552-37C**

Type: Electric
Range: 0-70 psi
Scale: Arc
Dia: 52mm
Bezel: Chrome

10-180 ohms
Fitting Instructions:



OIL TEMPERATURE

VW SPLIT SCREEN

Part No.
EHT1-1B52-0CC760

Type: Electric
Range: 100-600F

Scale: Arc
Dia: 52mm
Bezel: Chrome
Fitting Instructions:



FUEL

VW SPLIT SCREEN

Part No. **EFC1-1352-01C**

Type: Electric
Range: R-1/2-1
Scale: Arc
Dia: 52mm
Bezel: Chrome

73-0 Ohms
Fitting Instructions:



VOLTMETER

VW SPLIT SCREEN

Part No. **EV01-1052-95C**

Type: Electric
Range: 9-17 volts
Scale: Arc
Dia: 52mm
Bezel: Chrome
Fitting Instructions:



SPEEDOMETER

VW SPLIT SCREEN

Part No. **EES9-1B36-01C**

Type: Electric
Range: 0-120 mph
Scale: Full
Dia: 115mm
Bezel: Chrome
Fitting Instructions:



TACHOMETER

VW SPLIT SCREEN

Part No. **EET3-1B32-88C**

Type: Electric
Range: 0-6000 rpm
Scale: Full
Dia: 80mm
Bezel: Black
Fitting Instructions:



SPEEDOMETER

VW SPLIT SCREEN

Part No. **EES9-1B36-00C**

Type: Electric

Range: 0-80 mph

Dia: 115mm

Bezel: Chrome

Part No. EES9-1B36-01C

Range 0-120 kmh

Fitting Instructions:



SPEEDOMETER

VW SPLIT SCREEN

Part No. **EES9-1B36-07C**

Range: 0-180 kph

Scale: Full

Dia: 115mm

Bezel: Chrome

Fitting Instructions:



SPEEDOMETER

VW SPLIT SCREEN

Part No. **EES9-1B36-06C**

Type: Electric

Range: 0-120 mph

Scale: Full

Dia: 115mm

Bezel: Chrome

Fitting Instructions:



SPEEDOMETER

VW SPLIT SCREEN

Part No. **EES9-1B36-10C**

Type: Electric

Range: 0-200 kph

Scale: Full

Dia: 115mm

Bezel: Chrome

Fitting Instructions:



TACHOMETER

VW BAY WINDOW

Part No. **EET4-1B32-05N**

Type: Electric

Range: 0-8000 rpm

Scale: Full

Dia: 100mm

Bezel: Grey

Fitting Instructions:



TACHOMETER

VW BAY WINDOW

Part No. **EET4-1B32-06N**

Type: Electric

Range: 0-8000 rpm

Scale: Full

Dia: 100mm

Bezel: Grey

Fitting Instructions:



VW Beetle

VOLTMETER

VW BEETLE

Part No. **EVO1-1052-96C**

Type: Electric
Range: 9-17 volts

Scale: Arc

Dia: 52mm

Bezel: Chrome

Fitting Instructions:



VOLTMETER

VW BEETLE

Part No. **EVO1-1052-96B**

Type: Electric
Range: 9-17 volts

Scale: Arc

Dia: 52mm

Bezel: Black

Fitting Instructions:



CLOCK

VW BEETLE

Part No. **EAC1-1052-91C**

Type: Electric
Range: 0-12 hour

Scale: Full

Dia: 52mm

Bezel: Chrome

Fitting Instructions:



CLOCK

VW BEETLE

Part No. **EAC1-1052-91B**

Type: Electric
Range: 0-12 hour

Scale: Full

Dia: 52mm

Bezel: Chrome

Fitting Instructions:



OIL PRESSURE

VW BEELE

Part No. **EOP1-1552-38C**

Type: Electric
Range: 0-70 psi

Scale: Arc

Dia: 52mm

Bezel: Chrome

10-180 ohms

Use 360.001

Fitting Instructions:



OIL PRESSURE

VW BEETLE

Part No. **EOP1-1552-38B**

Type: Electric
Range: 0-70 psi

Scale: Arc

Dia: 52mm

Bezel: Black

10-180 ohms

Use 360.001

Fitting Instructions:



OIL TEMPERATURE

VW BEETLE

Part No. **EOT1-1452-27C**

Type: Electric
Range: 50-150°C

Scale: Arc

Dia: 52mm

Bezel: Chrome

323-18.6 ohms

Use TT3005-8N

Fitting Instructions:



OIL TEMPERATURE

VW BEETLE

Part No. **EOT1-1452-27B**

Type: Electric
Range: 50-150°C

Scale: Arc

Dia: 52mm

Bezel: Black

323-18.6 ohms

Use TT3005-8N

Fitting Instructions:



FUEL
VW BEETLE

Part No. EFC1-6352-01C
 Type:6volt Electric Range:
 R-1/2-1
 Scale:Arc
 Dia:52mm
 Bezel: Chrome
 6 volt
 73-0 ohms
 Use VW Sender
 Fitting Instructions:

FUEL
VW BEETLE

Part No. EFC1-6352-01B
 Type:6voltElectric
 Range:R-1/2-1
 Scale: Arc
 Dia:52mm
 Bezel:Black
 6 volt
 73-0 ohms
 Use VW Sender
 Fitting Instructions:

Fuel
VW BEETLE

Part No. EFC1-1352-02B
 Type: 12 volt Electric
 Range:R-1/2-1
 Scale:Arc
 Dia:52mm
 Bezel: Black
 73-0 ohms
 Use VW Sender
 Fitting Instructions:

FUEL
VW BEETLE

Part No. EFC1-1352-02C
 Type:12voltElectric
 Range: R-1/2-1
 Scale: Arc
 Dia:52mm
 Bezel: Chrome
 73-0 ohms
 Use VW Sender
 Fitting Instructions:

VOLTMETER
VW BEETLE

Part No. EVO1-1052-96C
 Type:Electric
 Range:9-17volts
 Scale: Arc
 Dia: 52mm
 Bezel: Chrome
 Fitting Instructions:

VOLTMETER
VW BEETLE

Part No. EVO1-1052-96B
 Type:Electric
 Range:9-17 volts
 Scale: Arc
 Dia: 52mm
 Bezel: Black
 Fitting Instructions:

SPEEDOMETER

VW BEETLE

Part No. **EES9-1B36-02C**

Type: Electric

Range:0-80 mph

Scale: Full

Dia: 115mm

Bezel: Chrome

Alternative Black Bezel

Part No. EES9-1B36-02B

Fitting Instructions:

SPEEDOMETER

VW BEETLE

Part No. **EES9-1B36-04B**

Type: Electric

Range: 0-120 mph

Scale:Full

Dia:115mm

Bezel: Black

Fitting Instructions:

SPEEDOMETER

VW BEETLE

Part No. **EES9-1B36-03C**

Type: Electric

Range:0-120 kph

Scale: Full

Dia:115 mm

Bezel: Chrome

Fitting Instructions:

SPEEDOMETER

VW BEETLE

Part No. **EES9-1B36-21C**

Type: Electric

Range: 0-140 kph

Scale:Full

Dia:115mm

Bezel: Chrome

Fitting Instructions:

SPEEDOMETER

VW BEETLE

Part No. **EES9-1B36-04C**

Type: Electric

Range: 0-120 mph

Scale: Full

Dia:115mm

Bezel: Chrome

Fitting Instructions:

SPEEDOMETER

VW BEETLE

Part No. **EES9-1B36-05B**

Type: Electric

Range:0-180 kph

Scale: Full

Dia:115mm

Bezel:Black

Fitting Instructions:

SPEEDOMETER

VW BEETLE

Part No. **EES9-1B36-05C**

Range: 0-180 kph

Scale:Full

Dia:115mm

Bezel: Chrome

Fitting Instructions:

SPEEDOMETER

VW BEETLE

Part No. **EES9-1B36-12B**

Type: Electric

Range:0-200 mph

Scale: Full

Dia: 115mm

Bezel: Black

Fitting Instructions:

TACHOMETER

VW BEETLE

Part No. **EET1-1B52-02C**

Type:Electric

Range:0-8000 rpm

Scale: Full

Dia: 52mm

Bezel: Chrome

Fitting Instructions:

TACHOMETER

VW BEETLE

Part No. **EET3-1B32-90B**

Type:Electric

Range:0-6000 rpm

Scale: Full

Dia:80mm

Bezel: Black

Fitting Instructions:

TACHOMETER

VW BEETLE

Part No. **EET3-1B32-90C**

Type: Electric

Range0-6000 rpm

Scale: Full

Dia: 80mm

Bezel: Chrome

Fitting Instructions:

TACHOMETER

VW BEETLE

Part No. **EET3-1B32-100C**

Type:Electric

Range:0-6000 rpm

Scale: Full

Dia:80 mm

Bezel: Chrome

Fitting Instructions:

VW BAY WINDOW

CLOCK

VW BAY WINDOW

Part No. **EAC4-1052-00N**

Type: Electric
Range: 0-12 hour
Scale: Full
Dia: 86mm
Bezel: Chrome

Fitting Instructions:



CLOCK

VW BAY WINDOW

Part No. **EAC4-1052-01N**

Type: Electric
Range: 0-12 hour
Scale: Full
Dia: 86mm
Bezel: Chrome
Fitting Instructions:



CLOCK

VW BAY WINDOW

Part No. **EAC4-1052-02N**

Range: 0-12 hour
Scale: Full
Dia: 86mm
Bezel: Chrome
Fitting Instructions:



SPEEDOMETER

VW BAY WINDOW

Part No. **EES7-1B02-00N**

Type: Electric
Range: 0-90 mph
Scale: Full
Dia: 100mm
Bezel: Grey
Fitting Instructions:



SPEEDOMETER

VW BAY WINDOW

Part No. **EES7-1B02-00N**

Type: Electric
Range: 0-90 mph
Scale: Full
Dia: 100mm
Bezel: Grey
Fitting Instructions:



SPEEDOMETER

VW BAY WINDOW

Part No. **EES7-1B02-01N**

Type: Electric
Range: 0-150 kph
Scale: Full
Dia: 100mm
Bezel: Grey
Fitting Instructions:



SPEEDOMETER

VW BAY WINDOW

Part No. **EES7-1B02-06N**

Type: Electric
Range: 0-120 mph
Scale: Full
Dia: 100mm
Bezel: Grey
Fitting Instructions:



SPEEDOMETER

VW BAY WINDOW

Part No. **EES7-1B02-02N**

Type: Electric
Range: 0-90 mph
Scale: Full
Dia: 100mm
Bezel: Grey
Fitting Instructions:



SPEEDOMETER

VW BAY WINDOW

Part No. **EES7-1B02-02N**

Type: Electric
Range: 10-90 mph
Scale: Full
Dia: 115mm
Bezel: Chrome
Fitting Instructions:



SPEEDOMETER**VW BAY WINDOW****Part No.** **EES7-1B02-07N**

Type: Electric

Range: 0-120 mph

Scale: Full

Dia: 115mm

Bezel: Chrome

Fitting Instructions:**SPEEDOMETER****VW BAY WINDOW****Part No.** **EES9-1B36-07C**

Range: 0-90 mph

Scale: Full

Dia: 115mm

Bezel: Chrome

Fitting Instructions:**SPEEDOMETER****VW BAY WINDOW****Part No.** **EES7-1B02-04N**

Type: Electric

Range: 10-90 kph

Scale: Full

Dia: 115mm

Bezel: Chrome

Fitting Instructions:**SPEEDOMETER****VW BAY WINDOW****Part No.** **EES7-1B02-05N**

Type: Electric

Range: 0-150 kph

Scale: Full

Dia: 100mm

Bezel: Grey

Fitting Instructions:**SPEEDOMETER****VW BAY WINDOW****Part No.** **EES7-1B02-08N**

Type: Electric

Range: 0-120 mph

Scale: Full

Dia: 100mm

Bezel: Grey

Fitting Instructions:**SPEEDOMETER****VW BAY WINDOW****Part No.** **EES7-1B02-08N**

Type: Electric

Range: 0-120 mph

Scale: Full

Dia: 100mm

Bezel: Grey

Fitting Instructions:**TACHOMETER****VW BAY WINDOW****Part No.** **EET4-1B32-00N**

Type: Electric

Range: 0-6000rpm

Scale: Full

Dia: 100mm

Bezel: Grey

Fitting Instructions:**TACHOMETER****VW BAY WINDOW****Part No.** **EET4-1B32-02N**

Type: Electric

Range: 0-6000 rpm

Scale: Full

Dia: 100mm

Bezel: Grey

Fitting Instructions:**SPEEDOMETER****VW BAY WINDOW****Part No.** **EET4-1B32-03N**

Type: Electric

Range: 0-6000 rpm

Scale: Full

Dia: 100mm

Bezel: Grey

Fitting Instructions:**TACHOMETER****VW BAY WINDOW****Part No.** **EET4-1B32-04N**

Type: Electric

Range: 0-8000 rpm

Scale: Full

Dia: 100mm

Bezel: Chrome

Fitting Instructions:

Smiths Common Accessories

Voltage Regulators

<i>Part No.</i>	<i>Description</i>
BR1300-01POS	Smiths Accessories Voltage Regulator Electronic Positive Earth Mini
BR1303-20POS	Smiths Accessories Voltage Regulator Electronic Positive Earth
BR1307-00POS	Smiths Accessories Voltage Regulator Electronic Positive Earth cobra classic
BR1310-00POS	Smiths Accessories Voltage Regulator Electronic Positive Earth
BR1300-01NEG	Smiths Accessories Voltage Regulator Negative Earth Mini
BR1303-20NEG	Smiths Accessories Voltage Regulator Negative Earth
BR1307-00NEG	Smiths Accessories Voltage Regulator Negative Earth cobra classic
BR1308-00NEG	Smiths Accessories Voltage Regulator Negative Earth
BR1310-00NEG	Smiths Accessories Voltage Regulator Negative Earth

Angle Drives

<i>Part No.</i>	<i>Comment</i>
BG2410-30	Smiths Angle Drive
BG2410-70SPR	Smiths Angle Drive

Oil Line Kits

<i>Part No.</i>	<i>Comment</i>
HF22000-00-084	Smiths Accessories Oil Line Kit 84 inches Fixed
LK-2	Smiths Accessories Oil Line Kit 2 metres Adjustable

Fuel Senders

<i>Part No.</i>	<i>Comment</i>
TA9010-000	Smiths Fuel Sender Top Mount 10-180 ohm 5 Hole Earth Return
TA9010-100	Smiths Accessories Sender Fuel 10-180 ohm 5 Hole
TA9030-100	Smiths International Sender Fuel 250-20 ohm 5 Hole
TA9040-000	Smiths International Sender Fuel 250-20 ohm 5 Hole
TA9050-100	Smiths Accessories Sender Fuel 3-80 ohm 5 Hole
TA9110-000	Smiths Accessories Sender Fuel 10-180 ohm 5 Hole
TB9006KIT	Smiths Accessories Sender Fuel 250-20 ohm Top mount 6 Hole
TB9011KIT	Smiths Cobra Sender Fuel 250-20 ohm Top mount 6 Hole Insulated Return
TB9012KIT	Smiths International Sender Fuel 325-20 ohm Top mount 6 Hole Insulated Return
TB9013KIT	Smiths Cobra Sender Fuel 250-20 ohm Side mount 6 Hole Insulated Return

Oil Pressure Senders Arc Scale Gauges

Part No.	Description
PTR1000-6-10	Smiths Cobra Oil Pressure Sender 0-100 psi 1/8x27 nptf 300-10 ohms
PTR1001-06	Smiths International Oil Pressure Sender 0-60 psi 1/4 19 bsp 10-180 ohm
PTR1001-10EC	Smiths Jaguar Oil Pressure Sender 0-100 psi 1/4 19 bsp
PTR1005-M12-10	Smiths Caterham Oil Pressure Sender 0-100 psi M12X1.5
PTR1015-06	Smiths Jaguar Oil Pressure Sender 0-60 psi 1/4 19 bsp 10-180 ohm
PTR1801-10	Smiths Classic Oil Pressure Sender 0-100 psi 1/4 19 bsp
PTR1810-1-10	Smiths Classic Oil Pressure Sender 0-100 psi 1/8x27 nptf
PTR1811-06	Smiths Classic Oil Pressure Sender 0-60 psi 1/4 19 bsp
PTR1811-10	Smiths Classic Oil Pressure Sender 0-100 psi 1/4 19 bsp
PTR1812-06	Smiths Classic Oil Pressure Sender 0-60 psi 1/2 20 unf
PTR1812-10	Smiths Landrover Oil Pressure Sender 0-100 psi 1/2 20 unf
PTR1813-06	Smiths Lotus Oil Pressure Sender 0-60 psi 1/8x27 nptf
PTR3000-8N-10	Smiths International Oil Pressure Sender 0-7 bar 1/8x27 nptf 10-180 ohm
PTR3000-8N-14	Smiths International Oil Pressure Sender 0-10 bar 1/8x27 nptf 10-180 ohm

Oil Pressure Transducers 270 Degree Sweep Gauges

Part No.	Comment
PTTR2300-03-4NKIT	Smiths Cobra & Flight Boost Pressure Transducer -2-+1 bar 1/4 bsp 0-5volt
PTTR2300-03-8NKIT	Smiths Classic Boost Pressure Transducer -2-+1 bar 1/8x27 nptf 0-5volt
PTTR2300-10-4NKIT	Smiths Cobra & Flight Oil Pressure Transducer 0-100 psi 1/4x27 nptf 0-5volt
PTTR2300-10-8BKIT	Smiths Cobra & Flight Oil Pressure Transducer 0-7 bar 1/8 bsp 0-5volt
PTTR2300-10-8NKIT	Smiths Cobra & Flight Oil Pressure Transducer 0-100 psi 1/8x27 nptf 0-5volt
PTTR2300-16-4NKIT	Smiths Caterham Oil Pressure Transducer 0-10 bar 1/4x27 nptf 0-5volt
PTTR2300-16-8NKIT	Smiths Ginetta Oil Pressure Transducer 0-10 bar 1/8x27 nptf 0-5volt
PTTR2301-10-8NKIT	Smiths Classic Oil Pressure Transducer 0-100 psi 1/8x27 nptf 0-5volt

Speed Sensors

Part No.	Comment
GPS01KIT	Smiths Accessories Sender GPS
EMP44-1KIT	Smiths Accessories Sender Speed Hall Effect Smiths VW Bay Window
EMP46-1KIT	Smiths Accessories Sender Speed Hall Effect Smiths Mini
EMP46-2KIT	Smiths Accessories Sender Speed Hall Effect Smiths Mini
EMP48-1KIT	Smiths Motorcycle Sender Speed Hall Effect Smiths
EMP45-1	Smiths Engine Speed Sensor Ignition Pickup
EMP34-1KIT	Smiths Speed Sensor Inductive M8 With LED Operation Indicator

Temperature Transmitters

Part No.	Comment
TT3001-8N	Smiths International Temperature Sender 40-120 c 1/8x27 nptf 287-23 ohm
TT3005-8N	Smiths International Temperature Sender 50-150 c 1/8x27 nptf 323-18.6 ohms
TT4802-00A	Smiths Jaguar Temperature Sender 40-120 c 5/8x18 unf 250-20 ohm
TT4803-00A	Smiths Classic Temperature Sender 50-140c 5/8x18 unf 250-20 ohm
TT6811-01	Smiths Classic Temperature Sender 50-140c 1/8x27 nptf 250-20 ohms

TEMPERATURE ADAPTORS

Vehicle	Model	Oil Gauge Adaptor	Temperature Adaptor
Alfa	Alfasud & Alfetta	230.035	
BMW	Most Models		
Chrysler	Valiant 6/V8 cyl	230.031	
Chevrolet	Equipped w/small block V8 engines	230.032	320.053
Daihatsu	Charade	230.036	
Datsun	All Models	230.036	
Fiat	127, 133, 805	230.034	
	124, 125, 128, 130, X1/9	230.035	320.055
Ford	Cortina	230.032	
	Escort	230.032	
	Falcon XK-XE 6cyl.	230.032	320.050
	Falcon XR-XE V8	230.032	320.051
	Laser, Meteor	230.036	320.055
	Telstar	230.036	320.055
	Bronco, F100, F250, F350	230.032	320.051
	Courier, Econovan, Spectron	230.036	320.055
GMH	Astra LB, LC	230.036	
	Astra LD	230.035	
	Barina	230.036	
	Camira	230.035	
	Commodore (Starfire), Sunbird, Torana 1.9L	230.032	
	Commodore, Torana (red, blue, black 6cyl engine)	230.032	320.053
	Commodore VL (Nissan Engine)	230.036	
	Gemini	230.036	320.055
	Holden EH-HZ 6cyl engine	230.032	320.053
	Holden all models V8 253-308	230.032	
	Jackaroo, Rodeo, Shuttle	230.036	320.055
Hillman	Avenger, Hunter	230.031	320.052
Honda	Accord, Civic, Prelude	230.036	320.055
Isuzu	KB25, 40	230.036	320.055
Leyland	Austin, Mini-all, Marina	230.031	320.052
	P76	230.032	
Mazda	All models except Rotary	230.036	
Mitsubishi	All models	230.036	
Nissan	All models except locally built Pulsars	230.036	320.055
	Pulsar - Australian built	230.035	
Renault	All models except R30	230.035	
SAAB	96L & 99 series - all models	230.036	
Subaru	Most Models	230.036	320.055
Suzuki	All Models	230.036	320.055
Toyota		230.036	320.055
Triumph		230.031	320.052
Volvo	144, 164, 242, 245, 264	230.031	320.052
VW	Beetle, Type 3, Golf, Passat	230.033	